

DET NORSKE HVALRÅDS STATISTISKE PUBLIKASJONER

INTERNATIONAL
WHALING STATISTICS

XII

EDITED BY

THE COMMITTEE FOR WHALING STATISTICS
APPOINTED BY THE NORWEGIAN GOVERNMENT



OSLO 1939

Price: Kr. 2.00

DET NORSKE HVALRÅDS STATISTISKE PUBLIKASJONER

INTERNATIONAL
WHALING STATISTICS

XII

EDITED BY

THE COMMITTEE FOR WHALING STATISTICS
APPOINTED BY THE NORWEGIAN GOVERNMENT




OSLO 1939

PRINTED BY
GRØNDAHL & SON
OSLO

CONTENTS

	Page
Preface	1
Introduction	3
Table No. 1.—Whaling in the Southern Seas in the season 1937/38.....	19
Table No. 2.—Whaling results for the various countries in the Southern Seas 1937/38	19
Table No. 3.—Average size of whales caught in the season 1937/38 in the Ant- arctic	20
Table No. 4.—Whales caught in the season 1937/38 in the Antarctic, by species, sex and size.....	23
Total Antarctic	23
a. South Georgia	25
b. Antarctic, pelagic whaling	27
Table No. 5.—Sperm-whales measured in the seasons 1932/33—1937/38 in the Antarctic, pelagic whaling	28
Table No. 6.—Whales caught in the season 1937/38 in the Antarctic, by species, sex and groups of size	29
Total Antarctic	29
a. South Georgia	29
b. Antarctic, pelagic whaling	30
Table No. 7.—Average production of oil per blue-whale unit in the Antarctic in the season 1937/38	31
Table No. 8.—Whale foetuses	32
1. Blue-whale foetuses measured in the Southern Seas in the season 1937/38 ..	32
2. Fin-whale foetuses measured in the Southern Seas in the season 1937/38..	43
3. Humpback foetuses measured in the Southern Seas in the season 1937/38 ..	67
4. Sei-whale foetuses measured in the Southern Seas in the season 1937/38 ..	69
Table No. 9.—Size of pregnant whale females caught in the Southern Seas in the season 1937/38	70
Table No. 10.—Whale foetuses measured in the season 1937/38, by species and groups of size, in each month	71
Table No. 11.—Whale foetuses measured in the season 1937/38, by species and sex, in each month	73



PREFACE

As for the two previous seasons the committee presents the whaling statistics also for the season 1937-38 in two separate publications.

In the present publication, International Whaling Statistics XII, we give the figures for the whaling in the *Antarctic* in the season 1937-38. The statistics for the whaling in other parts of the world will be published in spring 1939 together with the principal figures for the Antarctic.

Oslo, December 13, 1938.

Gunnar Jahn.

Johan Hjort.

Harald B. Paulsen.

INTRODUCTION

WHALING IN ANTARCTIC 1937-38

In the season 1937-38 whaling operations in the Antarctic were restricted through an international agreement, signed in London on June 8th 1937 by the following States: The South African Union, Argentine, the Commonwealth of Australia, Germany, Great Britain and North Ireland, Ireland, New Zealand and Norway. This convention on the regulation of whaling has, according to the information obtained, been ratified by the following States in the following order:—

U.S.A.....	September 3rd 1937
Great Britain	October 25th "
Norway.....	October 29th "
Germany	November 5th "

According to article 7 of the Convention the catching season is limited in any waters south of 40° South lat. to the period December 8th 1937 to March 15th 1938, both days included. In pursuance of the articles 4 and 5 of the Convention, it is forbidden to take or kill grey whales and/or right-whales, and to take or kill any blue-, fin-, humpback- or sperm-whales below the following lengths:—

Blue-whales.....	70 feet
Fin-whales.....	55 "
Humpbacks.....	35 "
Sperm-whales	35 "

Japan carried on whaling in the Antarctic in this season with four floating factories and 30 catchers, entirely unimpeded by restrictions. The Japanese expeditions started whaling on November 1st 1937 and carried on the catching till March 26th 1938.

As mentioned in the earlier publications of International Whaling Statistics, whaling operations have been restricted since 1932-33. In the seasons 1932-33 and 1933-34 whaling was restricted through production agreements concluded between most of the companies. In the season 1934-35 the catch was restricted to the period December 1st to March 31st, in the season 1935-36 to the period December 1st to March 15th, in the season 1936-37 to the period December 8th to March 7th and in the season 1937-38 to the period December 8th to March 15th. These restrictions were in force for most of the companies taking part in the pelagic whaling in the Antarctic in these years. Particulars as to the exceptions in earlier seasons are given in the previous volumes of International Whaling Statistics.

Table a.—Total Antarctic.

Years.	Species of whales caught.							Oil production.	Expeditions.			Number of whales per boat.
	Blue.	Fin.	Hump-back.	Sei.	Sperm.	Others.	Total of whales.		Shore stations.	Floating factories.	Catchers.	
								Barrels.				
1919-20	1,874	3,213	261	71	8	¹⁾ 14	5,441	272,817	6	6	44	124
1920-21	2,617	5,491	260	36	31	¹⁾ 13	8,448	390,627	6	8	47	180
1921-22	4,416	2,492	9	103	3	—	7,023	452,517	6	8	46	153
1922-23	5,683	3,677	517	10	23	—	9,910	614,547	6	13	60	165
1923-24	3,732	3,035	233	193	66	¹⁾ 12	7,271	464,678	7	13	66	110
1924-25	5,703	4,366	359	1	59	—	10,488	697,091	6	13	65	161
1925-26	4,697	8,916	364	195	37	¹⁾ 10	14,219	783,307	6	15	70	203
1926-27	6,545	5,102	189	778	39	¹⁾ 12	12,665	872,362	6	17	80	158
1927-28	8,334	4,459	23	883	72	¹⁾ 4	13,775	1,037,392	6	18	84	164
1928-29	12,734	6,689	48	808	62	—	20,341	1,631,340	6	26	111	183
1929-30	17,487	11,539	852	216	73	—	30,167	2,546,759	6	38	194	156
1930-31	29,410	10,017	576	145	51	¹⁾ 2	40,201	3,608,348	6	41	232	173
1931-32	6,488	2,871	184	16	13	—	9,572	808,560	2	5	45	213
1932-33	18,891	5,168	159	2	107	—	24,327	2,456,462	1	17	118	206
1933-34	17,349	7,200	872	—	666	—	26,087	2,395,544	2	19	126	207
1934-35	16,500	12,500	1,965	266	577	—	31,808	2,453,999	2	23	153	208
1935-36	17,731	9,697	3,162	2	399	—	30,991	2,436,338	2	24	175	177
1936-37	14,304	14,381	4,477	490	926	¹⁾ 1	34,579	2,658,108	2	30	196	176
1937-38	14,923	28,009	2,079	161	867	—	46,039	3,340,330	2	31	256	180

¹⁾ Right-whales.

In table *a* above are given the figures for the whaling in the Antarctic for each of the seasons 1919-20 to 1937-38. As a consequence of the time restrictions and production agreements in the catching seasons since 1932-33, these figures are not strictly comparable.

According to this table the number of expeditions carrying on whaling on the Antarctic hunting grounds has increased every year since the season 1931-32. In the last season 2 shore stations and 31 floating factories took part in the whaling with 256 catchers. The number of expeditions is a record figure for the last seven years and the number of catchers is the largest number ever recorded. The total number of whales killed in the last season was 46,039—a maximum catch for all years. The oil production in the last season was 3,340,330 barrels—682,222 barrels more than in the season 1936-37. This is a record figure for the last seven seasons and is the greatest output of oil ever recorded next to 1930-31, the oil production in that season amounting to 3,608,348 barrels.

The figures in table *a* concern both the pelagic whaling and the whaling off South Georgia. As those areas ought to be treated separately, we have given the figures for the pelagic whaling in the Antarctic in table *b* on page 5.

The pelagic whaling in the Antarctic, forming in the last seasons the predominant part of the total catch on these grounds—in the season 1937-38 96 per cent of the whales killed were caught by the floating factories—it is evident that the figures recorded correspond closely to those recorded for the total catch in the last season, i.e. a record figure for the number of catchers: 244—an absolute maximum figure for the number of whales killed: 44,152 and a very

Table b.—Pelagic whaling in the Antarctic.

Years.	Species of whales caught.							Oil production. Barrels.
	Blue.	Fin.	Hump- back.	Sei.	Sperm.	Others.	Total of whales.	
1919-20.....	887	1,540	182	—	—	—	2,609	125,788
1920-21.....	1,761	2,848	157	—	—	—	4,766	213,490
1921-22.....	1,846	1,782	—	—	—	—	3,628	203,475
1922-23.....	2,114	2,232	197	—	4	—	4,547	266,994
1923-24.....	1,805	1,657	103	2	17	1) 12	3,596	217,215
1924-25.....	2,191	2,347	97	—	35	—	4,670	290,915
1925-26.....	2,842	3,207	128	182	25	1) 10	6,394	378,850
1926-27.....	2,856	3,958	189	413	22	1) 12	7,450	455,070
1927-28.....	6,209	3,102	23	788	12	1) 4	10,138	733,912
1928-29.....	11,174	3,559	33	412	31	—	15,209	1,282,711
1929-30.....	16,999	8,143	806	—	34	—	25,982	2,298,796
1930-31.....	28,325	8,601	510	1	27	1) 1	37,465	3,420,410
1931-32.....	6,050	1,136	178	—	3	—	7,367	686,355
1932-33.....	18,624	4,441	159	—	107	—	23,331	2,401,879
1933-34.....	16,813	5,472	780	—	659	—	23,724	2,263,357
1934-35.....	15,944	11,664	1,928	141	556	—	30,233	2,345,858
1935-36.....	16,510	9,177	3,121	2	396	—	29,206	2,293,153
1936-37.....	14,183	13,302	4,460	19	856	1) 1	32,821	2,576,479
1937-38.....	14,826	26,457	2,039	6	824	—	44,152	3,250,064

1) Right-whales.

large output of oil: 3,250,064 barrels. The oil production is only surpassed by the output in 1930-31 (3,420,410 barrels).

As to the species of whales killed we note a slight increase in the number of blue-whales killed—from 14,183 in 1936-37 to 14,826 in 1937-38 and an enormous increase in the number of fin-whales killed, from 13,302 in 1936-37 to 26,457 in 1937-38. This is by far the greatest number of fin-whales ever recorded. The number of humpbacks killed was reduced to the half of the catch in 1936-37. In 1936-37 there were caught 4,460 humpbacks, in 1937-38 the figure declined to 2,039. The sperm-whale catch being quite insignificant in the Antarctic, has in the last season declined to 824 from 856 in 1936-37.

In earlier volumes of International Whaling Statistics we have given the catch of the different species by months. The absolute and percentage figures for 1937-38 and previous years are given in the tables *c* and *d* on pages 6 and 7. As pointed out the figures by months are not strictly comparable from one year to another, as the length of the catching period has varied from one year to another. The figures for the latest years are, in fact, only comparable for January and February. For these two months there is a decrease in the number of blue-whales killed. On the other hand the number of blue-whales killed has been greater in November, December and March in 1937-38 than in the preceding season. For November and March this seems to be a consequence of the greater number of catchers present on the hunting fields in these months. In December 1937 there were killed 6,873 blue-whales, in December 1936 5,235. In both years most of the companies started whaling on the 8th of December.

Table c.—Antarctic, pelagic whaling. Absolute figures.

Species of whales and seasons.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March.	April	May.	Total.	The Whaling Statistics' total figures.	
<i>Total animals.</i>	1929/30 ..	39	1,770	4,887	5,234	4,587	4,995	2,739	626	13	24,890	25,982
	1930/31 ..	38	2,784	6,445	7,936	¹⁾ 6,485	6,432	¹⁾ 3,274	366	— ²⁾	²⁾ 33,760	¹⁾ 37,465
	1931/32 ..	—	295	1,292	2,024	1,618	1,428	710	—	—	7,367	7,367
	1932/33 ..	—	963	4,686	5,324	5,738	4,119	2,306	196	—	23,332	23,331
	1933/34 ..	—	869	5,701	5,906	6,362	3,621	1,265	—	—	23,724	23,724
	1934/35 ..	—	270	1,382	8,067	7,603	7,147	5,492	149	93	30,203	30,233
	1935/36 ..	—	—	265	9,411	10,352	7,301	1,877	—	—	29,206	29,206
	1936/37 ..	—	4	542	8,279	11,804	¹⁾ 9,966	2,207	—	— ¹⁾	¹⁾ 32,802	¹⁾ 32,821
1937/38 ..	—	—	1,180	¹⁾ 1,062	14,075	12,716	5,110	—	—	44,143	44,152	
<i>Blue-whales.</i>	1929/30 ..	33	1,507	4,245	4,491	2,200	2,549	1,327	170	4	16,526	16,999
	1930/31 ..	38	2,398	5,518	6,715	4,215	4,018	2,129	174	—	25,205	28,325
	1931/32 ..	—	277	1,181	1,909	1,424	861	398	—	—	6,050	6,050
	1932/33 ..	—	922	4,472	5,117	4,654	2,094	1,278	98	—	18,635	18,624
	1933/34 ..	—	805	5,139	4,993	3,579	1,656	641	—	—	16,813	16,813
	1934/35 ..	—	270	928	6,183	4,474	2,572	1,430	55	—	15,912	15,944
	1935/36 ..	—	—	100	6,874	5,244	3,311	981	—	—	16,510	16,510
	1936/37 ..	—	3	409	5,235	5,332	2,701	497	—	—	14,177	14,183
1937/38 ..	—	—	678	6,873	4,405	2,051	819	—	—	14,826	14,826	
<i>Fin-whales.</i>	1929/30 ..	3	256	574	552	2,089	2,344	1,377	456	9	7,660	8,143
	1930/31 ..	—	377	764	1,032	2,150	2,383	1,136	192	—	8,034	8,601
	1931/32 ..	—	3	69	60	153	549	302	—	—	1,136	1,136
	1932/33 ..	—	30	151	154	985	1,993	1,022	96	—	4,431	4,441
	1933/34 ..	—	32	143	520	2,227	1,842	608	—	—	5,472	5,472
	1934/35 ..	—	—	88	993	2,623	3,986	3,906	52	—	11,648	11,664
	1935/36 ..	—	—	17	1,193	3,915	3,203	849	—	—	9,177	9,177
	1936/37 ..	—	1	7	1,165	4,445	6,118	1,555	—	—	13,291	13,302
1937/38 ..	—	—	24	3,210	9,079	10,131	4,007	—	—	26,451	26,457	
<i>Hump-backs.</i>	1929/30 ..	3	3	51	187	294	102	35	—	—	675	806
	1930/31 ..	—	8	152	184	110	30	8	—	—	492	510
	1931/32 ..	—	15	39	55	41	18	10	—	—	178	178
	1932/33 ..	—	2	49	34	37	29	6	2	—	159	159
	1933/34 ..	—	29	383	156	147	49	16	—	—	780	780
	1934/35 ..	—	—	6	828	437	543	125	4	—	1,943	1,928
	1935/36 ..	—	—	4	1,214	1,107	749	47	—	—	3,121	3,121
	1936/37 ..	—	—	10	1,462	1,854	1,038	96	—	—	4,460	4,460
1937/38 ..	—	—	233	582	513	474	237	—	—	2,039	2,039	
<i>Sperm-whales.</i>	1929/30 ..	—	4	17	4	4	—	—	—	—	29	34
	1930/31 ..	—	1	11	3	9	—	—	—	—	24	27
	1931/32 ..	—	—	3	—	—	—	—	—	—	3	3
	1932/33 ..	—	9	14	19	62	3	—	—	—	107	107
	1933/34 ..	—	3	36	237	309	74	—	—	—	659	659
	1934/35 ..	—	—	358	63	69	45	25	—	—	560	556
	1935/36 ..	—	—	142	130	86	38	—	—	—	396	396
	1936/37 ..	—	—	116	417	173	97	51	—	—	854	856
1937/38 ..	—	—	245	397	78	60	41	—	—	821	824	
<i>Sei-whales.</i>	1929/30 ..	—	—	—	—	—	—	—	—	—	—	—
	1930/31 ..	—	—	—	2	—	1	—	—	—	3	1
	1931/32 ..	—	—	—	—	—	—	—	—	—	—	—
	1932/33 ..	—	—	—	—	—	—	—	—	—	—	—
	1933/34 ..	—	—	—	—	—	—	—	—	—	—	—
	1934/35 ..	—	—	2	—	—	1	6	38	93	140	141
	1935/36 ..	—	—	2	—	—	—	—	—	—	2	2
1936/37 ..	—	—	—	—	—	11	8	—	—	19	19	
1937/38 ..	—	—	—	—	—	—	6	—	—	6	6	

1) 1 right-whale included. 2) 2 right-whales included.

Table d.—Antarctic, pelagic whaling. Percentage figures.

Species of whales and seasons.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March.	April.	May.	Total.	The Whaling statistics' total figures.	
<i>Total animals.</i>	1928/29 ..	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	1929/30 ..	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	
	
<i>Blue-whales.</i>	1928/29 ..	—	97.9	96.6	89.9	79.1	49.9	30.6	14.2	—	70.0	73.5
	1929/30 ..	84.6	85.1	86.9	85.8	48.0	51.1	48.4	27.2	30.8	66.4	65.8
	1930/31 ..	100.0	86.2	85.6	84.7	65.0	62.5	65.0	47.5	—	74.7	75.6
	1931/32 ..	—	93.9	91.5	94.3	88.0	60.3	56.1	—	—	82.1	82.1
	1932/33 ..	—	95.7	95.4	96.1	81.1	50.8	55.4	50.0	—	79.9	79.9
	1933/34 ..	—	92.6	90.2	84.6	56.3	45.7	50.7	—	—	70.9	70.9
	1934/35 ..	94.8	100.0	67.2	76.6	58.8	36.0	26.0	36.9	—	52.7	52.7
	1935/36 ..	—	—	37.7	73.0	50.7	45.3	52.3	—	—	56.5	56.5
	1936/37 ..	—	75.0	75.5	63.2	45.2	27.1	22.5	—	—	43.2	43.2
1937/38 ..	—	—	57.5	62.1	31.3	16.1	16.0	—	—	33.5	33.5	
<i>Fin-whales.</i>	1928/29 ..	—	2.1	2.2	9.6	20.7	49.6	45.0	64.1	100.0	25.3	23.4
	1929/30 ..	7.7	14.5	11.7	10.5	45.5	46.9	50.3	72.8	69.2	30.8	31.0
	1930/31 ..	—	13.5	11.8	13.0	33.2	37.0	34.7	52.5	—	23.8	22.9
	1931/32 ..	—	1.0	5.3	3.0	9.5	38.4	42.5	—	—	15.4	15.4
	1932/33 ..	—	3.1	3.2	2.9	17.2	48.4	44.3	49.0	—	19.0	19.0
	1933/34 ..	—	3.7	2.5	8.8	36.6	50.9	48.1	—	—	23.1	23.1
	1934/35 ..	—	—	6.4	12.3	34.5	55.8	71.1	34.9	—	38.6	38.6
	1935/36 ..	—	—	6.4	12.7	37.8	43.9	45.2	—	—	31.4	31.4
	1936/37 ..	—	25.0	1.3	14.1	37.7	61.4	70.5	—	—	40.5	40.5
1937/38 ..	—	—	2.0	29.0	64.5	79.7	78.4	—	—	59.9	59.9	
<i>Hump-backs.</i>	1928/29 ..	—	—	0.8	0.2	0.1	0.1	—	—	—	0.2	0.2
	1929/30 ..	7.7	0.2	1.0	3.6	6.4	2.0	1.3	—	—	2.7	3.1
	1930/31 ..	—	0.3	2.4	2.3	1.7	0.5	0.3	—	—	1.4	1.4
	1931/32 ..	—	5.1	3.0	2.7	2.5	1.3	1.4	—	—	2.4	2.4
	1932/33 ..	—	0.2	1.1	0.6	0.6	0.7	0.3	1.0	—	0.7	0.7
	1933/34 ..	—	3.3	6.7	2.6	2.3	1.4	1.2	—	—	3.3	3.3
	1934/35 ..	—	—	0.4	10.3	5.8	7.6	2.3	2.7	—	6.4	6.4
	1935/36 ..	—	—	1.5	12.9	10.7	10.3	2.5	—	—	10.6	10.6
	1936/37 ..	—	—	1.8	17.7	15.7	10.4	4.3	—	—	13.6	13.6
1937/38 ..	—	—	19.7	5.3	3.6	3.7	4.7	—	—	4.6	4.6	
<i>Sperm-whales.</i>	1928/29 ..	—	—	0.4	0.3	0.1	0.2	—	—	—	0.2	0.2
	1929/30 ..	—	0.2	0.4	0.1	0.1	—	—	—	—	0.1	0.1
	1930/31 ..	—	—	0.2	—	0.1	—	—	—	—	0.1	0.1
	1931/32 ..	—	—	0.2	—	—	—	—	—	—	0.1	0.1
	1932/33 ..	—	1.0	0.3	0.4	1.1	0.1	—	—	—	0.4	0.4
	1933/34 ..	—	0.4	0.6	4.0	4.8	2.0	—	—	—	2.7	2.7
	1934/35 ..	—	—	25.9	0.8	0.9	0.6	0.5	—	—	1.8	1.8
	1935/36 ..	—	—	53.6	1.4	0.8	0.5	—	—	—	1.4	1.4
	1936/37 ..	—	—	21.4	5.0	1.4	1.0	2.3	—	—	2.6	2.6
1937/38 ..	—	—	20.8	3.6	0.6	0.5	0.8	—	—	1.9	1.9	
<i>Sei-whales.</i>	1928/29 ..	—	—	—	—	—	0.2	24.4	21.7	—	4.3	2.7
	1929/30 ..	—	—	—	—	—	—	—	—	—	—	—
	1930/31 ..	—	—	—	—	—	—	—	—	—	—	—
	1931/32 ..	—	—	—	—	—	—	—	—	—	—	—
	1932/33 ..	—	—	—	—	—	—	—	—	—	—	—
	1933/34 ..	—	—	—	—	—	—	—	—	—	—	—
	1934/35 ..	—	—	0.1	—	—	—	0.1	25.5	100.0	0.5	0.5
	1935/36 ..	—	—	0.8	—	—	—	—	—	—	0.1	0.1
1936/37 ..	—	—	—	—	—	0.1	0.4	—	—	0.1	0.1	
1937/38 ..	—	—	—	—	—	—	0.1	—	—	0.1	0.1	

Table e.—Antarctic, pelagic whaling.

	1930/31.				1931/32		1932/33.		1933/34.		1934/35.		1935/36		1936/37		1937/38.	
	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.
Blue-whales.	West Antarctic and eastward		Ross Sea and westward															
Immature males...	1,759	16.10	115	6.28	204	6.89	1,393	14.40	1,025	11.07	2,058	24.56	2,369	26.50	2,133	29.14	1,825	23.57
„ females . . .	1,567	16.90	132	7.01	239	9.64	1,721	19.32	1,415	18.78	2,489	33.20	2,804	37.07	2,600	37.91	2,392	33.90
„ animals . . .	3,326	16.46	247	6.65	443	8.14	3,114	16.76	2,440	14.53	4,547	28.64	5,173	31.34	4,733	33.39	4,217	28.49
Mature males...	9,169	83.90	1,717	93.72	2,758	93.11	8,280	85.60	8,232	88.93	6,320	75.44	6,571	73.50	5,186	70.86	5,919	76.43
„ females . . .	7,706	83.10	1,751	92.99	2,241	90.36	7,186	80.68	6,120	81.22	5,009	66.80	4,761	62.93	4,258	62.09	4,665	66.10
„ animals . . .	16,875	83.54	3,468	93.35	4,999	91.86	15,466	83.24	14,352	85.47	11,329	71.36	11,332	68.66	9,444	66.61	10,584	71.51
Fin-whales.																		
Immature males...	1,144	32.71	25	3.48	67	12.27	307	12.99	282	9.87	1,055	17.07	798	16.65	1,015	13.61	2,175	14.96
„ females . . .	825	32.51	22	4.10	47	11.87	244	11.78	280	10.71	1,135	20.95	790	18.03	1,003	17.20	2,005	16.89
„ animals . . .	1,969	32.63	47	3.74	114	12.09	551	12.43	562	10.27	2,190	18.88	1,588	17.31	2,018	15.18	4,180	15.83
Mature males...	2,353	67.29	694	96.52	480	87.75	2,056	87.01	2,574	90.13	5,126	82.93	3,996	83.35	6,443	86.39	12,367	85.04
„ females . . .	1,713	67.49	515	95.90	349	88.13	1,827	88.22	2,335	89.29	4,283	79.05	3,592	81.97	4,830	82.80	9,865	83.11
„ animals . . .	4,066	67.37	1,209	96.26	829	87.91	3,883	87.57	4,909	89.73	9,409	81.12	7,588	82.69	11,273	84.82	22,232	84.17

Table f.—Average size of blue-whales and fin-whales.

Kind of whale and whaling grounds.	1937-1938.	1936-1937.	1935-1936.	1934-1935.	1933-1934.	1932-1933.	1931-1932.	1930-1931.	1929-1930.	1928-1929.	1927-1928.
Blue-whales.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.	Engl. feet.
South Georgia .	70.89	71.79	74.27	74.15	72.67	70.87	70.90	75.47	74.07	75.30	76.94
South Shetland .	78.42	77.49	77.75	78.57	80.51	80.40	84.03	79.84	80.19	81.11	78.59
South Orkney ..											—
Pelagic whaling in Antarctic .								—			
Ross Sea								82.09	82.10	—	81.56
Fin-whales.											
South Georgia .	64.52	63.56	64.66	65.76	64.44	63.96	62.16	65.74	66.05	—	66.69
South Shetland .	67.86	67.80	67.72	67.61	68.99	68.71	69.95	65.46	65.15	—	62.79
South Orkney ..											—
Pelagic whaling in Antarctic..								—			
Ross Sea								69.89	71.17	—	—

In the first 8 days of the month there were more catchers present on the fields in 1937 than in 1936. There were, however, fewer blue-whales killed in these 8 days in 1937 than in 1936. The rise in the number of whales killed is therefore due to the hunting in the rest of the month. Taking into consideration that there were 244 catchers present on the fields in December 1937 as against 184 in December 1936, we find that the rise in the number is not astonishing. The number of blue-whales killed per catcher shows a decline—28 in December

Table g.—South Georgia.

Years.	Species of whales caught.							Oil production.	Expeditions.			Number of whales per boat.
	Blue.	Fin.	Hump-back.	Sei.	Sperm.	Others.	Total of whales.		Shore stations.	Floating factories.	Catchers.	
1919-20	987	1,673	79	71	8	1) 14	2,832	Barrels. 147,029	6	—	26	109
1920-21	856	2,643	103	36	31	1) 13	3,682	177,137	5	—	21	175
1921-22	2,570	710	9	103	3	—	3,395	249,042	5	—	20	170
1922-23	3,569	1,445	320	10	19	—	5,363	347,553	5	1	23	233
1923-24	1,927	1,378	130	191	49	—	3,675	247,463	6	—	23	160
1924-25	3,512	2,019	262	1	24	—	5,818	406,176	5	1	24	242
1925-26	1,855	5,709	236	13	12	—	7,825	404,457	5	1	23	340
1926-27	3,689	1,144	—	365	17	—	5,215	417,292	5	1	23	227
1927-28	2,125	1,357	—	95	60	—	3,637	303,480	5	1	23	158
1928-29	1,560	3,130	15	396	31	—	5,132	348,629	5	1	23	223
1929-30	488	3,396	46	216	39	—	4,185	247,963	5	—	27	155
1930-31	1,085	1,416	66	144	24	1) 1	2,736	187,938	5	—	27	101
1931-32	438	1,735	6	16	10	—	2,205	122,205	2	—	12	184
1932-33	267	727	—	2	—	—	996	54,583	1	—	6	166
1933-34	536	1,728	92	—	7	—	2,363	132,187	2	—	11	215
1934-35	556	836	37	125	21	—	1,575	108,141	2	—	10	158
1935-36	1,221	520	41	—	3	—	1,785	143,185	2	—	10	179
1936-37	121	1,079	17	471	70	—	1,758	81,629	2	—	12	147
1937-38	97	1,552	40	155	43	—	1,887	90,266	2	—	12	157

1) Right-whales.

Table h.—South Georgia. Catch by months in absolute figures

Species of whales and seasons.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March.	April.	May.	Total.	The Whaling Statistics' total figures.	
<i>Total animals.</i>	1929/30	123	362	629	1,033	1,119	395	429	104	—	4,194	4,185
	1930/31	58	512	648	602	1) 486	322	99	9	—	2,736	2,736
	1931/32	—	142	361	581	449	400	186	86	—	2,205	2,205
	1932/33	—	128	196	294	376	2	—	—	—	996	996
	1933/34	—	66	196	652	841	545	63	—	—	2,363	2,363
	1934/35	—	57	337	401	292	256	209	23	—	1,575	1,575
	1935/36	—	187	399	437	463	299	—	—	—	1,785	1,785
	1936/37	—	81	204	289	369	316	307	192	—	1,758	1,758
1937/38	—	33	131	421	659	333	203	107	—	1,887	1,887	
<i>Blue-whales.</i>	1929/30	10	46	123	108	126	19	46	11	—	489	488
	1930/31	16	235	297	292	173	57	13	2	—	1,085	1,085
	1931/32	—	24	99	206	78	12	14	5	—	438	438
	1932/33	—	47	85	79	56	—	—	—	—	267	267
	1933/34	—	21	51	125	172	129	38	—	—	536	536
	1934/35	—	38	146	218	104	31	16	3	—	556	556
	1935/36	—	175	368	256	294	128	—	—	—	1,221	1,221
	1936/37	—	9	66	19	21	3	2	1	—	121	121
1937/38	—	4	3	15	36	34	4	1	—	97	97	
<i>Fin-whales.</i>	1929/30	111	312	504	898	976	314	241	48	—	3,404	3,396
	1930/31	42	269	349	308	259	157	32	—	—	1,416	1,416
	1931/32	—	117	260	375	367	377	165	74	—	1,735	1,735
	1932/33	—	81	111	215	318	2	—	—	—	727	727
	1933/34	—	44	137	493	648	383	23	—	—	1,728	1,728
	1934/35	—	19	185	172	183	196	76	5	—	836	836
	1935/36	—	12	31	170	140	167	—	—	—	520	520
	1936/37	—	70	136	254	301	253	51	14	—	1,079	1,079
1937/38	—	28	118	381	600	264	90	71	—	1,552	1,552	
<i>Hump-backs.</i>	1929/30	—	—	2	26	10	3	3	2	—	46	46
	1930/31	—	2	—	2	44	10	6	2	—	66	66
	1931/32	—	—	—	—	4	2	—	—	—	6	6
	1932/33	—	—	—	—	—	—	—	—	—	—	—
	1933/34	—	—	5	31	21	33	2	—	—	92	92
	1934/35	—	—	3	11	5	4	—	—	—	23	37
	1935/36	—	—	—	11	28	2	—	—	—	41	41
	1936/37	—	—	1	7	8	—	1	—	—	17	17
1937/38	—	—	—	20	18	2	—	—	—	40	40	
<i>Sperm-whales.</i>	1929/30	2	4	—	1	7	12	12	1	—	39	39
	1930/31	—	6	2	—	9	3	4	—	—	24	24
	1931/32	—	1	2	—	—	—	2	5	—	10	10
	1932/33	—	—	—	—	—	—	—	—	—	—	—
	1933/34	—	1	3	3	—	—	—	—	—	7	7
	1934/35	—	—	3	—	—	20	12	—	—	35	21
	1935/36	—	—	—	—	1	2	—	—	—	3	3
	1936/37	—	1	1	9	6	9	34	10	—	70	70
1937/38	—	1	10	5	5	—	18	4	—	43	43	
<i>Sei-whales.</i>	1929/30	—	—	—	—	—	47	127	42	—	216	216
	1930/31	—	—	—	—	—	95	44	5	—	144	144
	1931/32	—	—	—	—	—	9	5	2	—	16	16
	1932/33	—	—	—	—	2	—	—	—	—	2	2
	1933/34	—	—	—	—	—	—	—	—	—	—	—
	1934/35	—	—	—	—	—	5	105	15	—	125	125
	1935/36	—	—	—	—	—	—	—	—	—	—	—
	1936/37	—	1	—	—	33	51	219	167	—	471	471
1937/38	—	—	—	—	—	33	91	31	—	155	155	

1) 1 right-whale included.

Table i.—South Georgia. Catch by months in percentage figures.

Species of whales and seasons.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March.	April.	May.	Total.	The Whaling statistics' total figures.	
<i>Total animals.</i>	1929/30 ..	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	1930/31 ..	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	
	
<i>Blue-whales.</i>	1929/30 ..	8.1	12.7	19.6	10.5	11.3	4.8	10.7	10.6	—	11.7	11.7
	1930/31 ..	27.6	45.9	45.8	48.5	35.7	17.7	13.1	22.2	—	39.7	39.7
	1931/32 ..	—	16.9	27.4	35.5	17.4	3.0	7.5	5.8	—	19.9	19.9
	1932/33 ..	—	36.7	43.4	26.9	14.9	—	—	—	—	26.8	26.8
	1933/34 ..	—	31.8	26.0	19.2	20.5	23.7	60.3	—	—	22.7	22.7
	1934/35 ..	—	66.7	43.3	54.4	35.6	12.1	7.7	13.0	—	35.3	35.3
	1935/36 ..	—	93.6	92.2	58.6	63.5	42.8	—	—	—	68.4	68.4
	1936/37 ..	—	11.2	32.4	6.6	5.7	1.0	0.7	0.5	—	6.9	6.9
1937/38 ..	—	12.1	2.3	3.6	5.5	10.2	2.0	0.9	—	5.2	5.2	
<i>Fin-whales.</i>	1929/30 ..	90.3	86.2	80.1	86.9	87.3	79.5	56.2	46.2	—	81.2	81.2
	1930/31 ..	72.4	52.5	53.9	51.2	53.4	48.8	32.3	—	—	51.7	51.7
	1931/32 ..	—	82.4	72.0	64.5	81.7	94.3	88.7	86.1	—	78.6	78.6
	1932/33 ..	—	63.3	56.6	73.1	84.6	100.0	—	—	—	73.0	73.0
	1933/34 ..	—	66.7	69.9	75.6	77.0	70.3	36.5	—	—	73.1	73.1
	1934/35 ..	—	33.3	54.9	42.9	62.7	76.6	36.4	21.7	—	53.1	53.1
	1935/36 ..	—	6.4	7.8	38.9	30.2	55.8	—	—	—	29.1	29.1
	1936/37 ..	—	86.4	66.6	87.9	81.6	80.1	16.6	7.3	—	61.4	61.4
1937/38 ..	—	84.9	90.1	90.5	91.0	79.3	44.3	66.4	—	82.2	82.2	
<i>Hump-backs.</i>	1929/30 ..	—	—	0.3	2.5	0.8	0.8	0.7	1.9	—	1.1	1.1
	1930/31 ..	—	0.4	—	0.3	9.1	3.1	6.1	22.2	—	2.4	2.4
	1931/32 ..	—	—	—	—	0.9	0.5	—	—	—	0.3	0.3
	1932/33 ..	—	—	—	—	—	—	—	—	—	—	—
	1933/34 ..	—	—	2.6	4.7	2.5	6.0	3.2	—	—	3.9	3.9
	1934/35 ..	—	—	0.9	2.7	1.7	1.6	—	—	—	1.5	2.4
	1935/36 ..	—	—	—	2.5	6.1	0.7	—	—	—	2.3	2.3
	1936/37 ..	—	—	0.5	2.4	2.2	—	0.3	—	—	1.0	1.0
1937/38 ..	—	—	—	4.7	2.7	0.6	—	—	—	2.1	2.1	
<i>Sperm-whales.</i>	1929/30 ..	1.6	1.1	—	0.1	0.6	3.0	2.8	0.9	—	0.9	0.9
	1930/31 ..	—	1.2	0.3	—	1.8	0.9	4.0	—	—	0.9	0.9
	1931/32 ..	—	0.7	0.6	—	—	—	1.1	5.8	—	0.5	0.5
	1932/33 ..	—	—	—	—	—	—	—	—	—	—	—
	1933/34 ..	—	1.5	1.5	0.5	—	—	—	—	—	0.3	0.3
	1934/35 ..	—	—	0.9	—	—	7.8	5.7	—	—	2.2	1.3
	1935/36 ..	—	—	—	—	0.2	0.7	—	—	—	0.2	0.2
	1936/37 ..	—	1.2	0.5	3.1	1.6	2.8	11.1	5.2	—	4.0	4.0
1937/38 ..	—	3.0	7.6	1.2	0.8	—	8.9	3.7	—	2.3	2.3	
<i>Sei-whales.</i>	1929/30 ..	—	—	—	—	—	11.9	29.6	40.4	—	5.1	5.1
	1930/31 ..	—	—	—	—	—	29.5	44.5	55.6	—	5.3	5.3
	1931/32 ..	—	—	—	—	—	2.2	2.7	2.3	—	0.7	0.7
	1932/33 ..	—	—	—	—	0.5	—	—	—	—	0.2	0.2
	1933/34 ..	—	—	—	—	—	—	—	—	—	—	—
	1934/35 ..	—	—	—	—	—	1.9	50.2	65.3	—	7.9	7.9
	1935/36 ..	—	—	—	—	—	—	—	—	—	—	—
	1936/37 ..	—	1.2	—	—	8.9	16.1	71.3	87.0	—	26.7	26.7
1937/38 ..	—	—	—	—	—	9.9	44.8	29.0	—	8.2	8.2	

Table j.—South Georgia.

	1931/32.		1932/33.		1933/34.		1934/35.		1935/36.		1936/37.		1937/38.	
	Number of whales.	Per cent	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.	Number of whales.	Per cent.
Blue-whales.														
Immature males	165	76.39	86	77.48	136	60.99	119	49.17	313	53.97	42	71.19	25	73.53
females	147	66.22	120	77.42	207	66.56	188	59.87	364	56.79	40	64.52	51	80.95
animals	312	71.23	206	77.44	343	64.23	307	55.22	677	55.45	82	67.77	76	78.35
Mature males	51	23.61	25	22.52	87	39.01	123	50.83	267	46.03	17	28.81	9	26.47
females	75	33.78	35	22.58	104	33.44	126	40.13	277	43.21	22	35.48	12	19.05
animals	126	23.77	60	22.56	191	35.77	249	44.78	544	44.55	39	32.23	21	21.65
Fin-whales.														
Immature males	520	54.56	147	42.61	335	37.43	95	23.00	110	40.15	242	42.61	313	37.89
females	460	58.97	186	49.47	373	44.78	149	35.22	94	38.21	255	49.90	286	39.39
animals	980	56.55	333	46.19	708	40.97	244	29.19	204	39.23	497	46.06	599	38.60
Mature males	433	45.44	198	57.39	560	62.57	318	77.00	164	59.85	326	57.39	513	62.11
females	320	41.03	190	50.53	460	55.22	274	64.78	152	61.79	256	50.10	440	60.61
animals	753	43.45	388	53.81	1,020	59.03	592	70.81	316	60.77	582	53.94	953	61.40

1937 as against 30 in December 1936. The blue-whale catch as a part of the total catch is of declining importance in the later years. The catch of fin-whales has gone up in every month, but the catch of humpbacks has declined considerably in December, January and February. The increase in November and March is due to the greater number of catchers present on the fields at that time.

In the last season the percentage of immature blue-whales killed has been lower than in the three preceding seasons. See table *e* on page 8. According to this table the percentage of immature blue-whales dropped from 33.39 per cent in 1936-37 to 28.49 per cent in 1937-38. This must be seen partly as a result of the size-regulation in the International Convention of 1937, in pursuance of which the minimum size for blue-whales was raised from 65' to 70'. The percentage of immature fin-whales killed has slightly increased in the last season.

As a consequence of the size-regulation in the last season there is also a rise in the average size of blue-whales, from 77.49 in 1936-37 to 78.42 in 1937-38. See table *f* on page 9.

The figures for *South-Georgia* are printed in table *g*, page 9 for a series of years.

According to this table the number of whales killed off South-Georgia has gone up from 1,758 in 1936-37 to 1,887 in 1937-38. This rise is due to a larger

fin-whale catch in the last season. The other species are declining. The number of blue-whales killed has been quite insignificant since the great catch in 1935-36. The catch by months in absolute and percentage figures is given in the tables *h* and *i* on pages 10 and 11.

In table *j* on page 12 is given the composition of the whales killed as to immature and mature animals.

We observe that the percentage figure for the immature blue-whales killed has gone up and this figure is higher in the last season than in any year recorded. The percentage figure for the immature fin-whales killed shows a marked decline in the last season.

The average size of the whales killed off South Georgia is given in table *f* on page 9. The average size of the blue-whales killed in 1937-38 is smaller than in the four preceding seasons, whereas the average size of fin-whales, in spite of the considerable rise in the number of fin-whales killed, has risen in the last season.

In table *k* is given the average number of whales killed per boat for a series of years for pelagic whaling in the Antarctic. For South Georgia see table *g* on page 9. The average number of whales per boat for the pelagic whaling has increased from 178 in 1936-37 to 181 in 1937-38. It is, however, very difficult to draw any definite conclusion from these figures, as the capacity of the whaling equipment is increasing from year to year.

Table k.—Number of whales per boat for pelagic whaling in the Antarctic.

1930-31....	182.8
1931-32....	223.3
1932-33....	208.3
1933-34....	206.3
1934-35....	211.4
1935-36....	177.0
1936-37....	178.0
1937-38....	181.0

Table l.—Average production of oil per blue-whale unit.¹⁾

Years.	South Georgia.	Other grounds in Antarctic.	Years.	South Georgia.	Other grounds in Antarctic.
	Barrels. ²⁾	Barrels.		Barrels.	Barrels.
1924-25.....	87.5	85.0	1931-32.....	92.9	102.6
1925-26.....	84.0	84.8	1932-33.....	86.5	114.6
1926-27.....	96.4	91.1	1933-34.....	91.8	111.9
1927-28.....	106.4	92.8	1934-35.....	105.1	102.2
1928-29.....	108.2	98.3	1935-36.....	95.5	101.6
1929-30.....	110.7	109.6	1936-37.....	104.5	111.7
1930-31.....	100.1	105.6	1937-38.....	95.7	111.1

¹⁾ Other whales are reduced to blue-whale equivalents on the following basis:— 1 blue-whale = 2 fin-whales = 2½ humpbacks = 6 sei-whales. ²⁾ Barrel = ¼ ton. (1 ton = 1,016 kg.).

Table m.—Whaling in the Antarctic 1919/20—1937/38.

Years.	Norwegian whaling.		British whaling.		Whaling of other countries.	
	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.
		Barrels. ¹⁾		Barrels.		Barrels.
1919-20	3,425	176,595	1,638	75,907	378	20,315
1920-21	5,761	265,990	2,037	92,914	650	31,723
1921-22	4,482	279,965	2,103	132,552	438	40,000
1922-23	5,651	346,733	3,439	213,823	820	53,991
1923-24	4,371	276,852	2,364	153,124	536	34,702
1924-25	6,450	418,315	3,257	229,753	781	49,023
1925-26	8,699	481,245	4,441	247,636	1,079	54,426
1926-27	8,410	557,979	3,443	254,702	812	59,681
1927-28	8,960	700,729	3,374	269,274	1,441	67,389
1928-29	13,993	1,163,992	4,756	370,681	1,592	96,667
1929-30	19,821	1,728,112	8,960	723,196	1,386	95,451
1930-31	25,269	2,291,694	12,196	1,094,145	2,736	222,509
1931-32	—	—	8,722	759,843	850	48,717
1932-33	11,768	1,285,853	11,563	1,116,026	996	54,583
1933-34	12,308	1,218,054	12,640	1,111,700	1,139	65,790
1934-35	15,463	1,183,897	15,323	1,204,047	1,022	66,055
1935-36	14,421	1,116,033	12,538	995,167	4,032	325,138
1936-37	15,039	1,158,665	12,361	977,822	7,179	521,621
1937-38	14,960	1,157,993	16,111	1,153,365	14,968	1,028,972

¹⁾ Barrel = $\frac{1}{4}$ ton (1 ton = 1,016 kg.).

A calculation of the oil production per blue-whale unit is given in table *l* on page 13. This table shows that the average yield for South Georgia dropped from 104.5 barrels in 1936-37 to 95.7 barrels in 1937-38. For the other grounds in the Antarctic the average oil production was practically the same in 1937-38 as in 1936-37.

In earlier seasons up to 1934-35 nearly all whaling operations in the Antarctic were carried on by Norwegian and British companies. See table *m* above. In the three last seasons, however, the whaling of other countries has been of growing importance. In table *n* on page 15 we have given the number of whales killed and the output of oil in absolute and percentage figures for the various countries taking part in the Antarctic whaling in these seasons.

In the last season there is a decline in the absolute figures for the Norwegian whaling, whereas the British whaling has increased and the whaling of other countries has been doubled. Looking at the percentage figures we observe the declining tendency in the Norwegian and British yield of the total catch in these waters and on the other hand the increasing participation of other countries. In 1937-38 these countries had reached the Norwegian level as to the number of whales killed—32.5 per cent of the total catch in Antarctic. This development is due to the increasing and improving whaling equipment of Japan from year to year. In the last season Japan's part of the total number of whales killed amounted to 12.1 per cent and the output of oil to 11.6 per cent of the total production. In the last two seasons Germany has taken up pelagic whaling in the Antarctic—in 1937-38 with four floating factories and 30 catchers—and

Table n.—Whaling in the Antarctic 1935/36—1937/38. Absolute and percentage figures.

Years.	All countries.		Norway.		British Empire.		Japan.		Germany.		Panama.		Others.	
	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.	Number of whales.	Oil production.
<i>Absolute figures.</i>		Barrels. ¹⁾		Barrels. ¹⁾		Barrels. ¹⁾		Barrels. ¹⁾		Barrels. ¹⁾		Barrels. ¹⁾		Barrels. ¹⁾
1935/36	30,991	2,436,338	14,421	1,116,033	12,538	995,167	639	44,145	—	—	2,449	205,801	944	75,192
1936/37	34,579	2,658,108	15,039	1,158,665	12,361	977,822	1,959	156,587	920	61,992	2,389	181,495	1,911	121,547
1937/38	46,039	3,340,330	14,960	1,157,993	16,111	1,153,365	5,582	388,683	5,237	356,858	1,527	117,650	2,622	165,781
<i>Percentage figures</i>	%	%	%	%	%	%	%	%	%	%	%	%	%	%
1935/36	100.0	100.0	46.5	45.8	40.4	40.9	2.0	1.8	—	—	7.9	8.4	3.2	3.1
1936/37	100.0	100.0	43.5	43.6	35.7	36.8	5.7	5.9	2.7	2.3	6.9	6.8	5.5	4.6
1937/38	100.0	100.0	32.5	34.7	35.0	34.5	12.1	11.6	11.4	10.7	3.3	3.5	5.7	5.0

¹⁾ Barrel = $\frac{1}{8}$ ton (ton = 1,016 kg.).

the German part of the total catch was 11.4 per cent of the number of whales killed and 10.7 per cent of the oil production.

A survey of the whale oil prices in the years 1885–1931 is given in International Whaling Statistics IV. For the latest years the prices have been:—

Whale oil No. 1.—Price per ton.

Years.		Highest.	Lowest.
		£ sh.	£ sh.
1932.....	Naked	14. 10	10. —
1933.....	„	15. 10	10. —
1934.....	„	12. —	8. 10
1935.....	„	20. 5	8. 10
1936.....	„	23. —	17. 10
1937.....	„	22. 10	17. —
1938.....	„	17. —	12. —

According to the Whaling Gazette the number of men who have taken part in the whaling in the Antarctic has been as follows:—

1932–33...	4,700
1933–34...	5,542
1934–35...	6,431
1935–36...	7,186
1936–37...	9,321
1937–38...	11,227

Up to 1934–35 the men were almost exclusively Norwegians, in 1935–36 455 were of other nationalities, most of them Japanese. In 1936–37 1,643 were of other nationalities, of which 454 British, 837 Japanese, and 255 Germans. In 1937–38 3,612 were of other nationalities, of which 675 British, 1,840 Japanese and 886 Germans.

Oslo, December 13th 1938.

Gunnar Jahn.

T A B L E S

**Table No. 1.—Whaling in the Southern Seas
in the Season 1937/38.**

Geographical areas.	Species of whales caught.						Oil production.	Expeditions.		
	Blue.	Fin.	Hump- back.	Sei.	Sperm.	Total of whales.		Shore sta- tions.	Floa- ting fac- tories.	Catch- ers.
South Georgia	97	1,552	40	155	43	1,887	Barrel = 1/6 ton. ¹⁾ 90,266	2	—	12
Antarctic, others (pelagic whaling).	14,826	26,457	2,039	6	824	44,152	3,250,064	—	31	244
Total	14,923	28,009	2,079	161	867	46,039	3,340,330	2	31	256

¹⁾ 1 ton = 1,016 kg. ²⁾ The total quantity of whale oil will probably be slightly altered later on, as part of the production of five expeditions is still in store.

**Table No. 2.—Whaling results for the various countries
in the Southern Seas 1937/38.**

Geographical areas.	Species of whales caught.						Oil production.	Expeditions.		
	Blue.	Fin.	Hump- back.	Sei.	Sperm.	Total of whales.		Shore sta- tions.	Floa- ting fac- tories.	Catch- ers.
Norway:— Antarctic, pelagic	4,985	9,083	413	1	478	14,960	Barrel = 1/6 ton. 1,157,993	—	11	83
British Empire:— Antarctic, pelagic	4,766	9,417	838	—	265	15,286	1,114,865	—	10	83
South Georgia . . .	44	681	22	65	13	825	38,500	1	—	6
Japan:— Antarctic, pelagic	2,397	2,709	475	—	1	5,582	388,683	—	4	30
Germany:— Antarctic, pelagic	1,711	3,282	172	5	67	5,237	356,858	—	4	30
Panama:— Antarctic, pelagic	412	1,011	94	—	10	1,527	117,650	—	1	9
U.S.A.:— Antarctic, pelagic	555	955	47	—	3	1,560	114,015	—	1	9
Argentina:— South Georgia . . .	53	871	18	90	30	1,062	51,766	1	—	6
Total	14,923	28,009	2,079	161	867	46,039	3,340,330	2	31	256

¹⁾ The total quantity of whale oil will probably be slightly altered later on, as part of the production of five expeditions is still in store.

**Table No. 3.—Average size of whales caught
in the Southern Seas 1937/38.**

Geographical areas. Number of whales measured.	Company.	Average size.		
		Males.	Females.	Total animals.
		Engl. feet.	Engl. feet.	Engl. feet.
A. Blue-whales.				
<i>South Georgia</i>	No. 1	70.58	72.56	71.87
Males 34 } Total 97.	" 2	70.20	69.45	69.70
Females 63 }				
Average		70.41	71.14	70.89
<i>Antarctic, others</i> (pelagic whaling)	No. 1	77.93	82.22	80.25
Males 7,744 } Total 14,801.	" 2	78.49	82.07	80.20
Females 7,057 }	" 3	78.69	82.05	80.11
	" 4	78.81	81.37	80.10
	" 5	78.66	81.73	79.96
	" 6	77.96	81.52	79.46
	" 7	78.02	81.00	79.38
	" 8	77.50	80.84	79.35
	" 9	77.49	81.21	79.20
	" 10	78.02	80.28	79.09
	" 11	77.76	79.86	78.83
	" 12	77.06	80.92	78.79
	" 13	78.03	79.67	78.76
	" 14	77.34	79.82	78.63
	" 15	77.44	80.15	78.61
	" 16	77.45	79.99	78.54
	" 17	77.48	79.48	78.51
	" 18	77.09	79.80	78.42
	" 19	77.54	79.31	78.30
	" 20	75.66	80.39	78.18
	" 21	76.36	79.76	78.14
	" 22	77.12	79.21	78.05
	" 23	76.98	79.02	77.93
	" 24	77.10	78.68	77.86
	" 25	77.26	78.40	77.79
	" 26	76.32	79.54	77.76
	" 27	76.19	79.06	77.53
	" 28	76.55	78.19	77.25
	" 29	76.14	78.53	77.15
	" 30	75.91	77.51	76.69
	" 31	75.25	76.53	75.85
Average		77.26	79.70	78.42
B. Fin-whales.				
<i>South Georgia</i>	No. 1	63.57	65.91	64.75
Males 826 } Total 1,552.	" 2	63.44	65.47	64.34
Females 726 }				
Average		63.50	65.68	64.52
<i>Antarctic, others</i> (pelagic whaling)	No. 1	67.71	71.69	69.62
Males 14,542 } Total 26,412.	" 2	67.31	71.80	69.59
Females 11,870 }	" 3	67.56	71.08	69.47
	" 4	67.61	70.66	69.16
	" 5	67.62	70.50	68.86
	" 6	66.87	70.88	68.84
	" 7	66.73	71.13	68.82
	" 8	67.13	70.56	68.64

Table No. 3 (continued).

Geographical areas. Number of whales measured.	Company.	Average size.		
		Males.	Females.	Total animals.
		Engl. feet.	Engl. feet.	Engl. feet.
<i>Antarctic, others</i> (continued)	No. 9	67.27	70.12	68.62
	" 10	67.21	70.21	68.45
	" 11	66.79	70.62	68.30
	" 12	66.76	70.18	68.18
	" 13	66.34	70.51	68.02
	" 14	66.56	70.32	68.00
	" 15	66.28	69.84	67.88
	" 16	66.24	69.63	67.67
	" 17	66.12	69.55	67.67
	" 18	66.15	69.45	67.57
	" 19	65.75	69.47	67.57
	" 20	66.11	68.65	67.31
	" 21	66.17	68.74	67.28
	" 22	65.21	68.91	67.22
	" 23	65.51	69.26	67.02
	" 24	65.48	68.48	67.00
	" 25	65.66	68.48	66.97
	" 26	65.94	67.85	66.86
	" 27	65.03	68.77	66.66
	" 28	65.19	68.53	66.61
	" 29	64.93	68.06	66.57
	" 30	65.34	68.05	66.34
	" 31	65.21	67.53	66.28
	Average	66.35	69.72	67.86
<u>C. Humpbacks.</u>				
<i>South Georgia</i>	No. 1	40.00	43.50	41.94
Males 17 } Total 40.	" 2	38.78	42.85	41.18
Females 23 }	Average	39.35	43.13	41.53
<i>Antarctic, others</i> (pelagic whaling)	No. 1	40.62	43.24	42.66
Males 764 } Total 2,030.	" 2	39.67	43.26	42.52
Females 1,266 }	" 3	41.93	43.77	42.46
	" 4	41.54	43.30	42.40
	" 5	42.33	42.02	42.13
	" 6	39.69	43.55	42.03
	" 7	40.46	43.40	42.02
	" 8	39.17	42.81	41.82
	" 9	—	41.75	41.75
	" 10	41.58	42.00	41.73
	" 11	39.59	43.53	41.61
	" 12	40.41	42.74	41.60
	" 13	39.96	42.20	41.41
	" 14	39.12	42.07	41.36
	" 15	40.50	41.53	41.17
	" 16	39.85	41.46	41.10
	" 17	38.90	41.85	41.10
	" 18	38.60	42.29	41.06
	" 19	38.64	42.30	41.05
	" 20	39.89	41.93	40.97
	" 21	39.68	41.55	40.89
	" 22	39.45	41.89	40.55
	" 23	38.52	42.13	40.51

Table No. 3 (continued).

Geographical areas. Number of whales measured.	Company.	Average size.		
		Males.	Females.	Total animals.
		Engl. feet.	Engl. feet.	Engl. feet.
<i>Antarctic, others</i> (continued)	No. 24	38.95	40.56	39.87
	" 25	38.40	41.35	39.71
	" 26	38.16	40.25	39.58
	" 27	37.86	40.92	39.49
	" 28	38.80	39.43	39.17
	" 29	37.50	40.50	39.00
	Average		39.62	41.95
<u>D. Sei-whales.</u>				
<i>South Georgia</i>	No. 1	48.24	51.00	49.94
Males 55 } Females 100 }	" 2	48.17	50.82	49.93
Total 155. Average		48.20	50.89	49.94
<i>Antarctic, others</i> (pelagic whaling)	No. 1	52.00	—	52.00
Males 4 } Females 2 }	" 2	50.33	51.50	50.80
Total 6. Average		50.75	51.50	51.00
<u>E. Sperm-whales.</u>				
<i>South Georgia</i>	No. 1	51.53		
Males 43. Average	" 2	48.23		
		50.53		
<i>Antarctic, others</i> (pelagic whaling)	No. 1	58.00		
Males 805.	" 2	56.00		
	" 3	54.54		
	" 4	54.36		
	" 5	54.27		
	" 6	54.26		
	" 7	54.06		
	" 8	54.00		
	" 9	53.80		
	" 10	53.78		
	" 11	53.46		
	" 12	53.43		
	" 13	53.39		
	" 14	53.32		
	" 15	53.28		
	" 16	52.86		
	" 17	52.50		
	" 18	52.40		
	" 19	52.36		
	" 20	51.29		
	" 21	51.25		
	" 22	50.88		
	" 23	50.52		
	" 24	50.25		
Average		53.17		

Table No. 4.—Whales caught in the season 1937/38 in the Antarctic, by species, sex and size.

Total Antarctic.

Blue-whales.

Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals.
	males.	females.			males.	females.	
56	1	2	3	83	372	372	744
57	1	—	1	84	274	376	650
58	2	1	3	85	207	410	617
59	—	—	—	86	100	364	464
60	5	9	14	87	69	344	413
61	4	6	10	88	26	253	279
62	8	11	19	89	11	185	196
63	10	12	22	90	10	189	199
64	21	12	33	91	5	86	91
65	73	60	133	92	2	47	49
66	53	41	94	93	1	31	32
67	64	61	125	94	—	19	19
68	75	67	142	95	—	14	14
69	28	38	66	96	—	4	4
70	488	403	891	97	—	3	3
71	337	273	610	98	—	1	1
72	348	246	594	99	—	—	—
73	332	252	584	100	—	1	1
74	335	267	602				
75	549	380	929	Sum	7,778	7,120	1) 14,898
76	512	302	814				
77	502	275	777	Average size	{	Males: 77.23 feet	
78	632	319	951		{	Females: 79.62 "	
79	524	295	819		{	Total animals: 78.37 "	
80	761	394	1,155	Per cent	{	Males: 52.21	
81	554	309	863		{	Females: 47.79	
82	482	386	868				

1) 25 blue-whales have not been measured.

Fin-whales.

47	1	1	2	70	1,415	1,143	2,558
48	1	1	2	71	630	940	1,570
49	—	1	1	72	440	1,106	1,546
50	4	2	6	73	207	1,070	1,277
51	2	3	5	74	79	959	1,038
52	3	10	13	75	75	967	1,042
53	9	6	15	76	23	532	555
54	8	6	14	77	9	329	338
55	149	118	267	78	8	185	193
56	156	145	301	79	2	81	83
57	155	119	274	80	3	67	70
58	208	152	360	81	—	18	18
59	208	160	368	82	—	4	4
60	553	367	920	83	—	1	1
61	439	247	686	84	—	—	—
62	592	276	868	85	—	1	1
63	707	317	1,024	Sum	15,368	12,596	1) 27,964
64	906	360	1,266				
65	1,603	513	2,116	Average size	{	Males: 66.19 feet	
66	1,650	448	2,098		{	Females: 69.49 "	
67	1,868	588	2,456		{	Total animals: 67.68 "	
68	1,865	681	2,546	Per cent	{	Males: 54.96	
69	1,390	672	2,062		{	Females: 45.04	

1) 45 fin-whales have not been measured.

Table No. 4 (continued).

Humpbacks.

Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals
	males.	females.			males.	females.	
29	—	1	1	45	35	132	167
30	2	3	5	46	16	74	90
31	4	5	9	47	10	74	84
32	4	7	11	48	7	58	65
33	12	6	18	49	5	23	28
34	11	15	26	50	2	22	24
35	80	86	166	51	—	6	6
36	79	55	134	52	—	4	4
37	59	56	115	53	—	1	1
38	51	52	103				
39	65	46	111	Sum	781	1,289	¹⁾ 2,070
40	112	110	222				
41	63	99	162	Average size	{ Males: 39.61 feet Females: 41.97 "		
42	63	120	183		{ Total animals: 41.08 "		
43	59	133	192	Per cent	{ Males: 37.73 Females: 62.27		
44	42	101	143				

¹⁾ 9 humpbacks have not been measured.

Sperm-whales.

Engl. feet.	Number of males.	Engl. feet.	Number of males.
41	1	52	94
42	2	53	112
43	1	54	129
44	2	55	123
45	6	56	98
46	11	57	43
47	13	58	16
48	17	59	5
49	38	60	1
50	60		
51	76	Sum	¹⁾ 848

Average size:— Males: 53.15 feet.

¹⁾ 19 sperm-whales have not been measured.

Table No. 4 (continued).

Humpbacks.

Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals.
	males.	females.			males.	females.	
32	1	—	1	46	1	1	2
33	—	1	1	47	—	—	—
34	—	—	—	48	—	3	3
35	4	—	4	49	—	1	1
36	—	2	2	50	—	2	2
37	—	—	—	51	—	—	—
38	—	—	—				
39	1	1	2	Sum	17	23	40
40	4	3	7				
41	1	4	5	Average size	Males: 39.35 feet		
42	4	—	4		Females: 43.13 "		
43	1	—	1		Total animals: 41.53 "		
44	—	—	—	Per cent	Males: 42.50		
45	—	5	5		Females: 57.50		

Sei-whales.

Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals.
	males.	females.			males.	females.	
42	1	—	1	53	—	16	16
43	—	—	—	54	—	6	6
44	2	1	3	55	—	1	1
45	6	—	6	Sum	55	100	155
46	3	1	4				
47	8	5	13	Average size	Males: 48.20 feet		
48	10	8	18		Females: 50.89 "		
49	6	6	12		Total animals: 49.94 "		
50	10	19	29	Per cent	Males: 35.48		
51	5	15	20		Females: 64.52		
52	4	22	26				

Sperm-whales.

Engl. feet.	Number of males.	Engl. feet.	Number of males.
44	2	53	7
45	3	54	3
46	2	55	2
47	—	56	—
48	2	57	—
49	5	58	1
50	4		
51	8	Sum	43
52	4		

Average size:— Males: 50.53 feet.

Table No. 4 (continued).

b. Antarctic, pelagic whaling.
Blue-whales.

Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals.
	males.	females.			males.	females.	
56	1	2	3	83	372	372	744
57	1	-	1	84	273	374	647
58	1	1	2	85	207	409	616
59	-	-	-	86	100	364	464
60	2	5	7	87	69	344	413
61	4	5	9	88	26	252	278
62	8	8	16	89	11	184	195
63	10	11	21	90	10	189	199
64	20	9	29	91	5	86	91
65	71	57	128	92	2	47	49
66	51	38	89	93	1	31	32
67	63	60	123	94	-	19	19
68	75	67	142	95	-	14	14
69	28	38	66	96	-	4	4
70	480	388	868	97	-	3	3
71	334	266	600	98	-	1	1
72	345	245	590	99	-	-	-
73	331	250	581	100	-	1	1
74	334	266	600				
75	546	378	924				
76	512	298	810	Sum	7,744	7,057	1) 14,801
77	501	274	775				
78	632	317	949	Average size	{ Males: 77.26 feet		
79	524	295	819		{ Females: 79.70 "		
80	759	392	1,151		{ Total animals: 78.42 "		
81	553	309	862	Per cent	{ Males: 52.32		
82	482	384	866		{ Females: 47.68		

¹⁾ 25 blue-whales have not been measured.

Fin-whales.

47	1	1	2	70	1,380	1,082	2,462
48	1	1	2	71	623	904	1,527
49	-	1	1	72	432	1,074	1,506
50	3	1	4	73	206	1,039	1,245
51	2	2	4	74	74	921	995
52	3	7	10	75	75	948	1,023
53	9	6	15	76	23	527	550
54	7	5	12	77	9	322	331
55	99	78	177	78	8	184	192
56	123	110	233	79	2	80	82
57	136	101	237	80	3	66	69
58	174	137	311	81	-	18	18
59	183	136	319	82	-	4	4
60	488	312	800	83	-	1	1
61	409	232	641	84	-	-	-
62	537	255	792	85	-	1	1
63	663	301	964	Sum	14,542	11,870	1) 26,412
64	838	319	1,157				
65	1,499	478	1,977	Average size	{ Males: 66.35 feet		
66	1,579	401	1,980		{ Females: 69.72 "		
67	1,798	557	2,355		{ Total animals: 67.86 "		
68	1,814	636	2,450	Per cent	{ Males: 55.06		
69	1,341	622	1,963		{ Females: 44.94		

¹⁾ 45 fin-whales have not been measured.

Table No. 4 (continued).

Humpbacks.							
Engl. feet.	Number of		Total animals.	Engl. feet.	Number of		Total animals.
	males.	females.			males.	females.	
29	—	1	1	46	15	73	88
30	2	3	5	47	10	74	84
31	4	5	9	48	7	55	62
32	3	7	10	49	5	22	27
33	12	5	17	50	2	20	22
34	11	15	26	51	—	6	6
35	76	86	162	52	—	4	4
36	79	53	132	53	—	1	1
37	59	56	115				
38	51	52	103	Sum	764	1,266	¹⁾ 2,030
39	64	45	109				
40	108	107	215				
41	62	95	157				
42	59	120	179	Average size	{ Males: 39.62 feet		
43	58	133	191		{ Females: 41.95 "		
44	42	101	143		{ Total animals: 41.07 "		
45	35	127	162	Per cent	{ Males: 37.64		
					{ Females: 62.36		

¹⁾ 9 humpbacks have not been measured.

Sperm-whales, see the column for 1937/38 in the table below.

Table No. 5.—Sperm-whales measured in the seasons 1932/33—1937/38 in the Antarctic. Pelagic whaling.

Engl. feet.	Number of whales measured.						Total animals 1932/33— 1937/38.
	1932/33.	1933/34.	1934/35.	1935/36.	1936/37.	1937/38.	
35	—	1	—	—	—	—	1
37	—	2	4	—	—	—	6
38	—	2	1	—	—	—	3
39	—	—	3	—	—	—	3
40	—	—	1	—	—	—	1
41	—	—	—	—	1	1	2
42	—	1	4	—	1	2	8
43	—	—	2	—	1	1	4
44	—	—	3	1	6	—	10
45	—	5	2	4	6	3	20
46	—	3	3	1	4	9	20
47	1	2	4	—	13	13	33
48	—	5	11	3	19	15	53
49	3	11	12	7	41	33	107
50	4	24	23	20	63	56	190
51	9	31	40	14	73	68	235
52	19	58	58	36	98	90	359
53	7	104	50	43	117	105	426
54	25	89	70	76	128	126	514
55	11	76	65	75	135	121	483
56	12	50	65	45	69	98	339
57	5	30	43	35	35	43	191
58	—	11	15	13	27	15	81
59	2	5	8	2	9	5	31
60	—	3	5	5	4	1	18
61	—	1	1	—	1	—	3
Sum	98	514	493	380	851	¹⁾ 805	3,141
Average size, Engl. feet	53.49	53.39	53.38	54.06	53.04	53.17	53.30

¹⁾ 19 of the sperm-whales caught in 1937/38 have not been measured.

Table No. 6.—Whales caught in the season 1937/38 in the Antarctic, by species, sex and groups of size.

Total Antarctic.

Blue-whales.

	Number of whales.	Per cent.
Group 1. (70 feet and less)	1,556	10.44
„ 2. (71 feet to 85 feet).....	11,577	77.71
„ 3. (above 85 feet).....	1,765	11.85
	14,898	100.00
Immature males	1,850	23.79
„ females	2,443	34.31
„ animals	4,293	28.82
Mature males	5,928	76.21
„ females.....	4,677	65.69
„ animals	10,605	71.18

Fin-whales.

	Number of whales.	Per cent.
Group 1. (55 feet and less).....	325	1.16
„ 2. (56 feet to 65 feet).....	8,183	29.26
„ 3. (above 65 feet).....	19,456	69.58
	27,964	100.00
Immature males	2,488	16.19
„ females.....	2,291	18.19
„ animals	4,779	17.09
Mature males	12,880	83.81
„ females.....	10,305	81.81
„ animals	23,185	82.91

a. South Georgia.

Blue-whales.

	Number of whales.	Per cent.
Group 1. (70 feet and less)	52	53.61
» 2. (71 feet to 85 feet).....	43	44.33
» 3. (above 85 feet)	2	2.06
	97	100.00
Immature males	25	73.53
„ females.....	51	80.95
„ animals	76	78.35
Mature males	9	26.47
„ females	12	19.05
„ animals	21	21.65

Table No. 6 (continued).

Fin-whales.

	Number of whales.	Per cent.
Group 1. (55 feet and less)	98	6.32
» 2. (56 feet to 65 feet)	752	48.45
» 3. (above 65 feet)	702	45.23
	1,552	100.00
Immature males	313	37.89
„ females	286	39.39
„ animals	599	38.60
Mature males	513	62.11
„ females	440	60.61
„ animals	953	61.40

b. Antarctic, pelagic whaling.**Blue-whales.**

	Number of whales.	Per cent.
Group 1. (70 feet and less)	1,504	10.16
„ 2. (71 feet to 85 feet)	11,534	77.93
„ 3. (above 85 feet)	1,763	11.91
	14,801	100.00
Immature males	1,825	23.57
„ females	2,392	33.90
„ animals	4,217	28.49
Mature males	5,919	76.43
„ females	4,665	66.10
„ animals	10,584	71.51

Fin-whales.

	Number of whales.	Per cent.
Group 1. (55 feet and less)	227	0.86
„ 2. (56 feet to 65 feet)	7,431	28.13
„ 3. (above 65 feet)	18,754	71.01
	26,412	100.00
Immature males	2,175	14.96
„ females	2,005	16.89
„ animals	4,180	15.83
Mature males	12,367	85.04
„ females	9,865	83.11
„ animals	22,232	84.17

Table No. 7.—Average production of oil per blue-whale unit in the Antarctic in the season 1937/38.

Other whales are reduced to blue-whale equivalents on the following basis:—
1 blue-whale = 2 fin-whales = 2½ humpbacks = 6 sei-whales.

Geographical areas.	Company.	Blue-whale equivalents.	Oil production.	
			Total.	Per blue-whale equivalent.
			Barrels. ¹⁾	Barrels. ¹⁾
<i>South Georgia</i>	No. 1	510.7	49,815	97.5
	„ 2	404.1	37,795	93.5
	Average	—	—	95.7
<i>Antarctic, others</i> (pelagic whaling)	No. 1	786.6	105,000	133.5
	„ 2	997.9	123,240	124.2
	„ 3	966.2	118,608	122.8
	„ 4	955.1	117,091	122.6
	„ 5	740.7	90,593	122.3
	„ 6	1,213.2	147,567	121.6
	„ 7	1,085.3	129,482	119.3
	„ 8	1,024.8	121,346	118.4
	„ 9	934.2	110,332	118.1
	„ 10	715.6	84,057	117.5
	„ 11	516.5	59,970	116.1
	„ 12	1,027.4	118,512	115.4
	„ 13	1,175.1	134,468	114.4
	„ 14	481.8	54,960	114.1
	„ 15	1,003.9	112,119	111.7
	„ 16	973.5	107,892	110.8
	„ 17	1,023.4	113,440	110.8
	„ 18	613.7	67,359	109.8
	„ 19	737.5	80,973	109.8
	„ 20	1,043.0	114,015	109.3
	„ 21	1,160.5	126,403	108.9
	„ 22	1,026.2	107,958	105.2
	„ 23	928.5	96,327	103.7
	„ 24	711.6	73,404	103.2
	„ 25	1,023.3	105,266	102.8
	„ 26	1,088.3	111,240	102.2
	„ 27	1,215.2	120,510	99.2
	„ 28	621.0	60,153	96.9
	„ 29	772.1	74,570	96.6
	„ 30	1,005.1	96,708	96.2
	„ 31	1,258.7	117,590	93.4
Average		—	—	111.1

¹⁾ Barrel = 1/6 ton. (1 ton = 1,016 kg.).

Table No. 8.—Whale fetuses.

I. Blue-whale fetuses
measured in the Southern Seas in the season 1937/38.

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother	Foetus			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
1/11 37	83	2'7"	M	26/11 37	83	6'0"	F	8/12 37	83	3'6"	F
2/11 "	79	2'9"	M	27/11 "	87	2'0"	F	" "	79	4'0"	M
3/11 "	82	8'0"	M	" "	81	4'0"	M	" "	81	7'6"	F
4/11 "	88	1'5"	M	" "	80	5'0"	M	" "	85	4'0"	M
5/11 "	87	2'8"	F	28/11 "	83	3'0"	F	9/12 "	82	3'0"	F
6/11 "	85	4'8"	M	" "	84	1'3"	M	" "	88	6'2"	M
9/11 "	91	4'0"	M	" "	83	7'0"	M	" "	89	9'2"	F
10/11 "	88	2'5"	M	29/11 "	88	1'3"	F	" "	80	4'0"	M
11/11 "	87	4'0"	F	" "	82	2'0"	F	" "	79	4'0"	F
" "	82	4'0"	M	" "	78	5'7"	F	" "	87	3'0"	F
" "	85	1'3"	M	" "	87	3'4"	M	" "	87	8'0"	F
" "	78	3'3"	F	1/12 "	86	4'0"	M	" "	93	4'0"	M
" "	86	2'2"	F	" "	82	2'0"	M	" "	89	6'0"	M
12/11 "	82	3'0"	F	" "	87	1'5"	M	" "	82	6'0"	M
" "	86	1'5"	M	" "	84	8'0"	M	" "	81	5'0"	F
" "	82	6'0"	M	3/12 "	85	4'3"	F	" "	84	5'0"	M
" "	83	4'0"	M	4/12 "	89	5'0"	F	" "	78	5'0"	F
13/11 "	84	4'0"	M	" "	86	4'5"	M	" "	87	4'0"	F
" "	84	3'2"	F	" "	89	4'5"	F	" "	87	8'0"	M
14/11 "	75	5'0"	F	6/12 "	83	2'3"	F	" "	80	4'0"	M
" "	82	2'5"	M	" "	87	5'2"	M	" "	87	10'0"	F
15/11 "	86	5'0"	F	8/12 "	87	3'0"	M	" "	83	6'0"	F
" "	86	6'0"	F	" "	89	6'0"	M	" "	87	11'0"	F
16/11 "	76	4'0"	M	" "	88	5'0"	F	" "	87	8'0"	F
" "	80	3'0"	M	" "	79	3'0"	M	" "	90	6'0"	F
" "	85	4'5"	M	" "	86	4'0"	M	" "	81	5'0"	F
17/11 "	77	5'0"	F	" "	85	7'0"	M	" "	76	2'0"	F
" "	85	8'6"	F	" "	78	5'0"	F	" "	84	6'0"	M
" "	82	5'0"	M	" "	85	5'0"	M	" "	85	6'0"	M
" "	88	6'0"	M	" "	84	5'5"	F	" "	88	6'5"	F
" "	79	5'0"	M	" "	84	4'0"	F	" "	87	6'0"	M
" "	89	1'9"	M	" "	83	10'0"	M	" "	71	4'0"	M
" "	83	5'8"	F	" "	82	2'0"	F	" "	82	1'6"	M
18/11 "	88	4'5"	M	" "	90	10'0"	F	" "	86	2'0"	M
" "	80	3'0"	M	" "	85	7'0"	F	" "	88	5'0"	F
" "	83	3'4"	F	" "	91	8'0"	M	" "	81	6'0"	M
19/11 "	86	6'0"	F	" "	89	7'0"	F	" "	90	1'6"	F
21/11 "	80	4'0"	M	" "	88	12'0"	F	" "	84	8'0"	M
22/11 "	88	6'0"	M	" "	86	2'0"	M	" "	86	5'0"	M
" "	84	4'5"	F	" "	78	1'6"	F	" "	85	8'0"	M
" "	90	9'0"	F	" "	82	3'6"	F	" "	90	8'0"	F
" "	84	2'0"	M	" "	78	7'0"	M	10/12 "	81	6'0"	M
" "	86	2'0"	M	" "	76	4'0"	M	" "	89	10'0"	M
23/11 "	86	5'0"	M	" "	79	5'0"	M	" "	87	10'0"	M
" "	88	6'0"	M	" "	85	5'0"	M	" "	82	3'0"	M
" "	90	1'5"	M	" "	86	10'0"	F	" "	85	2'0"	M
24/11 "	81	1'5"	M	" "	87	3'0"	M	" "	88	5'0"	M
" "	83	1'4"	M	" "	88	6'6"	M	" "	77	5'0"	M
" "	81	5'0"	M	" "	88	8'0"	F	" "	83	1'0"	M
25/11 "	80	1'0"	M	" "	89	6'0"	M	" "	80	5'0"	F
" "	87	3'8"	F	" "	90	12'0"	F	" "	80	5'0"	F
" "	91	3'0"	F	" "	81	7'0"	M	" "	82	8'0"	F
" "	86	4'6"	M	" "	80	3'0"	M	" "	85	8'0"	M

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
10/12 37	79	4' 0"	M	11/12 37	75	5' 0"	M	12/12 37	83	6' 0"	M
" "	87	11' 0"	M	" "	91	10' 0"	F	" "	87	7' 0"	M
" "	88	3' 0"	M	" "	71	8' 0"	M	" "	86	8' 0"	M
" "	91	7' 0"	F	" "	91	6' 0"	F	" "	90	4' 0"	M
" "	82	4' 0"	F	" "	85	10' 0"	F	" "	91	8' 0"	F
" "	85	6' 0"	F	" "	88	11' 0"	M	" "	88	12' 0"	F
" "	95	10' 0"	F	" "	86	5' 0"	F	" "	83	5' 0"	F
" "	88	6' 0"	F	" "	84	5' 0"	F	13/12	75	4' 0"	M
" "	90	8' 0"	F	" "	97	15' 0"	F	" "	81	3' 0"	F
" "	82	5' 0"	F	" "	87	15' 0"	F	" "	94	6' 0"	M
" "	83	8' 5"	M	" "	87	6' 1"	F	" "	89	1' 0"	M
" "	78	6' 0"	M	" "	89	4' 0"	M	" "	88	7' 0"	M
" "	92	10' 0"	M	" "	82	5' 0"	F	" "	81	12' 0"	M
" "	87	2' 6"	M	" "	85	6' 0"	M	" "	84	8' 0"	M
" "	80	3' 0"	M	" "	85	11' 0"	F	" "	86	10' 0"	M
" "	86	7' 0"	M	" "	82	5' 0"	M	" "	86	7' 0"	F
" "	90	8' 0"	M	" "	88	5' 6"	M	" "	80	2' 0"	M
" "	89	4' 0"	M	" "	87	8' 0"	M	" "	78	6' 0"	F
" "	86	5' 0"	M	" "	79	5' 0"	M	" "	82	6' 0"	F
" "	83	4' 0"	F	" "	82	4' 0"	M	" "	84	1' 6"	F
" "	84	7' 0"	M	" "	85	5' 0"	M	" "	82	9' 0"	F
" "	82	8' 0"	M	" "	85	7' 0"	F	" "	87	5' 2"	F
" "	82	6' 0"	M	" "	86	5' 0"	M	" "	78	5' 6"	F
" "	82	2' 0"	M	" "	89	4' 0"	M	" "	90	10' 0"	F
" "	85	5' 0"	M	" "	84	2' 0"	M	" "	87	7' 0"	F
" "	85	8' 0"	F	" "	89	7' 0"	M	" "	86	6' 0"	M
" "	87	4' 0"	F	" "	78	4' 0"	M	" "	89	7' 0"	M
" "	89	3' 0"	M	" "	84	5' 0"	M	" "	85	2' 6"	M
" "	90	4' 0"	F	12/12	77	6' 0"	F	" "	84	7' 6"	M
" "	82	5' 0"	M	" "	85	10' 0"	F	" "	84	9' 0"	M
" "	86	8' 0"	M	" "	90	5' 0"	M	14/12	80	7' 0"	F
" "	83	6' 0"	M	" "	90	7' 0"	F	" "	83	5' 0"	F
" "	78	3' 0"	F	" "	86	6' 0"	M	" "	82	3' 0"	F
" "	82	8' 0"	F	" "	85	6' 0"	M	" "	82	9' 0"	M
" "	82	8' 0"	M	" "	87	6' 0"	M	" "	85	6' 0"	M
" "	87	7' 0"	M	" "	89	12' 0"	F	" "	85	8' 0"	F
" "	83	1' 6"	F	" "	80	3' 0"	F	" "	85	10' 0"	F
" "	87	10' 0"	M	" "	84	7' 0"	M	" "	88	4' 0"	M
11/12	83	6' 0"	F	" "	89	3' 0"	F	" "	85	6' 0"	F
" "	89	8' 0"	M	" "	81	5' 0"	F	" "	86	5' 0"	F
" "	80	3' 0"	M	" "	84	3' 0"	M	" "	83	8' 0"	F
" "	72	4' 0"	F	" "	87	3' 0"	M	" "	89	7' 0"	M
" "	79	9' 0"	M	" "	81	7' 0"	M	" "	81	6' 0"	F
" "	89	7' 0"	M	" "	84	8' 0"	F	" "	82	7' 0"	F
" "	90	6' 0"	M	" "	78	4' 0"	M	" "	86	8' 0"	M
" "	84	8' 0"	M	" "	81	4' 0"	M	" "	84	6' 0"	M
" "	93	4' 0"	F	" "	82	7' 0"	F	" "	82	7' 0"	M
" "	78	1' 0"	F	" "	80	6' 0"	M	" "	83	2' 0"	M
" "	83	8' 0"	F	" "	89	3' 6"	M	" "	83	8' 0"	M
" "	88	9' 0"	M	" "	88	9' 0"	M	" "	84	5' 6"	M
" "	80	3' 0"	M	" "	94	2' 0"	M	" "	85	6' 0"	M
" "	83	6' 0"	F	" "	85	9' 0"	F	" "	75	4' 2"	M
" "	90	5' 0"	M	" "	91	4' 0"	F	" "	78	2' 0"	F
" "	88	8' 0"	F	" "	80	4' 1"	F	" "	85	10' 0"	M
" "	82	7' 0"	M	" "	77	3' 2"	M	" "	91	5' 0"	M
" "	90	4' 0"	M	" "	84	6' 0"	F	" "	78	3' 0"	M
" "	88	6' 0"	F	" "	92	6' 0"	M	" "	81	4' 0"	M
" "	83	6' 6"	M	" "	79	7' 0"	M	" "	90	7' 0"	M

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
14/12 37	79	6'0"	M	16/12 37	84	2'0"	F	17/12 37	82	6'0"	F
" "	82	6'0"	F	" "	82	9'0"	M	" "	81	2'0"	M
" "	86	6'0"	F	" "	86	4'0"	F	" "	84	5'0"	F
" "	88	8'0"	F	" "	85	6'0"	F	" "	85	4'0"	F
" "	81	1'0"	M	" "	83	4'0"	M	" "	88	3'0"	F
" "	79	5'0"	M	" "	87	8'0"	M	" "	84	8'0"	M
" "	87	12'0"	M	" "	81	6'0"	M	" "	86	5'0"	M
" "	90	4'0"	F	" "	78	6'0"	M	" "	84	5'6"	M
" "	87	6'6"	M	" "	83	5'0"	M	" "	76	5'0"	F
" "	84	12'0"	F	" "	82	5'0"	F	" "	75	8'0"	M
" "	79	4'0"	M	" "	77	4'0"	M	" "	76	6'0"	F
" "	77	4'0"	F	" "	74	9'0"	M	" "	88	6'0"	M
15/12	80	6'0"	F	" "	84	12'0"	M	" "	92	12'0"	M
" "	91	9'0"	F	" "	84	7'0"	M	" "	71	5'0"	M
" "	81	5'0"	F	" "	84	7'0"	M	" "	84	9'2"	F
" "	87	2'0"	M	" "	86	9'0"	F	" "	88	4'5"	M
" "	76	3'0"	M	" "	81	3'0"	M	" "	78	3'0"	M
" "	89	11'0"	F	" "	81	10'0"	M	" "	89	5'0"	F
" "	84	8'0"	M	" "	91	13'0"	M	" "	82	4'0"	M
" "	78	7'0"	F	" "	83	4'0"	F	" "	86	3'0"	M
" "	86	8'0"	M	" "	92	8'0"	F	" "	91	17'0"	F
" "	90	3'0"	M	" "	83	4'0"	F	" "	87	8'0"	M
" "	85	4'0"	F	" "	88	9'0"	F	" "	84	2'0"	M
" "	85	5'0"	M	" "	90	12'0"	M	" "	73	3'0"	M
" "	84	9'0"	M	" "	85	4'0"	M	" "	83	8'0"	M
" "	82	6'0"	M	" "	91	7'0"	F	" "	82	4'0"	M
" "	79	5'0"	M	" "	87	9'0"	F	" "	80	3'0"	M
" "	80	6'0"	M	" "	78	6'0"	F	" "	86	4'6"	M
" "	80	7'6"	F	" "	87	7'2"	M	" "	87	4'0"	F
" "	86	5'0"	F	" "	78	8'8"	F	" "	75	3'0"	M
" "	87	7'0"	M	" "	85	6'6"	F	18/12	89	4'0"	M
" "	87	11'6"	F	" "	85	7'0"	M	" "	81	7'0"	F
" "	90	8'0"	F	" "	82	6'0"	M	" "	91	5'0"	F
" "	85	12'0"	M	" "	83	4'0"	M	" "	82	6'0"	M
" "	82	6'6"	M	" "	81	2'0"	F	" "	90	3'0"	M
" "	89	5'0"	M	" "	85	12'0"	F	" "	90	5'0"	F
" "	91	3'6"	F	" "	84	4'0"	M	" "	84	6'0"	M
" "	80	5'0"	F	" "	86	9'0"	F	" "	85	9'0"	F
" "	87	6'0"	F	" "	78	4'0"	F	" "	81	4'0"	M
" "	85	4'0"	F	" "	87	3'0"	M	" "	76	12'0"	M
" "	79	3'0"	M	" "	89	5'0"	M	" "	77	11'0"	M
" "	88	5'0"	F	" "	86	6'0"	M	" "	82	3'0"	F
" "	85	7'0"	M	" "	88	11'0"	M	" "	85	9'0"	M
" "	84	3'0"	M	" "	84	10'6"	F	" "	86	14'0"	F
" "	90	4'6"	M	" "	87	4'0"	M	" "	78	5'0"	M
" "	84	6'0"	M	" "	87	10'0"	M	" "	89	4'0"	F
" "	84	8'6"	M	" "	82	5'0"	M	" "	83	5'0"	F
" "	87	7'0"	M	" "	79	6'0"	F	" "	80	5'0"	M
" "	86	5'0"	F	17/12	71	8'0"	F	" "	83	12'0"	M
" "	85	3'0"	F	" "	81	6'0"	M	" "	85	4'0"	F
16/12	85	2'0"	M	" "	78	3'0"	F	" "	84	6'0"	F
" "	86	8'0"	M	" "	77	5'0"	F	" "	83	4'0"	M
" "	92	11'0"	F	" "	76	4'0"	F	" "	87	12'0"	M
" "	89	6'0"	F	" "	89	3'0"	F	" "	85	5'0"	F
" "	83	5'0"	F	" "	83	5'0"	F	" "	76	5'0"	F
" "	91	7'0"	F	" "	88	6'0"	F	" "	79	6'0"	M
" "		8'0"	F	" "	82	8'0"	M	" "	90	1'0"	M
" "			F	" "	82	2'0"	F	" "	82	6'0"	F

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
18/12 37	84	5' 0"	M	20/12 37	80	8' 0"	F	21/12 37	87	4' 0"	F
" "	85	5' 0"	M	" "	83	7' 6"	F	" "	89	5' 0"	M
" "	85	7' 0"	F	" "	86	10' 0"	F	" "	79	9' 0"	M
" "	89	6' 0"	F	" "	85	8' 0"	M	" "	87	6' 0"	M
" "	87	9' 0"	F	" "	81	12' 0"	F	" "	87	11' 0"	M
" "	86	9' 0"	M	" "	87	7' 0"	M	" "	90	3' 6"	F
" "	86	4' 0"	M	" "	79	5' 0"	F	" "	80	5' 0"	M
" "	89	5' 0"	F	" "	78	6' 0"	M	" "	80	8' 0"	M
" "	82	6' 0"	F	" "	82	6' 0"	M	" "	81	7' 0"	M
" "	84	7' 0"	M	" "	81	7' 0"	M	" "	83	6' 7"	M
" "	84	7' 0"	M	" "	85	13' 0"	F	" "	75	7' 0"	M
" "	87	8' 6"	M	" "	87	7' 0"	F	" "	77	4' 0"	M
" "	87	8' 0"	F	" "	76	10' 0"	F	" "	83	14' 0"	M
19/12 "	93	5' 0"	F	" "	83	2' 6"	F	" "	84	3' 2"	M
" "	87	8' 0"	F	" "	89	10' 0"	F	" "	90	6' 0"	M
" "	86	6' 0"	M	" "	83	6' 0"	F	" "	81	2' 0"	M
" "	80	5' 0"	M	" "	85	6' 0"	F	" "	85	6' 0"	M
" "	85	3' 0"	F	" "	82	7' 0"	M	" "	88	6' 0"	M
" "	86	7' 0"	M	" "	82	7' 0"	M	" "	77	3' 0"	M
" "	78	3' 0"	M	" "	90	8' 0"	F	" "	80	4' 0"	M
" "	90	7' 0"	F	" "	87	9' 0"	F	" "	81	3' 0"	M
" "	86	9' 0"	M	" "	83	3' 6"	F	" "	89	8' 0"	M
" "	86	12' 0"	F	" "	85	8' 0"	F	" "	90	5' 0"	F
" "	85	7' 0"	M	" "	85	11' 0"	F	" "	84	14' 0"	M
" "	74	1' 0"	M	" "	85	8' 0"	F	" "	87	3' 6"	M
" "	82	9' 0"	M	" "	80	8' 0"	M	22/12 "	88	6' 0"	F
" "	77	2' 0"	F	" "	85	3' 0"	F	" "	85	8' 0"	M
" "	83	12' 0"	F	" "	83	2' 6"	M	" "	88	4' 0"	F
" "	83	10' 0"	M	" "	73	4' 4"	M	" "	87	6' 0"	M
" "	87	4' 0"	M	" "	82	8' 0"	M	" "	80	9' 0"	M
" "	84	6' 0"	F	" "	86	9' 0"	M	" "	87	12' 0"	M
" "	89	8' 0"	M	" "	80	8' 0"	M	" "	76	3' 0"	F
" "	79	4' 0"	M	" "	86	6' 0"	M	" "	81	10' 0"	M
" "	87	4' 0"	M	" "	86	4' 0"	F	" "	87	4' 0"	F
" "	87	5' 0"	F	" "	90	6' 0"	M	" "	84	8' 0"	M
" "	90	6' 0"	F	" "	95	14' 0"	M	" "	84	8' 0"	M
" "	88	4' 0"	M	" "	95	8' 0"	F	" "	81	8' 0"	M
" "	82	8' 4"	M	" "	84	7' 0"	M	" "	88	16' 0"	F
" "	78	5' 0"	M	" "	84	3' 0"	M	" "	89	2' 0"	F
" "	80	2' 0"	F	" "	79	6' 0"	F	" "	81	7' 0"	M
" "	84	5' 0"	M	" "	83	2' 6"	M	" "	83	12' 0"	M
" "	82	4' 0"	M	" "	90	4' 6"	M	" "	83	10' 0"	M
" "	83	2' 0"	M	" "	79	3' 0"	M	" "	89	7' 0"	M
" "	88	5' 0"	M	" "	83	7' 0"	F	" "	82	6' 0"	F
" "	84	5' 0"	M	21/12 "	81	7' 0"	F	" "	85	4' 0"	M
" "	86	2' 0"	M	" "	83	3' 0"	M	" "	87	3' 6"	F
" "	87	5' 0"	M	" "	85	3' 0"	F	" "	80	5' 0"	F
" "	79	8' 0"	M	" "	88	4' 0"	F	" "	81	4' 0"	F
" "	84	8' 0"	M	" "	82	3' 0"	M	" "	88	6' 0"	F
" "	81	5' 0"	F	" "	77	6' 0"	M	" "	84	1' 10"	M
20/12 "	77	6' 0"	F	" "	78	2' 0"	F	" "	82	6' 6"	M
" "	91	7' 0"	F	" "	86	9' 0"	M	" "	81	13' 0"	M
" "	89	3' 0"	M	" "	84	3' 0"	F	" "	87	7' 0"	F
" "	83	3' 0"	F	" "	88	8' 0"	M	" "	81	7' 0"	F
" "	84	13' 0"	F	" "	85	4' 0"	M	" "	73	5' 4"	F
" "	84	4' 0"	M	" "	79	8' 0"	M	" "	77	6' 0"	F
" "	88	6' 0"	M	" "	79	3' 0"	M	" "	83	5' 0"	M
" "	88	6' 0"	M	" "	86	5' 0"	M	" "	84	6' 0"	M

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
22/12 37	86	6'0"	F	24/12 37	88	11'0"	F	26/12 37	84	14'0"	F
" "	88	8'0"	F	" "	76	4'0"	F	" "	90	5'0"	M
" "	79	9'0"	M	" "	90	6'0"	F	" "	86	12'0"	M
" "	87	4'0"	F	" "	84	5'0"	M	" "	87	6'0"	F
" "	80	8'0"	M	" "	78	3'5"	M	" "	89	7'0"	M
" "	83	6'0"	M	" "	82	5'0"	F	" "	90	6'0"	F
" "	80	6'0"	F	" "	85	9'0"	F	" "	89	7'0"	M
23/12 "	83	5'0"	M	" "	86	5'0"	F	" "	84	9'0"	F
" "	85	8'0"	M	" "	88	14'0"	M	" "	85	10'0"	M
" "	87	7'0"	M	" "	84	9'0"	M	" "	89	14'0"	M
" "	90	3'0"	F	" "	80	9'0"	F	" "	88	6'6"	M
" "	83	3'6"	M	" "	80	9'0"	M	" "	79	6'0"	M
" "	73	5'6"	F	" "	85	10'0"	M	" "	86	3'0"	F
" "	79	5'0"	M	" "	87	5'0"	M	" "	82	3'0"	M
" "	79	6'0"	F	" "	88	11'0"	M	" "	83	6'6"	M
" "	85	1'0"	F	" "	89	8'0"	F	" "	84	6'6"	M
" "	84	7'0"	M	" "	87	3'0"	F	" "	87	9'0"	F
" "	82	11'0"	F	" "	84	9'0"	F	" "	90	7'6"	M
" "	87	4'0"	M	" "	79	11'0"	F	" "	85	4'0"	M
" "	86	10'0"	F	" "	85	8'0"	M	" "	86	5'0"	M
" "	84	5'0"	M	" "	91	10'0"	F	" "	87	5'0"	M
" "	77	5'0"	F	" "	80	4'0"	M	" "	87	3'0"	M
" "	86	6'0"	F	" "	90	6'0"	F	" "	88	6'0"	F
" "	70	6'0"	M	" "	86	7'0"	M	" "	88	4'0"	F
" "	83	5'0"	M	" "	85	3'0"	F	" "	88	9'0"	F
" "	86	12'0"	M	25/12 "	97	6'0"	M	" "	88	8'0"	F
" "	87	4'2"	F	" "	90	6'0"	M	" "	77	4'0"	M
" "	79	11'0"	M	" "	84	12'0"	M	" "	89	5'0"	M
" "	82	8'8"	F	" "	88	8'0"	M	" "	85	6'0"	M
" "	81	8'1"	M	" "	79	5'0"	M	27/12 "	83	11'0"	M
" "	76	5'4"	M	" "	79	4'0"	F	" "	79	7'0"	M
" "	86	9'1"	M	" "	76	5'0"	M	" "	86	4'0"	F
" "	87	6'5"	M	" "	72	4'0"	M	" "	79	7'0"	F
" "	87	6'0"	F	" "	81	9'0"	F	" "	86	8'0"	F
" "	83	6'0"	M	" "	87	5'5"	F	" "	88	3'0"	F
" "	85	8'0"	M	" "	90	9'0"	M	" "	80	8'0"	M
" "	83	2'0"	M	" "	90	6'0"	F	" "	76	6'0"	F
" "	90	7'0"	M	" "	83	3'6"	M	" "	82	6'0"	M
" "	89	10'0"	F	" "	81	5'0"	M	" "	84	10'0"	M
" "	89	4'0"	F	" "	82	12'0"	M	" "	84	15'0"	F
" "	84	5'0"	F	" "	77	6'0"	F	" "	88	15'0"	F
" "	87	9'0"	M	" "	81	3'6"	M	" "	90	3'0"	M
" "	86	9'0"	M	" "	87	7'0"	M	" "	87	6'0"	F
" "	87	7'0"	F	" "	87	10'0"	M	" "	88	10'0"	M
" "	84	9'0"	F	" "	84	8'0"	M	" "	83	9'0"	F
" "	88	5'0"	F	" "	87	10'0"	F	" "	84	9'0"	M
24/12 "	86	7'0"	M	" "	90	14'0"	M	" "	73	4'0"	M
" "	86	10'0"	F	" "	87	3'6"	F	" "	85	4'0"	M
" "	87	8'0"	F	" "	86	10'0"	M	" "	85	12'0"	M
" "	88	10'0"	F	" "	87	10'0"	F	" "	84	6'0"	M
" "	80	7'0"	M	26/12 "	86	8'0"	M	" "	78	8'0"	F
" "	76	5'0"	F	" "	79	6'0"	M	" "	86	4'6"	M
" "	91	12'0"	M	" "	87	5'0"	F	" "	85	6'0"	F
" "	84	7'0"	M	" "	89	8'0"	M	" "	87	9'0"	F
" "	87	5'0"	M	" "	87	12'0"	M	" "	88	5'0"	M
" "	89	8'0"	F	" "	90	6'0"	M	" "	90	9'0"	F
" "	83	10'0"	M	" "	82	8'0"	M	" "	89	6'0"	F
" "				" "	83	6'0"	M	" "	91	8'0"	F

Table No. 8. Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
27/12 37	87	5'0"	F	29/12 37	81	7'0"	M	1/1 38	78	4'0"	M
" "	92	6'0"	M	" "	86	7'0"	F	" "	87	8'0"	M
" "	73	8'0"	M	" "	79	7'0"	F	" "	81	3'0"	M
28/12 "	80	4'0"	F	" "	83	8'0"	F	" "	91	15'0"	F
" "	85	7'0"	M	" "	85	6'0"	F	" "	87	8'0"	F
" "	90	7'0"	M	" "	89	13'0"	F	" "	84	5'0"	M
" "	77	6'0"	F	" "	89	7'0"	M	" "	83	12'0"	F
" "	85	6'0"	M	" "	79	5'0"	M	" "	84	16'0"	M
" "	89	8'0"	F	" "	90	3'0"	M	" "	85	9'0"	F
" "	90	9'0"	M	" "	79	5'0"	F	" "	86	11'0"	M
" "	80	4'0"	F	" "	86	4'0"	F	" "	79	12'0"	M
" "	73	4'0"	M	30/12 "	89	10'0"	M	" "	85	6'0"	M
" "	82	6'0"	F	" "	81	3'0"	F	" "	86	15'0"	F
" "	74	5'0"	M	" "	71	2'0"	F	" "	83	8'0"	F
" "	83	10'0"	F	" "	83	6'0"	F	" "	84	4'0"	F
" "	85	8'0"	M	" "	80	16'0"	M	" "	82	10'0"	F
" "	88	7'0"	M	" "	81	5'0"	F	" "	81	8'0"	M
" "	81	7'0"	M	" "	85	7'0"	M	" "	83	9'0"	F
" "	78	5'3"	F	" "	81	2'6"	M	" "	78	10'0"	M
" "	78	6'2"	F	" "	86	4'0"	M	" "	84	9'0"	M
" "	80	6'7"	M	" "	84	4'0"	F	" "	84	10'0"	F
" "	82	5'4"	F	" "	84	11'4"	F	" "	87	4'0"	F
" "	80	5'0"	M	" "	82	9'6"	F	" "	87	18'0"	M
" "	85	12'0"	F	" "	88	12'0"	M	" "	83	9'0"	M
" "	83	3'0"	F	" "	83	5'0"	F	" "	80	7'0"	F
" "	83	7'0"	M	" "	82	5'0"	F	2/1 "	94	14'0"	M
" "	83	2'0"	F	" "	83	11'0"	M	" "	88	12'0"	F
" "	83	6'0"	F	" "	91	8'0"	M	" "	80	7'0"	M
" "	86	9'0"	M	" "	76	5'0"	M	" "	84	8'0"	M
" "	87	8'0"	M	" "	80	7'0"	F	" "	86	14'0"	F
" "	87	2'0"	M	31/12 "	75	4'0"	M	" "	85	6'0"	M
" "	87	4'0"	F	" "	79	8'0"	M	" "	86	6'0"	F
" "	88	15'0"	M	" "	81	7'0"	F	" "	86	7'0"	M
" "	89	10'0"	F	" "	90	6'0"	M	" "	80	8'0"	M
" "	92	11'0"	F	" "	89	10'0"	M	" "	85	1'8"	F
" "	88	10'0"	F	" "	81	2'0"	M	" "	91	8'0"	M
" "	93	10'0"	F	" "	82	7'0"	F	" "	82	3'0"	F
" "	84	8'0"	M	" "	86	5'0"	F	" "	82	5'0"	F
29/12 "	88	4'0"	F	" "	86	4'0"	M	" "	89	10'0"	M
" "	85	12'0"	M	" "	86	4'0"	M	" "	76	4'0"	M
" "	78	4'0"	F	" "	78	6'0"	M	" "	90	4'0"	M
" "	85	3'0"	M	" "	75	4'0"	F	" "	88	11'0"	F
" "	90	7'0"	M	" "	84	10'0"	M	" "	90	4'0"	F
" "	96	5'0"	M	" "	86	7'0"	F	" "	84	9'0"	M
" "	85	8'0"	F	" "	86	10'0"	F	3/1 "	88	5'6"	M
" "	87	5'0"	M	" "	78	8'0"	F	" "	88	4'0"	F
" "	87	4'0"	M	" "	82	10'6"	M	" "	90	12'0"	M
" "	84	6'0"	M	" "	85	3'0"	F	" "	87	10'0"	F
" "	90	1'6"	F	" "	87	14'0"	F	" "	93	10'0"	F
" "	83	8'0"	M	" "	91	4'0"	M	" "	82	6'0"	M
" "	84	12'0"	F	" "	87	8'0"	F	" "	90	3'0"	M
" "	84	12'0"	F	" "	91	7'0"	M	" "	86	9'0"	F
" "	85	15'0"	F	" "	86	5'0"	F	" "	79	5'0"	M
" "	87	4'6"	F	" "	84	9'0"	F	" "	93	10'0"	M
" "	87	6'0"	F	" "	79	8'0"	F	" "	84	5'0"	M
" "	85	5'6"	F	" "	88	10'0"	F	" "	84	15'3"	F
" "	83	3'0"	M	" "	86	8'0"	F	" "	82	6'0"	F
" "	85	12'0"	M	1/1 38	82	6'0"	M	" "	81	5'6"	F

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
³ / ₁ 38	84	13' 0"	F	⁶ / ₁ 38	85	10' 0"	F	⁸ / ₁ 38	87	9' 0"	F
" "	82	9' 5"	M	" "	80	2' 0"	F	" "	88	14' 0"	M
" "	83	6' 0"	F	" "	85	16' 0"	M	" "	71	10' 0"	F
" "	84	8' 0"	M	" "	91	5' 0"	F	" "	89	7' 0"	F
" "	88	14' 0"	M	" "	85	2' 6"	M	⁹ / ₁ "	73	13' 0"	M
" "	84	3' 0"	M	" "	87	15' 0"	M	" "	87	8' 0"	M
" "	82	7' 0"	M	" "	85	12' 0"	F	" "	86	13' 0"	M
" "	88	12' 0"	M	" "	87	7' 6"	M	" "	91	9' 0"	M
" "	80	8' 0"	M	" "	86	12' 0"	F	" "	88	10' 0"	F
" "	83	8' 0"	F	" "	90	10' 0"	F	" "		6' 0"	F
" "	81	3' 0"	F	" "	85	14' 6"	F	" "	86	12' 0"	F
" "	85	12' 0"	F	" "	82	9' 0"	M	" "	86	4' 0"	M
" "	89	10' 0"	F	" "	82	5' 0"	F	" "	87	9' 0"	F
" "	77	7' 6"	M	" "	84	3' 0"	F	" "	95	11' 0"	M
⁴ / ₁ "	81	6' 0"	M	" "	84	9' 0"	F	" "	81	20' 0"	M
" "	80	5' 0"	M	" "	84	10' 0"	M	" "	85	8' 0"	M
" "	82	6' 0"	F	" "	83	8' 0"	M	" "	88	7' 0"	F
" "	83	9' 0"	M	" "	85	13' 0"	M	" "	78	7' 0"	F
" "	84	6' 0"	M	⁷ / ₁ "	84	6' 0"	F	" "	82	12' 0"	M
" "	81	7' 6"	F	" "	80	9' 0"	F	" "	82	1' 6"	M
" "	87	10' 0"	F	" "	94	5' 0"	M	" "	88	7' 0"	M
" "	82	8' 0"	F	" "	84	2' 0"	F	" "	81	6' 0"	F
" "	81	5' 0"	M	" "	76	4' 0"	M	" "	83	5' 0"	M
" "	73	5' 6"	F	" "	86	11' 0"	F	" "	88	8' 0"	M
" "	89	5' 0"	M	" "	93	12' 0"	F	" "		10' 0"	M
" "	85	7' 0"	F	" "	92	10' 0"	F	¹⁰ / ₁ "	81	12' 0"	M
" "	94	4' 0"	F	" "	86	8' 0"	F	" "	81	7' 0"	M
" "	85	7' 0"	M	" "	84	6' 0"	F	" "	83	6' 0"	F
" "	86	6' 0"	M	" "	80	8' 0"	M	" "	84	16' 0"	F
" "	92	7' 0"	F	" "	83	5' 0"	M	" "	80	7' 0"	M
" "	89	9' 0"	M	" "	84	10' 6"	F	" "	89	10' 0"	M
" "	87	5' 0"	F	" "	86	11' 0"	M	" "	88	5' 0"	M
" "	82	5' 0"	F	" "	84	14' 0"	M	" "	87	8' 0"	F
" "	82	5' 6"	M	" "	85	10' 0"	M	" "	83	7' 0"	M
" "	85	7' 0"	F	" "	86	9' 0"	M	" "	90	13' 0"	M
" "	83	14' 0"	M	" "	90	14' 0"	F	" "	88	11' 0"	F
" "	84	2' 0"	F	" "	84	8' 0"	M	" "	84	4' 0"	F
⁵ / ₁ "	91	5' 0"	M	" "	81	5' 0"	M	" "	80	9' 0"	M
" "	89	5' 0"	M	" "	86	6' 0"	M	" "	87	13' 0"	F
" "	88	12' 0"	F	" "	91	5' 0"	F	" "	90	12' 0"	M
" "	89	3' 0"	F	" "	82	7' 0"	M	" "	86	12' 0"	M
" "	82	3' 0"	F	" "	88	13' 6"	F	" "	76	4' 0"	M
" "	85	6' 0"	F	" "	86	12' 0"	F	" "	91	14' 0"	M
" "	86	6' 6"	M	" "	87	13' 0"	F	" "	88	13' 0"	F
" "	89	4' 0"	F	" "	89	7' 0"	M	" "	85	2' 5"	F
" "	89	18' 0"	F	" "	90	5' 0"	M	" "	88	3' 6"	M
" "	91	9' 0"	F	" "	87	6' 0"	M	" "	84	5' 0"	F
" "	81	8' 0"	F	" "	86	9' 0"	F	" "	85	5' 0"	F
" "	87	5' 0"	M	" "	89	8' 0"	M	" "	87	12' 0"	F
" "	89	10' 0"	M	" "	89	6' 0"	F	" "	86	7' 0"	M
" "	84	7' 0"	F	⁸ / ₁ "	90	4' 0"	F	" "	79	8' 0"	F
" "	84	4' 6"	F	" "	85	10' 0"	M	" "	88	15' 0"	M
" "	79	6' 0"	M	" "	88	5' 0"	F	¹¹ / ₁ "	90	14' 0"	M
" "	88	7' 0"	M	" "	87	4' 0"	F	" "	79	9' 0"	M
" "	88	2' 0"	M	" "	82	8' 0"	M	" "	82	4' 0"	M
⁶ / ₁ "	80	11' 0"	M	" "	81	7' 0"	M	" "	79	7' 0"	M
" "	87	13' 0"	M	" "	87	13' 0"	M	" "	84	12' 0"	F
" "	85	2' 0"	M	" "	83	9' 0"	F	" "	83	12' 0"	M

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
11/1 38	85	15'0"	F	13/1 38	82	7'0"	M	18/1 38	85	10'0"	F
" "	78	9'0"	F	" "	82	7'0"	M	17/1 "	85	13'0"	F
" "	89	9'0"	M	" "	82	8'0"	M	" "	91	5'0"	M
" "	84	11'0"	M	" "	91	8'0"	M	" "	86	1'0"	M
" "	85	8'0"	M	" "	84	6'0"	M	" "	90	6'0"	F
" "	87	4'0"	M	14/1 "	89	8'0"	F	" "	85	17'0"	F
" "	83	6'0"	F	" "	75	3'0"	F	" "	86	15'0"	F
" "	79	19'0"	F	" "	78	6'0"	M	" "	85	16'0"	M
" "	84	10'6"	M	" "	88	11'0"	F	" "	87	3'6"	M
" "	85	11'0"	F	" "	90	14'0"	F	" "	82	4'6"	M
" "	87	4'0"	M	" "	84	9'3"	F	" "	82	12'0"	F
" "	85	12'0"	F	" "	83	9'0"	F	" "	87	13'0"	M
" "	87	13'0"	F	" "	81	5'0"	M	" "	88	9'0"	M
" "	78	5'5"	F	" "	84	7'0"	F	" "	85	2'0"	F
" "	76	5'0"	F	" "	84	7'0"	M	" "	85	7'0"	F
12/1 "	81	9'0"	F	" "	88	15'0"	M	" "	82	5'0"	M
" "	87	14'0"	F	" "	90	7'0"	M	" "	78	9'0"	F
" "	87	10'0"	M	" "	87	11'0"	F	" "	86	8'0"	F
" "	84	11'0"	M	" "	87	9'0"	M	" "	89	10'0"	F
" "	86	10'0"	M	" "	82	8'0"	M	18/1 "	90	14'0"	M
" "	78	4'0"	M	" "	88	9'0"	M	" "	90	12'0"	M
" "	81	12'0"	F	" "	84	11'0"	F	" "	85	7'0"	M
" "	90	7'0"	M	15/1 "	82	15'0"	F	" "	85	3'0"	M
" "	75	7'1"	F	" "	90	8'0"	F	" "	81	16'0"	M
" "	87	8'0"	F	" "	91	5'0"	F	" "	89	7'0"	M
" "	86	14'4"	F	" "	86	15'0"	M	" "	83	17'0"	M
" "	82	4'0"	M	" "	82	6'0"	M	" "	82	7'0"	F
" "	83	3'0"	M	" "	87	6'0"	F	" "	82	12'0"	F
" "	88	14'4"	M	" "	82	10'4"	F	" "	83	12'0"	M
" "	81	5'6"	M	" "	87	12'0"	F	" "	88	11'7"	F
" "	84	9'6"	M	" "	88	7'0"	F	" "	86	14'0"	F
" "	87	13'0"	F	" "	88	10'0"	M	" "	80	7'0"	M
" "	86	11'0"	M	" "	80	9'0"	F	" "	81	10'0"	M
" "	89	5'0"	M	" "	81	8'0"	F	" "	87	11'0"	F
" "	83	11'0"	M	" "	82	10'0"	M	" "	84	5'0"	F
" "	83	8'0"	F	" "	85	8'0"	M	19/1 "	89	8'0"	M
" "	84	11'0"	F	" "	84	8'0"	M	" "	86	13'0"	F
18/1 "	88	12'0"	F	" "	87	6'0"	M	" "	77	4'0"	M
" "	84	2'0"	M	" "	87	3'0"	M	" "	84	12'0"	M
" "	82	13'0"	F	" "	92	3'6"	M	" "	84	10'0"	F
" "	87	12'0"	F	" "	80	14'0"	F	" "	84	9'0"	M
" "	86	6'0"	F	" "	84	14'0"	F	" "	80	12'0"	F
" "	90	7'0"	M	16/1 "	84	12'0"	F	" "	71	5'0"	M
" "	75	5'0"	M	" "	87	18'0"	F	" "	83	7'0"	F
" "	79	5'0"	M	" "	87	18'0"	F	" "	81	3'6"	M
" "	79	4'0"	M	" "	85	12'0"	F	" "	84	10'0"	M
" "	89	6'0"	F	" "	83	11'0"	M	" "	83	8'0"	F
" "	88	16'0"	F	" "	79	7'0"	M	" "	91	11'0"	M
" "	81	8'0"	M	" "	84	9'0"	F	" "	86	7'0"	M
" "	85	8'0"	M	" "	87	2'0"	M	" "	80	8'0"	M
" "	83	7'0"	M	" "	88	7'4"	F	" "	84	7'0"	M
" "	85	8'0"	F	" "	77	10'0"	F	" "	75	9'6"	F
" "	88	16'0"	M	" "	91	15'0"	M	" "	81	8'0"	M
" "	90	8'0"	F	" "	89	7'0"	M	" "	84	11'6"	M
" "	90	8'0"	M	" "	82	3'0"	F	" "	85	12'6"	M
" "	80	8'0"	M	" "	90	9'0"	M	20/1 "	84	7'0"	F
" "	86	2'0"	F	" "	82	10'0"	F	" "	77	6'0"	F
" "	83	9'0"	F	" "	83	12'0"	F	" "	91	13'0"	F

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
20/1 38	84	14' 0"	F	23/1 38	88	12' 0"	M	28/1 38	86	6' 9"	M
" "	85	5' 0"	F	" "	80	9' 0"	M	" "	84	11' 0"	M
" "	87	5' 0"	M	" "	81	4' 0"	M	" "	87	12' 0"	F
" "	82	10' 0"	F	" "	87	6' 0"	M	" "	85	12' 0"	M
" "	83	7' 0"	M	" "	85	7' 0"	M	" "	95	16' 0"	F
" "	86	7' 0"	F	24/1 "	91	7' 0"	F	" "	83	7' 0"	F
" "	85	10' 10"	F	" "	83	15' 0"	F	" "	85	8' 0"	F
" "	85	11' 6"	M	" "	89	6' 0"	M	29/1 "	89	7' 0"	F
" "	88	16' 0"	M	" "	84	4' 0"	M	" "	88	11' 0"	M
" "	78	14' 0"	F	" "	88	8' 0"	F	" "	87	13' 0"	F
" "	88	12' 0"	F	" "	86	13' 0"	M	" "	91	13' 0"	M
" "	89	4' 0"	M	" "	86	13' 0"	F	" "	86	11' 0"	F
" "	84	6' 0"	M	" "	90	9' 6"	M	" "	82	10' 0"	F
" "	89	15' 0"	M	" "	82	8' 0"	M	" "	83	5' 7"	M
" "	79	13' 0"	F	" "	86	6' 0"	F	" "	83	8' 0"	M
" "	87	9' 0"	M	25/1 "	85	13' 0"	F	" "	83	9' 0"	M
" "	89	11' 0"	F	" "	80	13' 0"	F	" "	82	8' 4"	M
" "	77	8' 0"	F	" "	80	7' 0"	M	" "	82	7' 8"	F
" "	84	7' 6"	M	" "	92	15' 0"	M	" "	87	12' 3"	M
21/1 "	80	2' 0"	M	" "	87	7' 0"	M	" "	85	7' 0"	F
" "	85	9' 0"	F	" "	87	13' 0"	M	30/1 "	84	14' 0"	F
" "	86	8' 0"	M	" "	79	7' 0"	F	" "	88	16' 0"	M
" "	86	8' 0"	M	" "	83	3' 0"	M	" "	87	11' 0"	M
" "	81	16' 0"	M	" "	82	11' 0"	F	" "	80	7' 0"	M
" "	89	6' 0"	M	" "	76	6' 6"	M	" "	85	13' 0"	M
" "	83	12' 0"	F	" "	81	9' 0"	M	" "	87	12' 0"	M
" "	78	10' 0"	F	" "	82	7' 6"	M	" "	83	15' 0"	M
" "	82	13' 0"	M	26/1 "	94	12' 0"	F	" "	85	14' 3"	M
" "	86	9' 0"	M	" "	86	15' 0"	M	" "	84	9' 6"	M
" "	88	9' 4"	M	" "	86	10' 0"	F	" "	84	17' 0"	F
" "	80	8' 0"	F	" "	80	6' 0"	M	" "	82	7' 0"	M
" "	88	13' 6"	F	" "	86	7' 0"	M	" "	84	5' 0"	F
" "	82	10' 0"	M	" "	86	4' 0"	M	31/1 "	85	8' 0"	F
" "	84	11' 0"	M	" "	86	12' 0"	F	" "	86	2' 6"	M
" "	78	10' 0"	M	" "	82	12' 0"	F	" "	87	15' 0"	M
22/1 "	87	14' 0"	M	" "	87	16' 0"	F	" "	83	9' 4"	F
" "	90	9' 0"	M	" "	85	8' 0"	F	" "	86	10' 7"	M
" "	86	9' 0"	F	" "	79	12' 0"	F	" "	85	11' 4"	F
" "	84	5' 0"	M	" "	83	9' 4"	M	" "	88	2' 6"	F
" "	81	8' 0"	M	" "	85	13' 0"	F	" "	86	14' 0"	M
" "	77	7' 0"	F	" "	85	11' 0"	F	1/2 "	89	12' 0"	F
" "	90	12' 0"	M	" "	89	10' 0"	F	" "	89	18' 0"	M
" "	87	9' 0"	M	27/1 "	84	17' 0"	F	" "	76	12' 0"	F
" "	80	11' 6"	M	" "	86	15' 0"	F	" "	91	7' 6"	F
" "	85	7' 6"	M	" "	76	6' 0"	F	" "	88	13' 6"	M
23/1 "	92	11' 0"	M	" "	81	2' 0"	F	" "	87	6' 0"	M
" "	85	3' 0"	F	" "	86	14' 0"	F	" "	91	4' 6"	F
" "	76	5' 0"	M	" "	85	13' 0"	F	2/2 "	86	8' 0"	M
" "	90	12' 0"	F	" "	86	12' 0"	M	" "	89	6' 0"	M
" "	83	14' 0"	F	" "	82	8' 0"	F	" "	84	11' 0"	F
" "	90	10' 0"	F	" "	83	6' 0"	F	" "	85	13' 0"	M
" "	86	7' 0"	F	" "	84	6' 0"	M	" "	80	11' 4"	M
" "	77	10' 0"	F	" "	82	9' 0"	F	" "	85	14' 0"	F
" "	93	15' 0"	M	" "	84	3' 0"	M	" "	85	12' 0"	F
" "	87	12' 0"	F	28/1 "	88	13' 0"	F	" "	87	12' 0"	F
" "	86	9' 0"	F	" "	91	16' 0"	M	" "	76	8' 0"	M
" "	75	4' 0"	F	" "	77	6' 0"	F	" "	85	6' 0"	F
" "	82	11' 0"	M	" "	89	18' 0"	M	3/2 "	89	13' 0"	F

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{3}{2}$ 38	82	2' 0"	M	$\frac{7}{2}$ 38	83	11' 0"	F	$\frac{14}{2}$ 38	87	10' 0"	M
" "	81	13' 0"	F	" "	86	3' 0"	M	$\frac{15}{2}$ "	90	12' 0"	F
" "	77	16' 0"	F	" "	87	12' 0"	M	" "	86	4' 0"	F
" "	84	10' 0"	F	" "	82	4' 0"	M	" "	91	15' 0"	F
" "	85	3' 8"	M	" "	80	10' 0"	M	" "	87	7' 0"	M
" "	90	15' 0"	M	" "	90	15' 4"	F	" "	81	15' 0"	M
" "	78	5' 0"	F	$\frac{8}{2}$ "	83	7' 0"	M	" "	87	20' 0"	F
" "	80	15' 0"	F	" "	79	7' 0"	M	" "	86	5' 4"	F
" "	84	14' 0"	F	" "	84	7' 0"	M	" "	94	4' 0"	M
" "	80	8' 0"	F	" "	87	8' 0"	F	" "	84	5' 0"	M
" "	81	10' 6"	F	" "	82	16' 6"	F	" "	84	4' 0"	F
$\frac{4}{2}$ "	81	13' 0"	F	" "	83	12' 0"	M	" "	80	10' 0"	M
" "	90	15' 0"	F	" "	87	10' 0"	M	" "	87	15' 0"	F
" "	83	12' 0"	M	" "	88	11' 0"	F	$\frac{16}{2}$ "	83	14' 0"	F
" "	87	8' 4"	M	" "	80	10' 4"	M	" "	85	4' 0"	F
" "	87	9' 0"	M	" "	76	9' 0"	M	" "	82	10' 0"	F
" "	80	10' 0"	M	" "	90	9' 0"	M	" "	78	7' 0"	F
" "	89	9' 0"	F	" "	82	15' 0"	M	" "	84	10' 0"	M
" "	85	5' 0"	M	" "	83	16' 0"	F	" "	89	17' 0"	F
" "	80	12' 0"	F	$\frac{9}{2}$ "	84	4' 0"	M	" "	90	17' 6"	F
$\frac{5}{2}$ "	86	10' 0"	F	" "	87	13' 0"	F	" "	85	16' 0"	F
" "	89	13' 0"	M	" "	83	14' 0"	F	" "	81	19' 0"	F
" "	71	12' 0"	M	" "	84	9' 0"	M	" "	80	15' 0"	F
" "	86	9' 0"	M	" "	81	10' 0"	F	" "	85	14' 0"	F
" "	84	10' 0"	F	" "	84	15' 0"	M	" "	82	8' 0"	F
" "	83	6' 10"	F	" "	82	7' 0"	F	" "	74	6' 0"	M
" "	82	11' 0"	M	" "	85	16' 0"	F	" "	85	13' 0"	M
" "	83	11' 0"	F	$\frac{10}{2}$ "	86	9' 0"	M	" "	86	10' 0"	F
" "	80	6' 0"	F	" "	80	10' 0"	F	" "	82	10' 0"	F
" "	81	12' 4"	M	" "	81	12' 0"	M	" "	87	20' 0"	F
" "	85	17' 0"	M	$\frac{11}{2}$ "	82	14' 0"	M	" "	85	10' 0"	M
" "	89	12' 0"	M	" "	93	22' 0"	M	$\frac{17}{2}$ "	85	9' 0"	F
" "	89	20' 0"	M	" "	88	21' 0"	M	" "	83	16' 0"	F
" "	85	14' 0"	F	" "	89	18' 0"	F	" "	88	9' 0"	M
" "	83	14' 0"	F	" "	91	17' 0"	M	" "	86	14' 0"	F
" "	90	9' 0"	F	" "	85	16' 0"	F	$\frac{18}{2}$ "	87	18' 0"	F
" "	88	8' 0"	F	" "	78	14' 0"	F	" "	88	16' 0"	M
$\frac{6}{2}$ "	78	14' 0"	F	" "	82	12' 0"	F	" "	83	10' 0"	M
" "	85	16' 0"	F	" "	90	13' 0"	F	" "	82	15' 0"	F
" "	76	13' 0"	M	" "	87	12' 0"	M	" "	87	15' 0"	F
" "	82	11' 0"	F	" "	80	8' 0"	F	" "	78	11' 0"	M
" "	86	9' 0"	F	" "	89	12' 0"	M	" "	92	7' 0"	F
" "	86	12' 0"	F	$\frac{12}{2}$ "	89	16' 0"	M	" "	89	8' 0"	F
" "	86	10' 0"	F	" "	82	6' 0"	F	$\frac{19}{2}$ "	88	10' 6"	M
" "	77	13' 0"	M	$\frac{13}{2}$ "	87	15' 0"	F	" "	80	10' 10"	F
" "	85	9' 0"	M	" "	91	9' 0"	F	" "	84	11' 0"	F
" "	85	5' 0"	F	" "	85	11' 0"	F	" "	97	10' 0"	M
" "	89	5' 0"	M	" "	86	11' 0"	M	" "	88	14' 0"	F
" "	76	8' 0"	M	" "	87	12' 0"	F	$\frac{20}{2}$ "	94	12' 0"	F
" "	83	14' 0"	F	" "	81	15' 0"	F	" "	89	12' 0"	M
" "	78	10' 0"	F	" "	71	13' 0"	F	" "	81	11' 0"	M
" "	83	10' 0"	M	$\frac{14}{2}$ "	85	7' 0"	M	" "	80	15' 0"	F
$\frac{7}{2}$ "	89	14' 0"	F	" "	79	9' 0"	M	" "	80	8' 0"	M
" "	78	11' 0"	M	" "	84	4' 0"	F	" "	79	11' 0"	F
" "	81	12' 0"	M	" "	83	12' 0"	F	$\frac{21}{2}$ "	84	15' 0"	M
" "	84	14' 0"	M	" "	88	11' 0"	M	" "	84	13' 0"	M
" "	86	14' 0"	M	" "	86	11' 0"	M	" "	81	14' 0"	M
" "	86	16' 0"	M	" "	81	9' 4"	F	" "	85	16' 0"	F

Table No. 8.—Blue-whale foetuses (cont.).

Date when measured.	Length		Sex.	Date when measured.	Length		Sex.	Date when measured.	Length		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
21/2 38	90	17' 0"	F	2/3 38	93	18' 0"	M	6/3 38	79	12' 0"	M
22/2 "	90	8' 0"	M	" "	93	24' 0"	M	" "	90	8' 0"	M
" "	83	6' 0"	F	" "	89	8' 0"	F	7/3 "	79	9' 0"	F
" "	86	5' 6"	F	" "	76	15' 0"	M	" "	82	12' 0"	F
" "	82	{14' 0"	F	" "	92	10' 0"	M	8/3 "	82	10' 0"	F
" "	82	{12' 0"	F	" "	69	8' 0"	F	" "	87	9' 0"	M
" "	73	9' 0"	M	" "	83	19' 0"	M	" "	86	17' 0"	F
" "	80	11' 0"	F	" "	81	13' 0"	M	" "	80	19' 0"	M
23/2 "	92	18' 0"	M	" "	81	12' 0"	M	9/3 "	84	9' 0"	M
24/2 "	86	20' 0"	M	3/3 "	84	8' 0"	M	" "	88	12' 0"	M
" "	86	10' 0"	F	" "	96	18' 0"	M	" "	84	13' 0"	F
" "	84	10' 0"	F	" "	88	19' 0"	M	" "	90	15' 6"	F
" "	86	15' 0"	M	" "	82	14' 6"	M	" "	89	12' 0"	M
" "	84	17' 0"	M	" "	85	9' 0"	F	" "	89	22' 0"	M
" "	84	11' 0"	F	" "	84	12' 0"	F	" "	80	8' 0"	F
25/2 "	86	8' 0"	F	" "	87	12' 0"	F	10/3 "	87	11' 0"	M
" "	89	17' 0"	F	" "	90	20' 0"	F	" "	81	17' 0"	M
" "	80	12' 0"	F	" "	90	20' 0"	F	" "	82	19' 0"	M
" "	85	21' 0"	F	4/3 "	85	11' 0"	F	" "	84	13' 0"	M
" "	85	10' 0"	M	" "	83	6' 3"	M	11/3 "	79	10' 0"	F
" "	88	4' 0"	M	" "	86	5' 3"	M	" "	80	11' 0"	M
" "	90	20' 0"	F	" "	90	20' 0"	F	" "	83	16' 0"	F
26/2 "	84	13' 0"	F	5/3 "	89	10' 0"	F	" "	84	16' 0"	M
" "	81	13' 0"	M	" "	93	10' 0"	F	12/3 "	80	12' 0"	F
27/2 "	83	13' 0"	F	" "	89	21' 0"	M	" "	86	10' 0"	M
" "	84	20' 0"	M	" "	81	11' 0"	M	11/3 "	87	8' 0"	F
" "	90	14' 4"	F	" "	82	16' 0"	M	" "	85	16' 0"	M
" "	91	21' 0"	F	" "	87	12' 0"	F	" "	85	15' 0"	M
28/2 "	82	9' 0"	F	" "	84	12' 0"	M	" "	84	10' 0"	M
" "	86	18' 0"	F	" "	83	15' 0"	M	" "	87	19' 0"	F
" "	81	11' 0"	M	" "	82	17' 0"	M	" "	84	15' 0"	M
" "	86	14' 0"	M	" "	87	16' 6"	F	15/3 "	84	17' 0"	M
" "	86	19' 0"	F	" "	82	20' 0"	M	" "	87	20' 0"	M
1/3 "	84	5' 0"	M	" "	83	9' 0"	F	" "	83	15' 0"	F
" "	87	7' 6"	M	6/3 "	87	21' 0"	M	" "	84	7' 0"	F
" "	80	8' 0"	F	" "	94	{12' 0"	M	" "	89	17' 0"	F
" "	83	13' 0"	M	" "	94	{12' 0"	M	" "	88	3' 0"	M
2/3 "	85	12' 0"	F	" "	80	22' 0"	M	" "	86	18' 0"	M
" "	84	8' 0"	M	" "	94	22' 0"	M	" "	88	17' 0"	F
" "	92	10' 0"	M	" "	84	18' 0"	F	16/3 "	84	12' 0"	F
" "	83	21' 0"	M	" "	83	13' 6"	F	" "	87	20' 0"	F

Total 1,848 blue-whale foetuses, of which 1,001 males and 846 females. Sex was not stated for 1 foetus. Of the 1,847 foetuses, for which sex was stated, 54.20 per cent were males and 45.80 per cent females.

Table No. 8 (continued).

2. Fin-whale foetuses
measured in the Southern Seas in the season 1937/38.

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
19/10 37	69	2' 4"		10/12 37	72	3' 0"	F	13/12 37	70	5' 6"	M
" "	71	0' 1"		" "	75	4' 0"	F	" "	80	3' 0"	M
20/10 "	69	3' 0"		" "	63	3' 0"	F	" "	72	4' 2"	M
" "	69	1' 0"		" "	69	5' 0"	F	" "	75	1' 0"	M
1/11 "	69	0' 10"		" "	69	5' 0"	M	" "	72	{7' 0"	F
8/11 "	78	1' 0"		" "	67	4' 6"	F	" "	"	{7' 0"	F
" "	69	2' 0"		" "	75	5' 0"	F	" "	76	1' 6"	F
14/11 "	69	3' 0"		" "	72	4' 0"	F	" "	71	8' 0"	F
" "	74	4' 0"		" "	77	4' 0"	F	" "	"	{9' 0"	F
15/11 "	75	2' 0"		" "	77	8' 0"	M	" "	74	{9' 0"	M
18/11 "	73	3' 9"		11/12 "	74	5' 0"	F	" "	76	6' 0"	M
" "	72	5' 0"		" "	63	5' 0"	M	" "	76	7' 0"	M
19/11 "	71	5' 0"	F	" "	75	4' 0"	M	" "	75	5' 0"	M
" "	69	1' 0"	M	" "	78	8' 0"	F	" "	76	4' 6"	F
20/11 "	73	2' 0"	M	" "	70	5' 0"	M	14/12 "	73	3' 0"	M
22/11 "	69	3' 7"		" "	72	1' 7"	F	" "	73	5' 6"	F
" "	74	3' 0"	F	" "	74	1' 0"	M	" "	73	3' 0"	F
23/11 "	71	5' 0"	M	" "	71	3' 0"	F	" "	71	6' 0"	M
" "	73	3' 0"	F	" "	70	5' 0"	M	" "	70	5' 0"	F
24/11 "	72	1' 7"	M	" "	69	5' 0"	M	" "	75	2' 0"	M
25/11 "	74	1' 0"	M	" "	69	3' 0"	F	" "	75	7' 0"	M
" "	73	6' 6"	M	" "	"	{4' 0"	M	" "	69	4' 0"	M
" "	73	6' 0"	F	" "	70	{4' 0"	M	" "	75	4' 0"	M
" "	70	1' 0"	M	12/12 "	73	4' 0"	M	" "	75	7' 0"	M
28/11 "	66	0' 10"		" "	73	1' 6"	M	" "	75	7' 0"	M
29/11 "	68	2' 9"		" "	75	6' 0"	F	" "	74	2' 0"	F
" "	74	3' 3"	M	" "	73	4' 0"	F	" "	75	5' 0"	M
30/11 "	67	1' 9"		" "	71	5' 0"	F	" "	74	3' 6"	F
1/12 "	72	3' 9"		" "	71	3' 3"	M	" "	74	7' 0"	M
" "	71	5' 0"		" "	74	5' 0"	M	" "	71	9' 0"	M
4/12 "	72	6' 0"		" "	69	3' 6"	F	" "	74	7' 0"	M
" "	76	4' 5"	F	" "	67	4' 6"	M	" "	69	5' 6"	F
5/12 "	62	2' 6"		" "	71	6' 0"	M	" "	68	10' 0"	M
6/12 "	69	2' 7"		" "	67	2' 0"	F	" "	65	3' 0"	M
8/12 "	68	4' 0"	F	" "	73	7' 0"	F	" "	70	6' 0"	F
" "	66	3' 0"	F	" "	75	3' 0"	M	" "	75	5' 0"	M
" "	72	3' 3"	M	" "	73	5' 0"	M	" "	75	5' 0"	F
" "	72	4' 6"	M	" "	57	1' 0"	M	" "	76	5' 0"	M
9/12 "	76	4' 0"	F	" "	71	4' 6"	M	" "	71	3' 0"	M
" "	70	4' 0"	M	13/12 "	73	7' 0"	F	" "	73	3' 6"	M
" "	76	6' 0"	M	" "	72	6' 0"	F	15/12 "	74	2' 0"	M
" "	75	5' 0"	M	" "	71	3' 0"	M	" "	70	2' 0"	M
" "	72	7' 0"	M	" "	75	6' 0"	F	" "	71	10' 0"	F
" "	73	4' 0"	F	" "	69	3' 0"	M	" "	68	4' 0"	M
" "	73	7' 6"	M	" "	70	8' 0"	M	" "	74	7' 0"	M
" "	70	5' 2"	F	" "	74	6' 0"	F	" "	76	6' 0"	F
" "	76	3' 5"	F	" "	76	1' 5"	F	" "	67	5' 0"	F
" "	75	4' 0"	M	" "	74	5' 6"	F	" "	73	7' 0"	F
" "	75	5' 0"	M	" "	75	2' 6"	M	" "	74	7' 0"	F
" "	72	2' 0"	M	" "	75	5' 0"	F	" "	72	1' 6"	M
" "	76	4' 0"	F	" "	75	3' 0"	F	" "	66	1' 0"	F
" "	71	2' 0"	F	" "	70	5' 0"	F	" "	74	5' 6"	M
" "	76	2' 0"	M	" "	67	5' 0"	F	" "	75	7' 3"	F
" "	77	6' 0"	M	" "	66	6' 6"	F	" "	73	6' 0"	F
10/12 "	75	5' 0"	F	" "	72	1' 6"	F	" "	75	7' 0"	F

Table No. 8.—Fin-whale foetuses (cont).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
13/12 37	76	5' 0"	M	18/12 37	68	5' 0"	M	21/12 37	71	4' 0"	M
" "	73	7' 0"	M	" "	80	8' 0"	M	" "	70	6' 0"	M
" "	67	3' 0"	M	" "	76	18' 0"	F	" "	75	5' 0"	M
" "	76	5' 0"	M	" "	71	8' 0"	F	" "	69	0' 6"	M
" "	74	4' 0"	F	" "	69	5' 0"	M	" "	72	4' 0"	F
16/12 "	70	6' 0"	M	" "	74	6' 0"	F	" "	" "	" "	" "
" "	76	5' 0"	M	" "	72	6' 0"	M	22/12 "	75	3' 6"	M
" "	71	5' 0"	M	" "	73	2' 0"	F	" "	75	6' 0"	M
" "	72	4' 0"	M	" "	70	5' 0"	M	" "	70	6' 0"	M
" "	76	8' 0"	F	" "	75	4' 0"	M	" "	74	8' 0"	M
" "	70	3' 0"	M	19/12 "	74	10' 0"	F	" "	78	4' 0"	F
" "	75	5' 0"	F	" "	67	7' 0"	F	" "	67	4' 0"	M
" "	71	6' 0"	F	" "	74	6' 0"	F	" "	73	5' 0"	M
" "	70	6' 0"	F	" "	70	6' 0"	M	" "	70	5' 0"	F
" "	70	4' 3"	F	" "	81	9' 0"	F	" "	72	5' 0"	F
" "	75	5' 0"	F	" "	73	9' 0"	M	" "	68	5' 0"	M
" "	72	6' 0"	F	" "	69	11' 0"	M	" "	75	2' 0"	F
" "	70	4' 0"	M	" "	77	11' 0"	F	" "	73	3' 0"	M
" "	73	6' 4"	M	" "	70	5' 0"	F	" "	69	3' 0"	F
" "	71	6' 7"	M	" "	74	5' 0"	F	" "	77	7' 0"	M
" "	70	3' 0"	F	" "	77	4' 0"	M	" "	73	7' 0"	M
" "	69	5' 0"	F	" "	73	6' 0"	M	" "	69	2' 2"	M
" "	74	8' 0"	M	" "	75	6' 0"	F	" "	68	20' 0"	M
" "	77	4' 0"	M	" "	73	5' 0"	F	" "	73	3' 0"	M
" "	75	3' 0"	F	" "	75	8' 0"	F	" "	71	2' 0"	M
" "	70	2' 0"	M	" "	74	5' 0"	M	" "	74	6' 0"	F
" "	69	5' 0"	F	" "	70	4' 0"	F	" "	71	4' 0"	M
" "	73	6' 0"	F	20/12 "	77	6' 0"	F	" "	74	6' 0"	F
" "	77	3' 0"	F	" "	76	6' 0"	F	23/12 "	75	10' 0"	F
17/12 "	69	2' 0"	F	" "	75	3' 0"	M	" "	74	6' 0"	F
" "	75	6' 0"	F	" "	75	4' 0"	M	" "	75	6' 0"	M
" "	73	7' 0"	F	" "	70	5' 0"	F	" "	74	8' 0"	F
" "	71	4' 0"	F	" "	67	5' 0"	M	" "	63	8' 0"	F
" "	71	3' 0"	M	" "	73	9' 0"	F	" "	72	6' 0"	M
" "	67	4' 0"	F	" "	75	9' 0"	F	" "	70	8' 0"	M
" "	70	5' 0"	M	" "	73	10' 0"	M	" "	68	6' 0"	F
" "	72	6' 0"	M	" "	67	1' 0"	F	" "	74	8' 0"	F
" "	72	6' 0"	M	" "	72	7' 6"	F	" "	70	5' 0"	F
" "	77	6' 0"	F	" "	70	4' 0"	M	" "	71	3' 0"	M
" "	75	9' 0"	F	" "	74	3' 8"	M	" "	75	3' 0"	F
" "	72	4' 0"	F	" "	73	6' 5"	F	" "	71	5' 0"	M
" "	71	5' 6"	F	" "	74	7' 0"	M	" "	67	4' 0"	F
" "	74	7' 0"	F	" "	76	7' 6"	F	" "	72	6' 6"	M
" "	75	7' 3"	M	" "	74	2' 6"	F	" "	74	1' 6"	F
" "	75	4' 0"	M	" "	80	9' 0"	M	" "	71	6' 3"	F
" "	70	4' 0"	M	" "	68	5' 0"	F	" "	74	3' 2"	F
" "	70	5' 0"	F	" "	68	4' 0"	F	" "	72	5' 1"	M
" "	70	5' 0"	M	" "	72	4' 0"	F	" "	72	3' 0"	F
" "	77	7' 0"	F	21/12 "	70	8' 0"	F	" "	74	6' 0"	M
" "	75	6' 0"	F	" "	74	3' 0"	F	" "	74	5' 0"	M
" "	76	7' 0"	M	" "	78	8' 0"	M	" "	71	2' 0"	F
" "	71	2' 0"	F	" "	70	4' 0"	M	" "	81	5' 0"	M
" "	70	7' 0"	M	" "	66	3' 0"	F	" "	76	6' 0"	F
" "	68	2' 0"	F	" "	63	3' 9"	F	" "	70	7' 0"	F
" "	71	5' 0"	F	" "	78	3' 0"	F	" "	66	1' 0"	F
18/12 "	68	7' 0"	F	" "	76	8' 7"	M	" "	71	5' 0"	M
" "	66	2' 0"	M	" "	72	5' 0"	M	" "	69	5' 0"	F
" "	72	6' 0"	M	" "	70	4' 0"	F	24/12 "	69	4' 0"	M

Table No. 8.—Fin-whale foetuses (cont.)

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
²⁴ / ₁₂ 37	75	3' 0"	M	²⁶ / ₁₂ 37	72	7' 0"	M	²⁹ / ₁₂ 37	64	8' 0"	F
" "	76	8' 0"	M	" "	71	6' 6"	M	" "	81	8' 0"	F
" "	70	7' 0"	F	" "	66	4' 0"	F	" "	67	4' 0"	M
" "	74	1' 6"	M	²⁷ / ₁₂ "	71	7' 0"	F	" "	74	5' 0"	M
" "	75	6' 0"	M	" "	77	9' 0"	F	" "	67	3' 0"	F
" "	72	5' 6"	F	" "	75	10' 0"	M	" "	74	6' 0"	F
" "	69	3' 6"	M	" "	75	7' 0"	M	" "	68	5' 0"	M
" "	74	8' 0"	F	" "	79	7' 0"	M	" "	70	4' 0"	F
" "	74	6' 0"	F	" "	79	7' 0"	F	" "	72	3' 0"	M
" "	72	5' 5"	F	" "	74	3' 0"	F	" "	66	4' 0"	M
" "	75	8' 0"	F	" "	77	11' 0"	M	" "	71	8' 0"	M
" "	70	2' 0"	F	" "	71	9' 0"	M	³⁰ / ₁₂ "	77	5' 0"	F
" "	76	2' 0"	F	" "	72	4' 0"	F	" "	78	10' 0"	F
²⁵ / ₁₂ "	76	4' 0"	F	" "	69	3' 0"	M	" "	74	5' 0"	F
" "	76	6' 0"	M	" "	71	3' 0"	M	" "	69	4' 0"	F
" "	71	6' 0"	M	" "	78	1' 0"	M	" "	74	5' 0"	M
" "	75	18' 0"	F	" "	70	8' 0"	M	" "	75	6' 0"	F
" "	71	7' 0"	F	" "	67	3' 6"	M	" "	78	2' 0"	F
" "	62	7' 0"	M	" "	68	6' 0"	F	" "	72	5' 0"	M
" "	75	6' 0"	F	" "	75	6' 0"	M	" "	72	8' 0"	F
" "	72	6' 0"	M	" "	71	7' 6"	F	" "	72	8' 0"	M
" "	74	5' 0"	M	" "	67	4' 0"	M	" "	73	7' 6"	M
" "	72	6' 6"	F	" "	64	1' 0"	M	" "	76	10' 0"	M
" "	74	6' 0"	M	" "	75	8' 0"	F	" "	75	14' 0"	F
" "	69	3' 0"	M	" "	74	7' 0"	F	" "	70	7' 0"	F
" "	73	3' 6"	M	" "	73	3' 0"	F	" "	70	3' 0"	F
" "	74	10' 0"	M	" "	73	9' 0"	F	" "	76	7' 0"	M
" "	70	11' 6"	F	" "	73	4' 6"	F	" "	74	8' 0"	M
" "	74	8' 0"	F	" "	75	9' 0"	F	" "	76	6' 0"	M
" "	76	4' 0"	M	" "	68	6' 0"	F	" "	69	3' 0"	M
" "	74	8' 6"	F	" "	65	6' 0"	M	" "	70	10' 0"	F
" "	74	4' 6"	M	" "	68	6' 0"	M	" "	70	3' 0"	M
" "	71	7' 0"	M	²⁸ / ₁₂ "	73	4' 0"	F	" "	80	4' 0"	F
" "	71	5' 0"	M	" "	78	5' 0"	F	" "	71	7' 1"	F
" "	73	3' 0"	M	" "	74	5' 0"	F	" "	72	6' 6"	F
²⁶ / ₁₂ "	75	5' 0"	M	" "	74	10' 0"	M	" "	73	7' 0"	F
" "	73	4' 0"	M	" "	71	5' 0"	F	" "	69	8' 0"	M
" "	70	1' 0"	M	" "	74	7' 0"	F	" "	69	4' 0"	F
" "	70	5' 0"	M	" "	80	4' 0"	M	" "	75	4' 0"	F
" "	71	8' 0"	F	" "	71	6' 0"	M	" "	75	8' 0"	F
" "	71	1' 0"	M	" "	76	9' 1"	M	" "	74	8' 0"	F
" "	69	5' 0"	F	" "	73	5' 6"	M	³¹ / ₁₂ "	76	6' 0"	M
" "	77	4' 0"	M	" "	76	8' 0"	F	" "	69	5' 0"	M
" "	67	4' 0"	F	" "	67	0' 6"	F	" "	68	7' 0"	F
" "	70	4' 6"	M	" "	76	5' 0"	F	" "	71	7' 0"	M
" "	76	4' 0"	M	" "	71	5' 0"	M	" "	77	5' 0"	F
" "	73	1' 6"	M	" "	73	3' 0"	M	" "	75	9' 0"	M
" "	67	6' 0"	F	²⁹ / ₁₂ "	70	6' 0"	F	" "	75	7' 0"	F
" "	71	3' 0"	M	" "	73	11' 0"	M	" "	73	6' 0"	M
" "	73	6' 5"	M	" "	72	8' 0"	F	" "	75	6' 0"	M
" "	68	5' 0"	F	" "	71	9' 0"	M	" "	70	2' 4"	M
" "	76	7' 0"	F	" "	74	1' 6"	M	" "	72	5' 6"	M
" "	75	2' 0"	F	" "	70	8' 6"	M	" "	71	6' 1"	F
" "	74	1' 0"	F	" "	69	9' 0"	F	" "	70	9' 4"	M
" "	75	8' 0"	M	" "	76	5' 0"	M	" "	68	4' 6"	F
" "	70	8' 0"	M	" "	73	9' 0"	F	" "	72	4' 6"	M
" "	71	7' 0"	M	" "	70	3' 2"	M	" "	77	3' 0"	F
" "	73	1' 0"	M	" "	72	5' 0"	F	" "	71	7' 0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{31}{12}$ 37	72	9' 0"	M	$\frac{2}{1}$ 38	71	5' 0"	F	$\frac{4}{1}$ 38	71	2' 8"	M
" "	60	4' 0"	F	" "	75	7' 0"	F	" "	73	2' 0"	M
$\frac{1}{1}$ 38	74	9' 0"	M	" "	75	7' 0"	F	" "	72	6' 0"	M
" "	72	7' 0"	M	" "	75	5' 0"	F	" "	66	9' 0"	F
" "	71	4' 0"	M	" "	77	6' 0"	M	" "	69	7' 6"	M
" "	69	6' 6"	M	" "	70	2' 0"	M	" "	69	1' 0"	F
" "	73	7' 0"	F	" "	76	12' 0"	M	" "	75	8' 0"	F
" "	70	8' 0"	F	" "	73	9' 0"	M	$\frac{5}{1}$ "	75	6' 0"	M
" "	73	6' 0"	F	" "	75	8' 0"	F	" "	77	8' 0"	F
" "	74	8' 0"	M	" "	72	7' 0"	M	" "	77	10' 0"	F
" "	70	10' 0"	M	" "	75	11' 0"	M	" "	66	11' 0"	M
" "	64	5' 0"	F	" "	69	8' 0"	M	" "	68	4' 0"	F
" "	71	4' 0"	M	" "	74	11' 0"	M	" "	73	1' 5"	M
" "	73	14' 0"	M	" "	67	6' 6"	F	" "	78	3' 0"	M
" "	73	6' 0"	M	" "	72	8' 0"	F	" "	66	5' 0"	M
" "	63	5' 0"	M	" "	67	4' 0"	M	" "	70	8' 0"	F
" "	76	6' 0"	M	" "	65	6' 0"	M	" "	74	6' 0"	F
" "	66	5' 0"	F	" "	67	2' 0"	M	" "	74	6' 0"	F
" "	72	5' 0"	F	" "	70	4' 0"	F	" "	74	7' 0"	M
" "	69	4' 0"	M	$\frac{3}{1}$ "	74	6' 0"	M	" "	72	5' 0"	F
" "	73	4' 0"	F	" "	75	2' 0"	F	" "	75	2' 0"	M
" "	70	4' 0"	M	" "	70	7' 0"	M	" "	75	2' 0"	M
" "	70	9' 0"	F	" "	67	3' 0"	M	" "	72	8' 0"	M
" "	74	9' 0"	F	" "	71	5' 0"	M	" "	65	2' 0"	F
" "	76	8' 0"	F	" "	67	4' 0"	F	" "	76	6' 0"	M
" "	76	5' 0"	M	" "	74	7' 0"	M	" "	76	5' 0"	F
" "	70	4' 0"	M	" "	75	7' 0"	F	" "	69	4' 0"	M
" "	67	9' 0"	M	" "	72	1' 0"	M	" "	70	8' 0"	F
" "	77	5' 0"	M	" "	72	8' 0"	F	" "	69	4' 0"	F
" "	71	5' 0"	F	" "	72	4' 6"	F	" "	72	8' 0"	F
" "	72	1' 4"	F	" "	76	7' 4"	M	" "	75	4' 0"	F
" "	71	7' 3"	F	" "	74	12' 0"	M	" "	71	8' 0"	M
" "	73	6' 4"	F	" "	75	6' 0"	M	" "	64	5' 0"	F
" "	74	6' 0"	F	" "	74	2' 0"	M	" "	75	3' 0"	M
" "	72	8' 0"	F	" "	66	7' 0"	F	" "	72	6' 0"	F
" "	70	6' 0"	M	" "	76	4' 0"	M	" "	75	2' 6"	F
" "	68	9' 0"	F	" "	70	10' 0"	F	" "	73	10' 6"	M
" "	76	2' 0"	M	" "	74	6' 0"	M	" "	70	7' 0"	M
$\frac{2}{1}$ "	79	7' 0"	F	" "	72	8' 0"	M	" "	70	5' 0"	M
" "	72	3' 0"	F	" "	70	6' 0"	M	" "	71	8' 0"	M
" "	61	7' 0"	M	$\frac{4}{1}$ "	73	4' 0"	F	" "	70	4' 0"	M
" "	75	7' 0"	F	" "	77	2' 0"	M	" "	76	7' 0"	M
" "	72	6' 0"	F	" "	76	1' 6"	F	" "	72	8' 0"	M
" "	71	5' 0"	M	" "	73	5' 0"	F	" "	75	7' 0"	M
" "	67	5' 0"	F	" "	63	5' 0"	F	" "	72	5' 0"	F
" "	69	6' 0"	F	" "	72	10' 0"	F	" "	72	5' 0"	F
" "	73	9' 0"	F	" "	77	8' 0"	M	" "	72	7' 0"	F
" "	77	9' 0"	M	" "	81	5' 0"	M	" "	61	3' 0"	M
" "	66	2' 0"	F	" "	75	6' 0"	M	" "	69	8' 0"	F
" "	71	4' 0"	F	" "	73	5' 0"	F	" "	69	7' 0"	M
" "	71	3' 0"	F	" "	70	6' 0"	F	$\frac{6}{1}$ "	75	1' 6"	F
" "	76	2' 0"	M	" "	72	9' 0"	M	" "	76	9' 0"	M
" "	77	1' 0"	F	" "	74	7' 0"	M	" "	74	7' 0"	M
" "	72	5' 0"	F	" "	74	12' 0"	F	" "	73	6' 0"	M
" "	72	3' 0"	F	" "	72	6' 0"	F	" "	70	8' 0"	M
" "	74	7' 0"	F	" "	71	4' 0"	F	" "	76	3' 0"	F
" "	74	7' 0"	M	" "	69	5' 2"	F	" "	70	2' 0"	M
" "	73	6' 2"	M	" "	73	6' 2"	M	" "	74	10' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
$\frac{6}{1}$ 38	73	9' 0"	M	$\frac{7}{1}$ 38	70	7' 0"	M	$\frac{8}{1}$ 38	70	5' 0"	F
" "	68	3' 0"	F	" "	72	9' 0"	F	" "	72	8' 0"	F
" "	72	6' 0"	M	" "	72	5' 0"	F	" "	73	7' 0"	M
" "	73	9' 0"	F	" "	74	8' 0"	F	" "	70	8' 0"	M
" "	70	8' 0"	M	" "	71	8' 0"	M	" "	74	3' 0"	M
" "	66	4' 0"	F	" "	76	7' 0"	M	" "	78	4' 0"	M
" "	66	3' 0"	M	" "	75	14' 0"	F	" "	77	6' 0"	M
" "	70	7' 0"	F	" "	73	7' 0"	F	" "	73	9' 0"	F
" "	72	14' 0"	F	" "	70	8' 0"	M	" "	71	8' 0"	M
" "	75	7' 0"	M	" "	73	5' 0"	M	" "	86	12' 0"	F
" "	68	4' 0"	M	" "	71	5' 0"	M	" "	71	9' 0"	F
" "	77	10' 0"	F	" "	72	5' 0"	M	" "	73	12' 0"	M
" "	75	6' 0"	F	" "	72	4' 0"	F	" "	73	2' 6"	F
" "	74	4' 6"	F	" "	70	10' 0"	F	" "	71	8' 0"	M
" "	74	4' 0"	F	" "	69	12' 0"	M	" "	75	7' 0"	F
" "	69	5' 0"	M	" "	74	1' 0"	M	" "	74	8' 0"	M
" "	73	8' 0"	F	" "	65	4' 0"	M	" "	71	6' 0"	F
" "	70	5' 6"	M	" "	74	3' 6"	M	" "	70	8' 0"	F
" "	69	4' 4"	F	" "	70	7' 0"	F	" "	73	8' 0"	F
" "	75	4' 4"	M	" "	75	20' 0"	F	$\frac{9}{1}$ "	71	8' 0"	F
" "	68	4' 3"	F	" "	69	{ 4' 0"	F	" "	72	8' 0"	F
" "	72	6' 0"	M	" "	69	{ 4' 0"	F	" "	75	6' 0"	M
" "	69	8' 6"	F	" "	70	{ 7' 0"	M	" "	76	2' 0"	F
" "	73	5' 0"	F	" "	72	10' 0"	F	" "	73	4' 0"	M
" "	66	4' 0"	F	" "	69	4' 6"	M	" "	65	6' 0"	M
" "	69	3' 0"	M	" "	71	1' 0"	F	" "	74	{ 9' 0"	M
" "	71	5' 0"	F	" "	73	7' 0"	F	" "	74	{ 9' 0"	F
" "	72	2' 0"	M	" "	73	0' 6"	M	" "	69	6' 6"	F
" "	73	3' 0"	F	" "	76	7' 0"	M	" "	65	14' 0"	F
" "	69	8' 0"	F	" "	75	6' 0"	F	" "	71	16' 0"	M
" "	74	10' 0"	F	" "	78	3' 0"	F	" "	65	1' 0"	M
" "	73	5' 0"	M	" "	72	3' 0"	M	" "	72	6' 0"	F
" "	70	6' 0"	F	$\frac{3}{1}$ "	73	10' 0"	F	" "	72	4' 0"	M
" "	75	3' 0"	M	" "	72	7' 0"	M	" "	69	6' 0"	F
" "	72	5' 0"	M	" "	78	6' 0"	M	" "	72	4' 0"	F
" "	76	4' 0"	F	" "	75	5' 0"	F	" "	73	7' 0"	F
" "	74	8' 0"	F	" "	72	8' 0"	F	" "	76	5' 0"	M
" "	76	8' 0"	F	" "	75	2' 0"	M	" "	64	3' 0"	M
" "	72	8' 0"	M	" "	74	7' 0"	M	" "	73	1' 0"	M
" "	75	9' 0"	M	" "	69	9' 0"	M	" "	73	12' 0"	M
" "	75	10' 0"	F	" "	71	6' 0"	F	" "	70	9' 0"	M
" "	71	8' 0"	F	" "	65	5' 0"	M	" "	78	2' 6"	F
" "	71	4' 0"	M	" "	73	8' 0"	M	" "	76	7' 0"	F
" "	76	12' 0"	F	" "	75	{ 6' 0"	M	" "	71	2' 0"	F
$\frac{7}{1}$ "	75	8' 0"	F	" "	75	{ 6' 0"	F	" "	76	8' 0"	M
" "	71	8' 0"	M	" "	76	10' 0"	M	" "	72	5' 0"	F
" "	70	3' 0"	F	" "	73	5' 0"	M	" "	72	8' 0"	M
" "	70	6' 0"	M	" "	69	6' 0"	F	" "	70	8' 0"	M
" "	73	3' 0"	F	" "	75	8' 0"	M	" "	70	1' 6"	M
" "	72	2' 0"	F	" "	76	9' 0"	M	" "	68	7' 0"	F
" "	71	7' 0"	M	" "	71	8' 0"	F	" "	70	9' 0"	F
" "	70	1' 0"	F	" "	71	11' 6"	F	" "	74	5' 0"	F
" "	74	7' 0"	F	" "	67	4' 0"	M	$\frac{10}{1}$ "	74	10' 0"	F
" "	70	7' 0"	F	" "	71	4' 0"	M	" "	73	11' 0"	M
" "	71	3' 0"	F	" "	68	6' 0"	M	" "	74	7' 0"	F
" "	67	4' 0"	M	" "	76	6' 0"	M	" "	71	10' 0"	F
" "	71	4' 0"	F	" "	73	6' 0"	M	" "	74	5' 0"	F
" "	69	5' 0"	M	" "	76	4' 0"	M	" "	74	7' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
10 ¹ / ₁ 38	73	8' 0"	F	11 ¹ / ₁ 38	74	8' 0"	M	12 ¹ / ₁ 38	70	8' 0"	M
" "	70	5' 0"	F	" "	68	8' 0"	M	" "	72	6' 0"	F
" "	69	6' 6"	F	" "	70	9' 0"	M	" "	76	11' 0"	M
" "	66	6' 0"	F	" "	67	5' 0"	M	" "	69	7' 0"	F
" "	72	15' 0"	F	" "	72	12' 0"	F	" "	69	9' 0"	F
" "	78	10' 0"	F	" "	74	8' 0"	F	" "	72	7' 0"	F
" "	67	12' 0"	F	" "	76	5' 0"	F	" "	73	9' 0"	M
" "	74	9' 0"	F	" "	75	6' 0"	M	" "	74	6' 0"	F
" "	70	11' 0"	F	" "	68	3' 0"	F	" "	69	1' 6"	M
" "	70	8' 0"	M	" "	74	9' 0"	M	" "	79	5' 0"	M
" "	67	7' 0"	F	" "	73	5' 0"	M	" "	72	7' 0"	F
" "	67	6' 0"	F	" "	77	8' 0"	M	" "	73	7' 0"	M
" "	78	5' 0"	F	" "	72	8' 0"	F	" "	66	6' 0"	F
" "	71	5' 0"	M	" "	70	6' 0"	M	" "	71	10' 0"	M
" "	62	4' 0"	M	" "	68	9' 0"	F	" "	74	10' 0"	M
" "	76	8' 0"	M	" "	73	10' 0"	F	" "	68	8' 0"	F
" "	72	4' 0"	M	" "	75	7' 0"	M	" "	75	7' 0"	M
" "	70	4' 0"	M	" "	73	7' 0"	M	" "	72	4' 0"	M
" "	73	4' 6"	M	" "	70	4' 0"	M	" "	71	8' 0"	F
" "	79	4' 6"	M	" "	68	4' 6"	M	" "	73	9' 4"	M
" "	74	10' 6"	F	" "	69	7' 0"	F	" "	76	9' 0"	F
" "	72	9' 0"	F	" "	76	14' 0"	F	" "	68	7' 0"	M
" "	77	7' 0"	M	" "	72	12' 3"	M	" "	78	7' 0"	F
" "	78	8' 0"	F	" "	63	4' 0"	M	" "	79	3' 0"	M
" "	72	3' 0"	F	" "	75	3' 0"	M	" "	73	10' 0"	F
" "	73	5' 0"	F	" "	71	5' 0"	F	" "	71	11' 0"	M
" "	75	8' 0"	M	" "	69	6' 0"	F	" "	69	5' 0"	M
" "	76	6' 0"	F	" "	75	6' 6"	F	" "	69	2' 0"	F
" "	77	8' 0"	M	" "	74	6' 0"	M	" "	70	4' 0"	F
" "	69	4' 0"	M	" "	73	5' 6"	M	" "	71	3' 0"	M
" "	76	7' 0"	M	" "	67	5' 0"	M	" "	72	5' 0"	F
" "	73	6' 0"	M	" "	71	2' 0"	F	" "	73	6' 0"	M
" "	73	7' 0"	F	" "	72	1' 0"	M	" "	74	5' 0"	F
" "	69	10' 0"	F	" "	73	10' 0"	M	" "	75	5' 0"	M
" "	78	4' 0"	M	" "	75	4' 0"	M	" "	74	6' 0"	F
" "	76	13' 0"	M	" "	75	2' 0"	F	" "	75	5' 0"	M
" "	72	9' 0"	M	" "	78	5' 0"	F	" "	74	9' 0"	M
" "	77	10' 0"	M	" "	71	3' 0"	F	" "	73	5' 0"	M
" "	74	8' 0"	F	" "	78	9' 0"	F	13 ¹ / ₁ "	75	10' 0"	F
" "	73	7' 0"	M	" "	76	10' 0"	F	" "	73	6' 0"	F
11 ¹ / ₁ "	72	4' 0"	F	" "	76	9' 0"	F	" "	70	5' 0"	F
" "	79	7' 0"	F	" "	72	5' 0"	F	" "	77	6' 0"	F
" "	79	9' 0"	M	" "	77	12' 0"	M	" "	77	8' 0"	M
" "	75	6' 0"	F	12 ¹ / ₁ "	74	5' 0"	M	" "	74	5' 0"	F
" "	73	8' 0"	F	" "	74	7' 0"	F	" "	75	8' 0"	F
" "	70	4' 0"	F	" "	70	4' 6"	M	" "	71	7' 0"	M
" "	72	6' 0"	F	" "	77	10' 0"	F	" "	69	7' 0"	M
" "	74	9' 0"	M	" "	72	9' 0"	F	" "	73	11' 0"	M
" "	73	7' 0"	F	" "	68	5' 0"	M	" "	74	7' 0"	F
" "	74	7' 0"	M	" "	70	9' 0"	M	" "	66	5' 0"	M
" "	73	6' 0"	F	" "	70	7' 0"	F	" "	73	6' 0"	F
" "	76	6' 0"	M	" "	68	5' 0"	F	" "	74	5' 0"	M
" "	66	6' 0"	F	" "	60	6' 0"	F	" "	75	9' 0"	M
" "	75	5' 0"	M	" "	65	8' 0"	M	" "	78	8' 0"	F
" "	70	6' 0"	M	" "	70	7' 0"	F	" "	74	14' 0"	F
" "	68	4' 0"	M	" "	78	3' 0"	F	" "	69	8' 0"	M
" "	64	3' 0"	M	" "	73	7' 0"	M	" "	73	10' 0"	F
" "	73	9' 0"	M	" "	69	7' 0"	F	" "	77	12' 0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
13/1 38	72	9' 0"	F	14/1 38	72	14' 0"	M	15/1 38	74	7' 0"	F
" "	75	7' 0"	M	" "	72	10' 0"	M	" "	73	4' 0"	F
" "	73	12' 0"	M	" "	70	11' 0"	M	" "	76	10' 0"	F
" "	71	5' 0"	M	" "	70	7' 0"	F	" "	75	8' 0"	M
" "	68	7' 0"	F	" "	77	8' 0"	M	" "	71	11' 0"	M
" "	73	10' 0"	M	" "	74	4' 0"	F	" "	68	8' 0"	F
" "	69	2' 0"	M	" "	75	9' 0"	M	" "	70	10' 0"	F
" "	76	6' 6"	M	" "	74	10' 0"	M	" "	72	7' 0"	F
" "	71	10' 0"	M	" "	72	7' 0"	M	" "	77	6' 0"	F
" "	70	4' 0"	M	" "	76	8' 0"	F	" "	77	7' 0"	M
" "	68	6' 0"	M	" "	74	4' 0"	F	" "	76	3' 0"	M
" "	76	8' 10"	F	" "	77	5' 0"	F	" "	72	5' 0"	M
" "	73	7' 0"	F	" "	73	4' 0"	M	" "	73	3' 0"	F
" "	72	7' 0"	F	" "	69	6' 0"	M	" "	72	11' 0"	M
" "	76	13' 0"	F	" "	68	5' 0"	M	" "	68	6' 0"	M
" "	76	12' 0"	M	" "	73	1' 6"	F	" "	73	6' 0"	F
" "	67	4' 6"	M	" "	78	5' 0"	M	" "	77	12' 0"	F
" "	78	4' 0"	F	" "	72	7' 0"	M	16/1 "	72	5' 0"	M
" "	74	0' 8"	F	" "	74	10' 0"	M	" "	71	10' 0"	M
" "	75	10' 0"	F	" "	69	6' 0"	F	" "	74	4' 0"	F
" "	71	8' 0"	F	" "	78	4' 0"	F	" "	70	3' 6"	F
" "	71	9' 0"	M	" "	78	2' 0"	M	" "	74	10' 0"	F
" "	75	7' 0"	F	" "	77	9' 0"	M	" "	74	10' 0"	M
" "	74	2' 6"	M	" "	73	8' 0"	M	" "	76	10' 0"	M
" "	73	4' 6"	F	" "	77	3' 0"	M	" "	70	7' 0"	M
" "	70	6' 6"	M	" "	76	8' 0"	M	" "	73	7' 0"	F
" "	71	5' 0"	F	" "	76	11' 0"	F	" "	73	10' 0"	F
" "	78	1' 0"	F	" "	76	1' 0"	M	" "	74	1' 0"	M
" "	70	4' 0"	M	" "	74	3' 0"	M	" "	70	7' 0"	F
" "	75	5' 0"	F	15/1 "	74	6' 0"	F	" "	73	10' 0"	M
" "	65	5' 0"	F	" "	75	11' 0"	F	" "	72	8' 0"	M
" "	72	7' 0"	F	" "	73	10' 0"	M	" "	75	11' 0"	F
" "	76	7' 0"	F	" "	72	7' 0"	M	" "	73	8' 0"	M
" "	77	10' 0"	F	" "	72	10' 0"	M	" "	71	7' 0"	M
" "	69	7' 0"	M	" "	74	8' 0"	M	" "	77	5' 0"	M
" "	72	5' 0"	M	" "	73	11' 0"	M	" "	68	8' 0"	M
" "	74	5' 0"	M	" "	70	7' 0"	M	" "	70	7' 0"	M
" "	71	1' 0"	M	" "	71	6' 0"	F	" "	75	4' 0"	M
" "	71	12' 0"	M	" "	67	4' 0"	M	" "	68	9' 0"	M
" "	72	7' 0"	F	" "	69	9' 0"	M	" "	70	4' 0"	F
" "	74	12' 0"	F	" "	73	7' 0"	M	" "	72	5' 0"	M
14/1 "	74	8' 0"	F	" "	71	6' 0"	M	" "	71	9' 0"	M
" "	74	10' 0"	F	" "	74	5' 0"	M	" "	72	10' 0"	F
" "	74	6' 0"	F	" "	73	8' 0"	M	" "	70	5' 0"	M
" "	76	8' 0"	F	" "	70	8' 0"	M	" "	73	12' 0"	M
" "	71	4' 0"	M	" "	74	8' 0"	M	" "	70	6' 0"	M
" "	74	2' 0"	M	" "	70	8' 0"	M	" "	64	5' 0"	M
" "	71	8' 0"	F	" "	70	7' 0"	M	" "	63	2' 6"	M
" "	60	5' 0"	M	" "	73	6' 0"	M	" "	71	7' 0"	M
" "	74	6' 0"	M	" "	75	13' 0"	M	" "	74	9' 0"	M
" "	70	8' 0"	F	" "	73	6' 0"	M	" "	73	12' 0"	M
" "	69	6' 0"	M	" "	74	5' 6"	F	" "	72	12' 0"	M
" "	74	8' 0"	M	" "	71	11' 0"	M	" "	74	7' 0"	F
" "	77	9' 0"	M	" "	74	1' 6"	M	" "	76	3' 5"	F
" "	68	3' 6"	M	" "	68	7' 0"	M	" "	77	2' 0"	M
" "	76	10' 0"	M	" "	76	6' 4"	M	" "	68	5' 0"	F
" "	78	11' 0"	F	" "	70	4' 4"	M	" "	73	9' 0"	F
" "	72	5' 0"	M	" "	72	12' 0"	F	" "	75	1' 6"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
16/1 38	69	6' 0"	F	17/1 38	75	6' 0"	M	18/1 38	72	8' 0"	F
" "	64	6' 6"	F	" "	75	11' 0"	M	" "	72	8' 0"	F
" "	74	11' 0"	M	" "	71	3' 6"	F	" "	74	7' 0"	M
" "	75	4' 0"	F	" "	73	10' 0"	F	" "	72	8' 0"	M
" "	66	6' 6"	F	" "	73	13' 0"	F	" "	70	11' 0"	F
" "	71	5' 0"	M	" "	69	4' 0"	M	" "	72	6' 0"	F
" "	63	8' 0"	F	" "	72	4' 6"	F	" "	71	12' 0"	M
" "	72	8' 0"	F	" "	71	7' 6"	F	" "	76	6' 0"	F
" "	74	8' 0"	M	" "	70	4' 5"	M	" "	67	4' 6"	M
" "	72	4' 0"	M	" "	70	8' 3"	F	" "	67	2' 0"	M
" "	72	4' 0"	M	" "	71	6' 0"	F	" "	69	6' 0"	M
" "	71	2' 6"	M	" "	73	11' 5"	F	" "	70	1' 6"	M
" "	70	3' 0"	F	" "	67	8' 0"	F	" "	75	10' 0"	F
" "	79	6' 0"	M	" "	69	7' 8"	F	" "	66	5' 6"	M
" "	77	8' 0"	F	" "	74	9' 0"	M	" "	71	7' 5"	F
" "	70	5' 0"	F	" "	75	6' 0"	M	" "	71	10' 0"	M
" "	76	2' 0"	F	" "	75	9' 0"	F	" "	70	10' 0"	M
" "	72	5' 0"	F	" "	75	13' 0"	F	" "	67	5' 0"	M
" "	73	8' 0"	M	" "	73	13' 0"	M	" "	74	5' 0"	F
17/1 "	70	8' 0"	M	" "	61	5' 0"	F	" "	74	3' 3"	M
" "	70	11' 0"	M	" "	68	9' 0"	F	" "	75	8' 6"	F
" "	76	10' 0"	M	" "	70	7' 0"	F	" "	72	9' 3"	F
" "	77	6' 0"	M	" "	66	3' 0"	F	" "	72	9' 6"	F
" "	70	8' 0"	F	" "	77	8' 0"	F	" "	72	6' 4"	M
" "	65	5' 0"	F	" "	73	8' 0"	F	" "	75	2' 8"	M
" "	74	8' 0"	F	" "	70	4' 0"	F	" "	71	8' 6"	F
" "	75	2' 0"	M	" "	69	3' 0"	M	" "	79	3' 7"	F
" "	76	11' 0"	M	" "	75	4' 0"	M	" "	67	8' 0"	F
" "	77	4' 0"	M	" "	69	3' 0"	F	" "	78	3' 0"	M
" "	75	11' 0"	F	" "	77	10' 0"	M	" "	69	3' 0"	M
" "	77	9' 0"	M	" "	70	11' 0"	F	" "	69	4' 6"	F
" "	74	8' 0"	F	" "	75	12' 0"	F	" "	74	10' 0"	M
" "	64	8' 0"	M	" "	70	5' 0"	F	" "	69	5' 0"	M
" "	74	6' 0"	M	" "	73	8' 0"	M	" "	73	10' 0"	M
" "	67	7' 0"	F	" "	67	2' 0"	M	" "	72	11' 0"	F
" "	74	10' 0"	M	" "	70	1' 0"	F	" "	72	9' 0"	M
" "	73	12' 0"	F	18/1 "	71	13' 0"	F	" "	72	12' 0"	F
" "	70	5' 0"	F	" "	72	13' 0"	F	" "	73	6' 0"	M
" "	71	6' 0"	M	" "	69	6' 0"	F	" "	74	6' 0"	F
" "	71	11' 0"	M	" "	76	11' 0"	F	" "	78	5' 0"	F
" "	72	3' 0"	F	" "	69	10' 0"	M	" "	78	3' 0"	F
" "	76	6' 0"	M	" "	70	7' 0"	F	" "	71	8' 0"	M
" "	74	7' 0"	F	" "	65	5' 0"	F	" "	72	5' 0"	F
" "	72	9' 0"	M	" "	69	3' 0"	F	" "	74	8' 0"	F
" "	73	10' 0"	F	" "	76	6' 0"	F	18/1 "	80	5' 0"	F
" "	62	6' 0"	M	" "	73	8' 0"	M	" "	71	6' 0"	F
" "	73	12' 0"	F	" "	76	10' 0"	M	" "	74	8' 0"	M
" "	74	9' 0"	M	" "	77	8' 0"	M	" "	73	10' 0"	F
" "	68	8' 0"	M	" "	74	10' 0"	M	" "	75	8' 0"	M
" "	67	8' 0"	F	" "	74	10' 0"	M	" "	69	4' 0"	M
" "	70	8' 0"	M	" "	70	8' 0"	F	" "	71	6' 0"	F
" "	72	8' 0"	M	" "	72	9' 0"	M	" "	74	8' 0"	F
" "	73	11' 0"	F	" "	74	8' 0"	M	" "	74	8' 0"	M
" "	72	5' 0"	F	" "	75	9' 0"	M	" "	73	5' 0"	F
" "	68	3' 0"	M	" "	71	7' 0"	F	" "	74	7' 0"	M
" "	69	5' 0"	F	" "	74	7' 0"	F	" "	72	8' 0"	F
" "	71	9' 0"	F	" "	70	3' 0"	M	" "	72	8' 0"	M
" "	70	7' 0"	F	" "	71	5' 0"	M	" "	70	10' 0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
19/1 38	67	4' 0"	M	21/1 38	73	7' 0"	F	22/1 38	72	11' 0"	F
" "	72	8' 0"	F	" "	75	6' 0"	F	" "	73	10' 0"	F
" "	74	10' 0"	F	" "	70	4' 0"	F	" "	74	9' 0"	F
" "	73	{ 9' 0"	F	" "	76	8' 0"	F	" "	75	{ 6' 0"	M
" "		{ 10' 0"	F	" "	75	11' 0"	F	" "		{ 6' 0"	M
" "	77	2' 7"	F	" "	70	1' 0"	M	" "	72	5' 0"	F
" "	74	7' 6"	F	" "	67	5' 0"	F	" "	69	1' 0"	F
" "	72	7' 3"	F	" "	73	3' 0"	M	" "	65	5' 0"	M
" "	75	11' 0"	F	" "	68	4' 0"	F	" "	68	12' 0"	M
" "	73	6' 0"	F	" "	75	9' 0"	F	" "	68	10' 0"	M
" "	69	3' 0"	M	" "	70	7' 0"	M	" "	69	6' 0"	M
" "	77	4' 0"	F	" "	72	8' 0"	F	" "	73	9' 0"	M
" "	71	4' 0"	M	" "	78	13' 0"	F	" "	69	6' 0"	F
" "	73	5' 0"	F	" "	70	2' 6"	F	" "	78	8' 0"	M
" "	75	7' 0"	F	" "	72	10' 0"	M	" "	73	10' 0"	F
" "	70	9' 0"	F	" "	75	7' 0"	F	" "	68	6' 0"	M
" "	72	8' 0"	M	" "	73	5' 0"	F	" "	71	5' 0"	F
" "	72	9' 0"	F	" "	71	7' 0"	F	" "	75	6' 6"	M
20/1 "	75	7' 0"	F	" "	74	9' 0"	F	" "	73	10' 0"	F
" "	70	7' 0"	F	" "	74	6' 0"	M	" "	73	8' 5"	M
" "	67	4' 0"	M	" "	70	10' 0"	M	" "	73	5' 3"	F
" "	69	10' 0"	M	" "	65	5' 9"	M	" "	75	2' 0"	M
" "	71	8' 0"	M	" "	70	7' 8"	F	" "	78	3' 0"	F
" "	74	9' 0"	F	" "	72	8' 0"	F	" "	67	8' 0"	M
" "	73	7' 0"	F	" "	72	6' 0"	F	" "	70	9' 6"	M
" "	69	8' 0"	M	" "	75	8' 0"	F	" "	75	9' 0"	F
" "	72	6' 0"	M	" "	73	13' 0"	F	" "	76	10' 0"	F
" "	70	8' 0"	F	" "	74	6' 0"	F	" "	72	5' 0"	F
" "	70	10' 0"	F	" "		{ 6' 0"	F	" "	75	4' 0"	F
" "	72	15' 0"	F	" "	78	{ 6' 0"	M	" "	75	8' 0"	F
" "	79	14' 0"	M	" "	67	2' 0"	F	" "	77	4' 0"	F
" "	73	4' 0"	M	" "	72	9' 0"	F	" "	78	10' 0"	F
" "	73	13' 0"	F	" "	75	6' 0"	F	" "	76	8' 0"	F
" "	76	12' 0"	F	" "	74	6' 0"	F	" "	74	10' 0"	F
" "	71	3' 6"	M	" "	72	10' 0"	M	" "	70	7' 0"	M
" "	66	6' 0"	F	" "	72	11' 0"	F	" "	73	10' 0"	F
" "	67	5' 0"	M	" "	73	9' 0"	F	23/1 "	69	11' 0"	F
" "	74	5' 0"	M	" "	74	2' 0"	F	" "	73	14' 0"	F
" "	72	8' 7"	F	" "	71	10' 0"	F	" "	75	10' 0"	F
" "	72	8' 0"	M	" "	76	6' 0"	F	" "	74	10' 0"	F
" "	72	7' 0"	M	" "	72	9' 0"	F	" "	73	6' 0"	M
" "	73	12' 0"	M	" "	74	9' 0"	F	" "	74	4' 0"	M
" "	73	8' 0"	M	" "	71	6' 0"	M	" "	75	12' 0"	M
" "	71	6' 0"	M	22/1 "	72	8' 0"	M	" "	71	9' 0"	F
" "	72	9' 0"	M	" "	75	3' 6"	M	" "	72	4' 0"	F
" "	72	7' 0"	F	" "	70	7' 0"	M	" "	74	2' 0"	F
" "	73	12' 0"	M	" "	70	6' 0"	F	" "	75	8' 0"	M
" "	70	5' 0"	M	" "	75	5' 0"	F	" "	70	10' 0"	F
" "	75	7' 0"	F	" "	75	10' 0"	M	" "	67	2' 0"	M
" "	73	5' 0"	F	" "	73	4' 0"	M	" "	70	5' 0"	F
" "	75	5' 0"	F	" "	75	8' 0"	M	" "	70	1' 0"	M
" "	76	6' 0"	M	" "	70	4' 0"	F	" "	70	14' 0"	M
" "	71	7' 0"	M	" "	73	11' 0"	M	" "	72	2' 0"	M
" "	78	5' 0"	F	" "	68	6' 0"	F	" "	75	12' 0"	M
" "	69	4' 0"	F	" "	73	6' 0"	M	" "	74	2' 0"	M
" "	68	5' 0"	M	" "	72	12' 0"	M	" "	70	4' 0"	M
21/1 "	69	4' 0"	M	" "	71	10' 0"	F	" "	72	8' 0"	F
" "	76	11' 0"	M	" "	72	11' 0"	M	" "	74	9' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
23 ¹ / ₁ 38	72	8'0"	F	24 ¹ / ₁ 38	67	3'0"	M	25 ¹ / ₁ 38	74	7'0"	M
" "	73	6'0"	F	" "	75	9'0"	F	" "	76	8'0"	M
" "	71	8'6"	M	" "	70	3'0"	F	" "	67	4'0"	M
" "	73	2'6"	F	" "	74	2'0"	F	" "	72	4'0"	F
" "	71	1'0"	M	" "	75	11'0"	F	" "	70	1'6"	M
" "	75	10'0"	M	" "	73	9'0"	M	" "	64	5'0"	M
" "	68	0'6"	M	" "	71	9'2"	M	" "	74	8'0"	F
" "	75	8'0"	M	" "	72	3'6"	M	" "	72	9'4"	F
" "	74	10'6"	F	" "	71	10'0"	M	" "	62	4'2"	F
" "	70	6'0"	M	" "	68	4'0"	M	" "	78	11'2"	F
" "	76	9'0"	M	" "	73	8'0"	M	" "	72	3'0"	F
" "	75	5'0"	F	" "	71	7'0"	F	" "	68	9'0"	F
" "	73	5'0"	M	" "	77	10'0"	M	" "	73	8'0"	F
" "	76	11'0"	M	" "	78	8'0"	M	" "	74	7'0"	M
" "	74	4'0"	M	" "	77	3'0"	M	" "	75	7'0"	M
" "	74	7'6"	F	" "	77	11'0"	M	" "	72	9'0"	M
" "	77	9'0"	F	" "	73	11'0"	M	" "	74	11'0"	M
" "	76	10'0"	F	" "	78	7'0"	F	" "	72	4'0"	F
" "	77	9'0"	M	" "	71	3'0"	M	" "	73	6'0"	M
" "	71	7'0"	M	" "	78	9'0"	F	" "	74	4'0"	M
" "	75	13'0"	F	" "	69	5'0"	F	" "	76	2'0"	F
" "	76	12'0"	F	" "	77	10'0"	F	" "	68	9'0"	M
" "	76	7'0"	F	" "	75	8'0"	M	" "	76	10'0"	F
" "	72	10'0"	M	" "	70	3'0"	M	" "	74	10'0"	F
" "	68	8'0"	F	" "	71	4'0"	F	" "	71	4'0"	F
" "	70	9'0"	M	25 ¹ / ₁	70	10'0"	M	" "	72	2'0"	F
" "	74	4'0"	F	" "	72	6'0"	M	" "	72	2'0"	M
" "	70	11'0"	M	" "	75	9'0"	M	" "	71	11'0"	M
" "	75	3'0"	M	" "	75	11'0"	M	" "	72	6'0"	M
" "	73	7'0"	F	" "	67	6'0"	M	" "	73	8'0"	M
" "	75	9'0"	F	" "	72	9'0"	F	" "	75	11'0"	F
24 ¹ / ₁	69	11'0"	M	" "	69	7'0"	M	" "	73	2'0"	M
" "	70	10'0"	F	" "	74	10'0"	M	" "	74	4'0"	M
" "	77	10'0"	M	" "	77	10'0"	F	" "	71	10'0"	M
" "	69	4'0"	M	" "	67	9'0"	M	" "	75	11'0"	M
" "	68	6'0"	M	" "	72	1'0"	M	" "	73	9'0"	M
" "	67	3'0"	F	" "	76	10'0"	F	" "	75	7'0"	F
" "	68	8'2"	M	" "	73	5'0"	F	" "	71	8'0"	F
" "	70	8'0"	F	" "	64	5'3"	F	" "	73	2'0"	M
" "	68	2'0"	M	" "	78	8'0"	F	" "	75	6'0"	M
" "	68	6'0"	F	" "	73	9'0"	F	" "	75	12'0"	F
" "	70	6'0"	M	" "	71	11'0"	M	" "	75	12'0"	F
" "	77	9'0"	F	" "	71	8'0"	M	" "	76	12'0"	M
" "	72	14'0"	F	" "	72	7'0"	M	" "	75	12'0"	M
" "	68	7'0"	M	" "	75	14'0"	F	26 ¹ / ₁	73	10'0"	M
" "	73	11'0"	F	" "	77	12'0"	F	" "	58	4'0"	M
" "	74	19'0"	M	" "	74	10'0"	F	" "	63	5'0"	M
" "	70	7'0"	M	" "	75	5'0"	M	" "	73	10'0"	M
" "	71	10'0"	M	" "	73	12'0"	M	" "	69	7'0"	F
" "	67	8'0"	M	" "	70	10'0"	F	" "	76	12'0"	F
" "	70	10'0"	M	" "	70	12'0"	F	" "	67	6'0"	M
" "	70	8'0"	F	" "	74	13'0"	F	" "	79	9'0"	F
" "	67	10'0"	F	" "	75	11'0"	M	" "	73	11'0"	M
" "	72	5'0"	M	" "	77	13'0"	M	" "	71	11'0"	F
" "	74	11'0"	M	" "	79	12'0"	F	" "	70	5'0"	F
" "	74	9'0"	M	" "	74	3'0"	F	" "	74	10'0"	M
" "	79	10'0"	F	" "	68	12'0"	F	" "	74	3'0"	F
" "	70	6'0"	M	" "	69	10'0"	F	" "	72	7'0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured	Length.		Sex.	Date when measured	Length.		Sex.	Date when measured	Length.		Sex.	
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.		
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.		
²⁶ / ₁ 38	65	6' 0"	M	²⁷ / ₁ 38	72	4' 7"	M	²⁸ / ₁ 38	66	5' 4"	M	
" "	71	14' 0"	F	" "	73	1' 6"	F	" "	75	4' 0"	M	
" "	66	8' 0"	M	" "	75	2' 0"	M	" "	72	7' 0"	M	
" "	63	16' 0"	F	" "	74	11' 0"	M	" "	71	4' 0"	M	
" "	71	11' 0"	M	" "	69	14' 0"	F	" "	74	7' 0"	M	
" "	71	10' 0"	M	" "	71	12' 0"	M	" "	72	4' 0"	M	
" "	74	9' 0"	F	" "	75	8' 0"	M	" "	71	5' 0"	M	
" "	72	10' 0"	F	" "	76	6' 0"	M	" "	72	9' 0"	M	
" "	72	6' 0"	M	" "	73	6' 0"	F	" "	72	5' 0"	M	
" "	67	4' 0"	F	" "	70	10' 0"	M	" "	73	15' 0"	M	
" "	71	7' 0"	F	" "	73	8' 0"	F	" "	72	8' 0"	F	
" "	75	7' 0"	F	" "	68	12' 0"	F	" "	76	10' 0"	M	
" "	75	2' 0"	M	" "	72	6' 0"	M	" "	74	11' 0"	F	
" "	79	12' 0"	M	" "	75	9' 0"	F	" "	72	14' 0"	M	
" "	72	6' 0"	M	" "	71	6' 0"	M	" "	72	8' 0"	F	
" "	73	10' 0"	F	" "	71	8' 0"	F	" "	74	4' 0"	M	
" "	72	8' 0"	F	" "	72	10' 0"	M	" "	77	1' 0"	M	
" "	76	10' 0"	M	" "	77	3' 0"	F	" "	79	13' 0"	M	
" "	74	13' 0"	F	" "	76	4' 0"	M	" "	74	2' 0"	M	
" "	70	5' 0"	M	" "	75	10' 0"	M	" "	75	7' 0"	F	
" "	70	6' 6"	M	" "	72	11' 0"	F	" "	75	7' 0"	F	
" "	73	12' 0"	M	" "	71	8' 0"	M	" "	73	8' 0"	M	
" "	69	6' 0"	F	" "	72	4' 6"	F	" "	68	3' 0"	M	
" "	71	8' 3"	M	" "	80	8' 0"	M	" "	70	9' 0"	M	
" "	75	8' 0"	M	" "	69	10' 0"	F	" "	75	9' 0"	F	
" "	72	2' 6"	F	" "	72	10' 0"	F	" "	73	12' 0"	F	
" "	73	5' 0"	F	" "	72	10' 0"	M	" "	74	12' 0"	M	
" "	75	11' 0"	M	" "	73	11' 0"	F	" "	76	6' 0"	M	
" "	72	4' 0"	F	" "	76	13' 0"	F	" "	69	8' 0"	F	
" "	76	10' 0"	M	" "	72	9' 0"	M	" "	74	4' 0"	F	
" "	72	3' 0"	F	" "	71	8' 0"	F	" "	74	7' 0"	M	
" "	72	9' 0"	M	" "	76	13' 0"	M	" "	71	8' 0"	M	
" "	74	12' 0"	F	" "	69	5' 6"	M	" "	71	5' 0"	M	
" "	77	11' 0"	M	" "	74	16' 0"	F	" "	72	11' 0"	M	
" "	74	10' 0"	M	" "	73	6' 6"	F	" "	74	10' 0"	F	
" "	71	5' 0"	M	" "	68	8' 0"	M	" "	77	12' 0"	F	
" "	73	5' 0"	F	" "	74	7' 0"	M	" "	74	8' 0"	F	
" "	73	11' 0"	F	" "	76	6' 0"	M	" "	72	8' 0"	F	
" "	77	7' 0"	F	" "	77	7' 0"	M	" "	73	5' 0"	M	
" "	72	3' 0"	F	" "	77	2' 0"	F	" "	74	5' 0"	F	
" "	72	3' 0"	M	" "	75	6' 0"	F	" "	75	12' 0"	F	
" "	77	9' 0"	F	" "	77	13' 0"	F	" "	²⁹ / ₁ "	65	5' 0"	F
" "	68	10' 0"	F	" "	77	8' 0"	M	" "	" "	70	3' 6"	M
" "	78	4' 0"	F	" "	72	4' 0"	M	" "	" "	70	10' 0"	F
" "	70	5' 0"	M	" "	72	7' 0"	M	" "	" "	67	3' 0"	M
" "	75	6' 0"	F	" "	72	6' 0"	M	" "	" "	69	8' 0"	M
" "	69	8' 0"	M	" "	68	9' 0"	F	" "	" "	67	3' 0"	F
" "	78	6' 0"	F	" "	72	10' 0"	F	" "	" "	75	2' 0"	F
" "	78	9' 0"	F	" "	71	5' 6"	F	" "	" "	68	11' 0"	M
" "	72	12' 0"	F	" "	73	6' 0"	M	" "	" "	78	8' 0"	F
" "	69	12' 6"	M	" "	72	10' 0"	M	" "	" "	72	8' 0"	F
²⁷ / ₁ "	74	5' 0"	M	" "	74	8' 0"	M	" "	" "	69	4' 0"	M
" "	76	14' 0"	M	²⁸ / ₁ "	72	8' 0"	M	" "	" "	71	9' 0"	M
" "	68	7' 0"	M	" "	70	6' 9"	M	" "	" "	71	11' 0"	F
" "	75	4' 0"	M	" "	73	4' 0"	M	" "	" "	69	9' 0"	F
" "	74	12' 0"	M	" "	70	4' 0"	F	" "	" "	77	2' 0"	F
" "	77	7' 0"	M	" "	68	4' 0"	F	" "	" "	73	7' 0"	M
" "	78	7' 0"	M	" "	68	9' 0"	F	" "	" "	71	11' 0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
29/1 38	71	5'0"	M	30/1 38	69	1'4"	F	31/1 38	76	5'0"	M
" "	70	12'0"	M	" "	68	5'0"	M	" "	73	7'6"	M
" "	75	14'0"	F	" "	73	5'0"	M	" "	74	10'0"	M
" "	75	9'0"	M	" "	77	4'0"	M	" "	69	4'0"	M
" "	74	9'0"	M	" "	70	3'0"	F	" "	72	10'0"	M
" "	77	10'0"	F	" "	73	12'0"	F	1/2 "	66	6'0"	M
" "	73	11'0"	M	" "	75	7'0"	F	" "	68	7'0"	M
" "	79	9'0"	M	" "	69	5'0"	F	" "	73	10'0"	M
" "	75	8'0"	M	" "	70	4'4"	M	" "	79	5'0"	F
" "	74	3'0"	F	" "	70	7'5"	M	" "	71	3'0"	F
" "	77	8'0"	M	" "	62	5'6"	F	" "	72	4'0"	F
" "	75	9'0"	F	" "	69	4'0"	F	" "	72	8'0"	M
" "	78	5'0"	M	" "	72	7'0"	M	" "	77	13'0"	M
" "	75	12'0"	M	" "	71	7'0"	F	" "	75	10'0"	M
" "	73	6'0"	M	" "	78	13'0"	F	" "	70	5'2"	M
" "	74	4'0"	M	" "	69	8'0"	M	" "	63	2'0"	F
" "	75	8'6"	M	" "	68	9'0"	M	" "	74	8'0"	M
" "	73	9'0"	M	" "	69	4'6"	M	" "	67	4'0"	F
" "	74	12'0"	M	" "	75	12'6"	F	" "	70	10'0"	M
30/1 "	74	8'0"	F	31/1 "	79	7'0"	F	" "	76	5'0"	F
" "	77	5'0"	F	" "	67	5'0"	M	" "	76	9'0"	F
" "	78	7'0"	M	" "	70	2'0"	F	" "	75	4'0"	M
" "	71	8'0"	F	" "	68	4'0"	F	" "	67	4'0"	M
" "	69	9'0"	F	" "	66	5'0"	F	" "	70	7'0"	F
" "	69	5'0"	F	" "	67	4'0"	M	" "	75	3'0"	F
" "	60	4'0"	F	" "	74	10'0"	F	" "	73	10'0"	M
" "	74	2'0"	F	" "	76	14'0"	M	" "	78	5'0"	M
" "	79	7'0"	M	" "	72	6'0"	F	" "	72	13'0"	M
" "	80	5'0"	M	" "	73	10'0"	F	" "	70	2'6"	M
" "	72	2'0"	M	" "	70	4'0"	M	" "	71	12'0"	F
" "	73	11'0"	F	" "	69	6'0"	F	" "	66	5'0"	F
" "	73	12'0"	F	" "	65	10'0"	M	" "	68	10'0"	M
" "	73	6'0"	F	" "	71	10'0"	M	" "	77	14'0"	M
" "	73	11'0"	F	" "	77	12'0"	M	" "	72	5'0"	M
" "	70	9'0"	F	" "	68	6'0"	F	" "	69	8'4"	F
" "	70	8'0"	M	" "	75	7'0"	M	" "	72	6'2"	M
" "	70	8'0"	F	" "	74	6'0"	M	" "	74	13'0"	M
" "	69	6'0"	M	" "	71	10'0"	F	" "	69	3'6"	F
" "	71	8'0"	M	" "	72	13'0"	F	" "	75	9'0"	M
" "	69	6'0"	F	" "	73	12'0"	F	" "	74	8'0"	F
" "	67	8'0"	F	" "	74	8'0"	F	" "	77	11'0"	M
" "	74	8'0"	M	" "	72	10'0"	M	" "	71	9'0"	F
" "	73	3'0"	M	" "	74	10'4"	M	" "	75	6'0"	M
" "	73	4'0"	F	" "	75	6'4"	M	" "	67	6'0"	F
" "	73	11'0"	F	" "	64	7'0"	F	" "	59	2'6"	M
" "	76	12'0"	F	" "	74	6'6"	F	2/2 "	74	10'0"	M
" "	72	2'0"	F	" "	72	10'0"	F	" "	70	5'0"	M
" "	68	7'0"	F	" "	69	3'0"	M	" "	67	10'0"	F
" "	73	9'0"	F	" "	71	7'0"	M	" "	70	8'0"	F
" "	74	12'6"	M	" "	74	13'0"	M	" "	76	11'0"	F
" "	69	12'6"	M	" "	68	2'0"	F	" "	78	10'0"	M
" "	72	3'0"	F	" "	74	8'0"	M	" "	78	3'0"	F
" "	76	15'0"	M	" "	72	11'0"	F	" "	71	6'0"	M
" "	76	11'0"	F	" "	70	10'0"	M	" "	72	7'0"	M
" "	75	5'0"	F	" "	75	8'0"	M	" "	72	15'0"	F
" "	72	11'6"	F	" "	75	10'0"	M	" "	69	13'0"	M
" "	72	5'8"	F	" "	70	6'0"	M	" "	74	12'0"	M
" "	66	4'6"	F	" "	77	12'0"	M	" "	68	9'0"	F

Table No. 8.—Fin-whale fetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{2}{2}$ 38	73	3' 0"	M	$\frac{3}{2}$ 38	70	8' 0"	F	$\frac{4}{2}$ 38	74	12' 0"	M
" "	68	13' 0"	F	" "	70	14' 0"	F	" "	74	12' 0"	M
" "	73	7' 0"	M	" "	72	8' 0"	M	$\frac{5}{2}$ "	74	11' 0"	F
" "	73	5' 6"	M	" "	71	8' 0"	M	" "	73	10' 0"	M
" "	70	7' 0"	M	" "	73	5' 0"	M	" "	73	12' 0"	F
" "	74	10' 0"	F	" "	71	8' 0"	M	" "	68	2' 0"	F
" "	77	10' 0"	M	" "	71	7' 0"	F	" "	72	11' 0"	M
" "	70	4' 0"	M	" "	75	9' 0"	M	" "	75	6' 0"	M
" "	69	2' 0"	M	" "	78	5' 0"	M	" "	70	5' 0"	F
" "	77	13' 0"	M	" "	78	5' 0"	F	" "	74	12' 0"	F
" "	77	14' 0"	F	" "	78	12' 0"	F	" "	75	7' 0"	M
" "	70	5' 0"	F	$\frac{4}{2}$ "	74	10' 0"	M	" "	69	9' 0"	M
" "	72	6' 0"	F	" "	73	7' 0"	M	" "	70	7' 0"	F
" "	76	8' 0"	F	" "	68	5' 0"	M	" "	69	5' 0"	M
" "	72	8' 0"	M	" "	73	12' 0"	F	" "	68	6' 0"	F
" "	74	13' 0"	M	" "	72	11' 0"	F	" "	74	13' 0"	F
" "	75	15' 0"	M	" "	75	10' 0"	M	" "	68	4' 0"	M
" "	72	16' 0"	F	" "	77	11' 0"	F	" "	76	8' 0"	F
" "	70	9' 6"	M	" "	75	11' 0"	M	" "	72	8' 0"	M
" "	72	9' 0"	F	" "	71	4' 0"	F	" "	73	12' 0"	M
" "	72	11' 0"	M	" "	77	14' 0"	M	" "	73	10' 0"	M
" "	70	13' 0"	F	" "	71	12' 0"	M	" "	74	15' 0"	F
" "	71	5' 0"	F	" "	72	11' 0"	M	" "	76	5' 0"	F
$\frac{3}{2}$ "	74	8' 0"	M	" "	72	12' 0"	F	" "	68	4' 0"	M
" "	70	10' 0"	F	" "	63	6' 0"	F	" "	70	1' 6"	M
" "	73	13' 0"	F	" "	75	20' 0"	F	" "	70	5' 0"	M
" "	78	11' 0"	M	" "	75	18' 0"	F	" "	70	8' 0"	M
" "	71	9' 0"	F	" "	70	8' 0"	F	" "	70	4' 0"	F
" "	71	8' 0"	F	" "	70	6' 0"	M	" "	75	11' 0"	F
" "	75	11' 0"	M	" "	80	5' 0"	M	" "	73	9' 0"	M
" "	67	1' 6"	M	" "	72	11' 0"	M	" "	73	12' 0"	F
" "	66	4' 0"	M	" "	72	8' 0"	M	" "	73	4' 6"	F
" "	67	1' 0"	M	" "	67	9' 0"	M	" "	73	7' 6"	F
" "	72	7' 0"	M	" "	71	2' 0"	M	" "	70	9' 0"	F
" "	66	3' 0"	M	" "	69	16' 0"	F	" "	70	9' 0"	M
" "	82	16' 0"	M	" "	70	15' 0"	F	" "	72	10' 0"	F
" "	69	11' 0"	F	" "	69	13' 0"	M	" "	74	5' 0"	M
" "	72	7' 0"	M	" "	68	5' 0"	F	" "	72	12' 0"	M
" "	75	10' 0"	M	" "	75	12' 0"	M	" "	75	5' 0"	F
" "	74	8' 0"	M	" "	71	3' 6"	F	" "	75	15' 0"	F
" "	72	13' 0"	F	" "	63	3' 0"	M	" "	74	13' 2"	M
" "	71	8' 0"	M	" "	76	5' 0"	F	" "	72	8' 0"	M
" "	72	14' 0"	F	" "	69	9' 6"	F	" "	75	5' 0"	F
" "	73	8' 0"	M	" "	73	9' 6"	F	" "	74	4' 0"	F
" "	72	8' 0"	F	" "	74	10' 0"	M	" "	75	14' 0"	F
" "	70	8' 0"	M	" "	73	10' 0"	M	" "	75	10' 0"	F
" "	72	11' 0"	M	" "	65	7' 0"	F	" "	74	13' 0"	F
" "	74	8' 0"	F	" "	76	13' 6"	M	" "	70	6' 0"	M
" "	74	13' 0"	M	" "	74	1' 6"	M	" "	74	4' 0"	M
" "	76	10' 0"	M	" "	76	9' 0"	M	" "	76	9' 0"	M
" "	74	7' 0"	M	" "	75	6' 0"	F	" "	74	4' 0"	F
" "	67	4' 0"	F	" "	74	6' 0"	F	" "	73	12' 0"	M
" "	74	12' 0"	F	" "	75	12' 0"	F	" "	76	8' 0"	F
" "	78	12' 0"	F	" "	80	4' 0"	F	" "	71	5' 0"	M
" "	75	9' 6"	M	" "	75	14' 0"	F	" "	76	13' 0"	F
" "	74	15' 0"	F	" "	75	1' 0"	M	$\frac{6}{2}$ "	74	10' 0"	F
" "	74	7' 0"	F	" "	75	8' 0"	M	" "	75	10' 0"	M
" "	73	5' 0"	F	" "	72	11' 0"	F	" "	73	11' 0"	F

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{9}{2}$ 38	78	11' 0"	F	$\frac{7}{2}$ 38	67	10' 0"	F	$\frac{8}{2}$ 38	75	7' 0"	M
" "	77	2' 0"	F	" "	73	7' 10"	F	" "	68	3' 0"	F
" "	74	3' 0"	M	" "	73	14' 0"	F	" "	77	13' 0"	M
" "	73	12' 0"	M	" "	73	12' 0"	M	" "	67	10' 0"	F
" "	67	5' 0"	F	" "	70	11' 0"	F	" "	74	10' 0"	M
" "	70	10' 0"	M	" "	73	10' 0"	M	" "	69	5' 0"	F
" "	64	3' 0"	F	" "	75	13' 0"	F	" "	68	9' 0"	M
" "	71	10' 0"	M	" "	72	6' 0"	F	" "	73	10' 6"	F
" "	68	8' 0"	M	" "	68	6' 0"	M	" "	73	13' 0"	F
" "	70	12' 0"	M	" "	74	6' 0"	M	" "	75	15' 0"	F
" "	72	5' 0"	F	" "	70	8' 0"	M	" "	72	8' 6"	M
" "	70	7' 0"	F	" "	71	12' 0"	M	" "	71	14' 0"	F
" "	69	4' 0"	F	" "	72	7' 0"	F	" "	72	1' 6"	M
" "	67	4' 0"	M	" "	74	7' 0"	F	" "	73	10' 0"	M
" "	72	{11' 0"	M	" "	75	10' 0"	M	" "	73	8' 4"	M
" "	77	{11' 0"	F	" "	73	7' 0"	F	" "	73	11' 4"	M
" "	77	5' 0"	M	" "	72	7' 0"	F	" "	70	9' 0"	F
" "	75	14' 0"	F	" "	75	9' 0"	M	" "	78	11' 0"	M
" "	73	13' 0"	F	" "	69	6' 0"	F	" "	75	14' 0"	M
" "	72	5' 0"	M	" "	72	12' 0"	M	" "	66	3' 0"	F
" "	67	2' 0"	M	" "	76	10' 0"	F	" "	70	11' 6"	M
" "	76	5' 0"	F	" "	70	10' 0"	F	" "	75	2' 0"	M
" "	68	5' 0"	F	" "	75	3' 6"	F	" "	72	8' 6"	M
" "	74	6' 7"	F	" "	75	8' 0"	F	" "	73	13' 0"	F
" "	74	13' 0"	F	" "	73	16' 0"	M	" "	78	5' 0"	M
" "	72	6' 0"	M	" "	75	1' 6"	M	" "	75	10' 0"	M
" "	73	7' 0"	M	" "	79	7' 0"	F	" "	74	14' 0"	M
" "	76	10' 0"	M	" "	64	5' 0"	F	" "	72	3' 0"	M
" "	72	11' 0"	F	" "	72	3' 0"	F	" "	69	10' 0"	M
" "	75	3' 0"	F	" "	70	7' 0"	M	" "	72	12' 0"	F
" "	67	6' 0"	M	" "	71	10' 0"	M	" "	$\frac{9}{2}$ 69	7' 0"	F
" "	73	7' 0"	F	" "	70	12' 0"	M	" "	75	10' 6"	M
" "	76	16' 4"	M	" "	69	7' 0"	M	" "	73	7' 0"	F
" "	76	4' 6"	F	" "	73	6' 0"	F	" "	70	3' 0"	F
" "	71	4' 0"	F	" "	72	10' 0"	M	" "	77	9' 0"	F
" "	72	12' 0"	M	" "	70	3' 6"	M	" "	72	12' 0"	M
" "	75	11' 0"	F	" "	76	3' 6"	M	" "	74	8' 0"	M
" "	72	13' 0"	F	" "	73	3' 6"	F	" "	74	2' 0"	F
" "	65	4' 0"	F	" "	73	13' 0"	F	" "	80	14' 0"	F
" "	75	8' 0"	M	" "	74	14' 0"	M	" "	71	8' 0"	F
" "	76	{15' 0"	F	" "	69	2' 0"	M	" "	73	7' 0"	F
" "	72	{13' 0"	F	" "	74	4' 0"	F	" "	72	7' 0"	F
" "	72	15' 0"	F	" "	75	3' 0"	F	" "	68	6' 0"	M
" "	75	3' 0"	M	" "	73	11' 0"	M	" "	68	12' 0"	M
" "	78	4' 0"	F	" "	72	10' 0"	M	" "	74	6' 0"	M
" "	75	12' 6"	F	" "	68	6' 6"	M	" "	70	8' 0"	M
" "	73	9' 0"	F	" "	72	2' 0"	M	" "	63	7' 0"	M
$\frac{7}{2}$ "	71	1' 0"	F	$\frac{8}{2}$ "	74	13' 0"	M	" "	74	9' 0"	M
" "	73	5' 0"	F	" "	73	7' 0"	F	" "	67	5' 0"	F
" "	70	5' 0"	M	" "	70	9' 0"	M	" "	74	16' 0"	F
" "	71	7' 0"	F	" "	75	11' 0"	M	" "	75	7' 0"	F
" "	79	5' 0"	M	" "	70	7' 0"	M	" "	68	5' 0"	F
" "	77	4' 0"	F	" "	66	5' 0"	F	" "	78	10' 0"	M
" "	68	4' 0"	M	" "	71	12' 0"	M	" "	75	7' 0"	F
" "	70	5' 0"	F	" "	70	3' 0"	M	" "	74	4' 0"	M
" "	72	13' 0"	F	" "	74	9' 0"	M	" "	65	5' 0"	M
" "	74	3' 0"	M	" "	74	14' 0"	F	" "	69	12' 0"	M
" "	72	3' 0"	M	" "	68	12' 0"	F	" "	72	7' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$9\frac{1}{2}$ 38	68	8' 0"	M	$10\frac{1}{2}$ 38	73	7' 0"	F	$12\frac{1}{2}$ 38	72	12' 0"	F
" "	70	5' 4"	M	" "	73	9' 0"	M	" "	71	10' 0"	M
" "	68	10' 0"	M	" "	70	6' 0"	F	" "	73	8' 0"	F
" "	79	4' 0"	M	" "	73	10' 0"	F	" "	75	6' 0"	M
" "	71	12' 6"	F	" "	74	10' 0"	M	" "	68	10' 0"	M
" "	71	8' 0"	F	" "	64	11' 0"	M	" "	75	8' 0"	M
" "	76	2' 0"	M	" "	75	15' 0"	F	" "	72	6' 0"	M
" "	77	9' 0"	M	" "	75	13' 0"	F	" "	74	8' 0"	F
" "	75	8' 0"	M	$11\frac{1}{2}$ "	69	7' 0"	M	" "	70	8' 0"	F
" "	74	11' 0"	M	" "	75	9' 0"	F	" "	71	5' 6"	F
" "	75	12' 0"	M	" "	66	4' 3"	F	" "	68	6' 0"	M
" "	76	14' 0"	M	" "	74	10' 0"	F	" "	75	8' 0"	F
" "	76	9' 0"	M	" "	75	15' 0"	M	" "	75	9' 0"	M
" "	72	4' 0"	F	" "	74	11' 0"	F	" "	75	11' 0"	M
" "	74	9' 0"	F	" "	69	9' 0"	M	" "	72	12' 0"	F
" "	76	4' 0"	F	" "	71	7' 0"	F	" "	65	9' 0"	M
" "	76	12' 0"	F	" "	73	14' 0"	M	" "	70	9' 0"	F
" "	76	12' 0"	F	" "	70	7' 0"	F	" "	70	8' 4"	M
" "	67	3' 0"	F	" "	69	1' 6"	M	" "	74	2' 4"	M
" "	71	12' 0"	M	" "	73	10' 0"	F	" "	72	2' 0"	M
" "	72	11' 0"	F	" "	74	15' 0"	M	" "	74	7' 0"	M
" "	70	1' 6"	F	" "	72	9' 0"	M	" "	78	12' 0"	M
$10\frac{1}{2}$ "	73	3' 0"	M	" "	71	8' 0"	F	" "	73	8' 0"	M
" "	66	8' 0"	M	" "	73	11' 0"	F	" "	70	9' 0"	M
" "	67	8' 0"	M	" "	71	8' 0"	F	$13\frac{1}{2}$ "	72	14' 0"	F
" "	71	5' 0"	M	" "	64	8' 0"	M	" "	72	8' 0"	M
" "	72	10' 0"	M	" "	69	13' 0"	M	" "	69	11' 0"	F
" "	73	9' 0"	M	" "	70	11' 5"	M	" "	74	11' 0"	F
" "	71	10' 0"	M	" "	72	15' 0"	M	" "	74	7' 0"	M
" "	70	11' 0"	F	" "	75	5' 0"	M	" "	73	13' 0"	M
" "	76	14' 0"	M	" "	75	11' 0"	M	" "	79	10' 0"	F
" "	70	9' 0"	F	" "	72	6' 0"	F	" "	75	3' 0"	F
" "	72	8' 0"	M	" "	76	6' 6"	F	" "	73	11' 0"	F
" "	72	5' 0"	F	" "	75	6' 0"	F	" "	68	7' 0"	F
" "	70	6' 0"	M	" "	76	6' 6"	F	" "	75	8' 0"	M
" "	66	8' 0"	M	" "	70	4' 6"	M	" "	67	8' 0"	M
" "	73	11' 0"	M	" "	75	12' 6"	M	" "	73	8' 0"	M
" "	70	7' 0"	M	" "	71	6' 0"	M	" "	70	5' 0"	M
" "	74	15' 0"	M	" "	71	12' 0"	M	" "	68	7' 0"	M
" "	70	6' 0"	F	" "	71	6' 0"	M	" "	68	15' 0"	M
" "	71	16' 0"	F	" "	73	10' 0"	M	" "	73	15' 0"	M
" "	67	6' 0"	F	$12\frac{1}{2}$ "	75	9' 9"	F	" "	76	12' 0"	M
" "	72	5' 0"	F	" "	64	3' 9"	M	" "	69	10' 0"	M
" "	71	12' 0"	F	" "	74	1' 0"	M	" "	76	10' 0"	F
" "	72	7' 0"	M	" "	67	4' 0"	M	" "	67	8' 6"	F
" "	70	8' 0"	M	" "	76	10' 0"	F	" "	64	8' 0"	M
" "	75	12' 7"	F	" "	76	8' 0"	F	" "	74	7' 0"	M
" "	70	7' 6"	M	" "	74	7' 0"	M	" "	67	5' 0"	M
" "	73	13' 0"	M	" "	73	16' 0"	M	" "	72	14' 0"	M
" "	68	4' 0"	M	" "	70	12' 0"	M	" "	63	8' 6"	M
" "	73	12' 4"	F	" "	72	8' 0"	M	" "	73	1' 6"	F
" "	78	15' 0"	M	" "	71	10' 0"	M	" "	68	11' 0"	M
" "	77	7' 0"	F	" "	71	10' 0"	F	" "	71	12' 0"	F
" "	76	16' 0"	M	" "	69	11' 0"	M	" "	70	12' 0"	M
" "	71	5' 0"	M	" "	75	11' 0"	F	" "	77	14' 0"	M
" "	73	2' 0"	M	" "	70	10' 0"	M	" "	70	7' 0"	F
" "	77	13' 0"	M	" "	68	5' 0"	M	" "	72	2' 0"	M
" "	77	5' 0"	F	" "	75	16' 0"	M	" "	73	4' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
13 ¹ / ₂ 38	71	9' 0"	F	15 ¹ / ₂ 38	73	1' 0"	M	16 ¹ / ₂ 38	69	7' 0"	M
" "	75	11' 0"	F	" "	73	13' 0"	F	" "	66	7' 0"	M
" "	74	6' 0"	F	" "	70	12' 0"	F	" "	73	10' 0"	F
" "	79	12' 0"	F	" "	68	2' 0"	M	" "	72	8' 7"	F
" "	71	16' 0"	M	" "	70	5' 0"	F	" "	74	15' 0"	F
" "	75	8' 0"	M	" "	74	4' 0"	F	" "	74	16' 0"	M
14 ¹ / ₂ "	74	11' 0"	F	" "	70	10' 0"	M	" "	76	12' 0"	M
" "	72	9' 0"	F	" "	73	6' 0"	F	" "	70	8' 0"	M
" "	77	1' 0"	M	" "	75	3' 0"	F	" "	70	8' 0"	M
" "	69	10' 0"	F	" "	71	12' 0"	F	" "	70	9' 0"	M
" "	72	8' 0"	F	" "	70	10' 0"	F	" "	73	14' 0"	F
" "	75	15' 0"	F	" "	73	3' 0"	M	" "	69	8' 0"	F
" "	70	5' 0"	F	" "	77	19' 0"	M	" "	70	8' 0"	F
" "	79	2' 0"	F	" "	66	5' 0"	M	" "	72	12' 0"	M
" "	73	4' 0"	F	" "	70	9' 0"	M	" "	72	9' 0"	F
" "	71	6' 0"	M	" "	72	5' 0"	F	" "	63	6' 0"	F
" "	75	7' 0"	F	" "	71	13' 0"	M	" "	70	7' 0"	F
" "	74	15' 0"	M	" "	69	11' 6"	F	" "	73	10' 0"	F
" "	70	6' 0"	F	" "	75	14' 0"	F	" "	78	5' 0"	F
" "	75	12' 0"	M	" "	71	4' 6"	F	" "	67	16' 0"	M
" "	75	12' 0"	M	" "	74	16' 5"	F	" "	68	2' 0"	M
" "	73	5' 0"	M	" "	78	12' 0"	M	" "	76	13' 0"	F
" "	70	11' 6"	F	" "	71	10' 0"	M	" "	66	12' 0"	M
" "	73	2' 6"	F	" "	71	16' 0"	F	" "	72	6' 0"	M
" "	69	11' 0"	F	" "	75	13' 0"	M	" "	75	12' 0"	F
" "	78	4' 0"	M	" "	71	8' 0"	F	" "	74	2' 0"	M
" "	71	12' 0"	M	" "	70	7' 0"	M	" "	66	6' 0"	M
" "	68	5' 0"	M	" "	78	13' 0"	M	" "	73	10' 0"	F
" "	75	4' 0"	M	" "	72	7' 0"	M	" "	78	2' 0"	F
" "	68	11' 0"	F	" "	75	8' 0"	M	" "	76	5' 6"	F
" "	73	7' 0"	M	" "	80	5' 0"	F	" "	68	6' 0"	M
" "	72	7' 0"	F	" "	76	8' 0"	M	" "	67	4' 0"	F
" "	73	9' 6"	M	" "	73	13' 6"	F	" "	72	4' 0"	M
" "	67	10' 6"	F	" "	78	16' 0"	F	" "	76	14' 0"	F
" "	73	9' 6"	M	" "	74	6' 6"	M	" "	72	14' 0"	M
" "	76	14' 0"	M	" "	79	9' 0"	F	" "	75	15' 0"	M
" "	70	13' 6"	F	" "	74	9' 0"	M	" "	77	4' 0"	M
" "	71	8' 0"	F	" "	74	12' 0"	M	" "	70	5' 0"	M
" "	74	12' 6"	M	" "	71	13' 0"	F	" "	73	8' 0"	F
" "	68	3' 6"	M	" "	74	8' 0"	M	" "	71	6' 0"	F
" "	75	7' 0"	F	" "	77	14' 0"	F	" "	75	14' 0"	M
" "	71	13' 0"	M	" "	80	2' 0"	M	" "	74	14' 0"	M
" "	71	7' 0"	M	" "	74	13' 0"	M	" "	74	7' 0"	M
" "	71	6' 0"	F	" "	77	13' 0"	F	" "	79	14' 0"	F
" "	73	12' 0"	F	" "	76	9' 0"	F	" "	74	6' 0"	F
" "	74	4' 0"	M	" "	72	12' 0"	M	" "	74	15' 0"	M
" "	76	11' 0"	M	" "	68	5' 0"	M	" "	71	10' 0"	M
" "	74	9' 0"	M	" "	69	9' 0"	F	" "	71	12' 0"	M
15 ¹ / ₂ "	72	8' 0"	F	" "	69	9' 0"	M	" "	70	15' 0"	F
" "	72	5' 0"	F	" "	73	14' 0"	M	" "	70	4' 0"	F
" "	77	15' 0"	F	" "	72	8' 0"	M	" "	70	1' 0"	M
" "	71	12' 0"	M	16 ¹ / ₂ "	77	10' 0"	M	" "	70	10' 0"	M
" "	74	6' 0"	M	" "	69	5' 0"	F	" "	67	2' 0"	M
" "	79	13' 0"	F	" "	70	8' 0"	M	" "	72	2' 0"	F
" "	69	10' 0"	M	" "	74	9' 0"	F	" "	71	13' 0"	M
" "				" "				" "	75	7' 0"	F
" "				" "				" "	76	10' 0"	F
" "				" "				" "	72	6' 0"	M
" "				" "				" "	67	7' 0"	F

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
17 $\frac{1}{2}$ 38	68	4' 0"	M	17 $\frac{1}{2}$ 38	70	11' 0"	F	18 $\frac{1}{2}$ 38	82	4' 0"	F
" "	74	5' 0"	M	" "	73	6' 0"	M	" "	76	13' 6"	M
" "	67	5' 0"	F	" "	72	13' 0"	M	" "	76	10' 0"	M
" "	71	12' 0"	M	" "	74	5' 0"	M	" "	77	11' 0"	M
" "	70	15' 0"	F	" "	76	6' 0"	M	" "	77	13' 0"	F
" "	73	3' 0"	M	" "	76	7' 0"	M	" "	69	13' 0"	F
" "	76	6' 0"	F	" "	78	15' 0"	F	" "	72	11' 0"	M
" "	71	12' 0"	M	" "	74	9' 0"	M	" "	72	3' 0"	F
" "	78	13' 0"	M	" "	76	7' 0"	M	" "	75	10' 0"	F
" "	73	13' 0"	F	" "	70	9' 0"	M	" "	73	14' 0"	F
" "	71	15' 0"	F	" "	70	6' 0"	F	" "	73	8' 0"	M
" "	79	15' 0"	M	" "	70	10' 0"	F	" "	70	14' 0"	F
" "	74	8' 0"	F	" "	76	10' 0"	M	" "	77	14' 0"	M
" "	71	13' 0"	M	" "	73	11' 0"	F	" "	67	11' 0"	M
" "	74	16' 0"	F	18 $\frac{1}{2}$ "	70	7' 0"	F	" "	66	7' 0"	F
" "	66	9' 0"	M	" "	72	15' 0"	F	" "	69	8' 0"	M
" "	74	15' 0"	M	" "	76	6' 0"	M	19 $\frac{1}{2}$ "	71	11' 0"	F
" "	72	6' 0"	F	" "	72	14' 0"	F	" "	72	11' 0"	M
" "	72	10' 0"	M	" "	75	5' 0"	M	" "	65	3' 0"	M
" "	75	16' 0"	F	" "	77	13' 0"	M	" "	71	9' 11"	F
" "	75	12' 0"	M	" "	70	11' 0"	F	" "	73	8' 9"	M
" "	78	10' 0"	M	" "	74	4' 0"	F	" "	67	8' 0"	M
" "	75	7' 0"	F	" "	72	12' 0"	M	" "	70	6' 0"	M
" "	68	7' 0"	M	" "	74	4' 0"	M	" "	68	9' 0"	F
" "	77	8' 0"	F	" "	71	11' 0"	F	" "	70	6' 0"	M
" "	75	15' 0"	F	" "	65	4' 0"	M	" "	71	4' 0"	F
" "	70	15' 0"	F	" "	71	13' 0"	M	" "	72	12' 0"	M
" "	70	7' 0"	F	" "	71	5' 6"	F	" "	69	8' 0"	F
" "	70	15' 0"	F	" "	77	{ 13' 0"	F	" "	72	10' 0"	F
" "	64	4' 0"	M	" "	73	{ 13' 0"	F	" "	69	7' 0"	F
" "	75	9' 0"	M	" "	74	13' 0"	F	" "	72	12' 3"	F
" "	75	8' 0"	M	" "	74	3' 0"	F	" "	77	{ 9' 0"	F
" "	76	7' 0"	F	" "	78	4' 0"	M	" "	77	{ 10' 0"	F
" "	74	12' 0"	F	" "	78	12' 0"	M	" "	74	14' 7"	M
" "	73	13' 6"	F	" "	71	7' 0"	M	" "	74	15' 0"	F
" "	72	11' 0"	M	" "	72	3' 0"	M	" "	71	4' 0"	F
" "	71	9' 0"	M	" "	71	8' 0"	M	" "	76	2' 0"	F
" "	74	8' 0"	F	" "	74	4' 0"	F	" "	75	14' 0"	F
" "	76	14' 0"	F	" "	68	7' 0"	F	" "	74	13' 0"	M
" "	69	14' 0"	M	" "	72	13' 0"	M	" "	70	12' 0"	M
" "	70	8' 0"	M	" "	73	8' 0"	M	" "	71	8' 0"	F
" "	68	12' 0"	M	" "	64	8' 0"	M	" "	73	8' 0"	M
" "	65	8' 0"	F	" "	73	15' 0"	F	" "	73	15' 0"	M
" "	76	15' 0"	M	" "	72	12' 0"	F	" "	72	14' 0"	M
" "	75	13' 0"	M	" "	71	7' 0"	F	" "	75	14' 0"	F
" "	70	12' 0"	F	" "	71	10' 0"	F	" "	77	7' 5"	M
" "	71	12' 1"	F	" "	70	3' 0"	F	" "	72	13' 0"	F
" "	74	4' 5"	M	" "	78	15' 0"	M	" "	70	11' 0"	M
" "	74	7' 0"	M	" "	75	5' 0"	F	" "	76	10' 0"	F
" "	74	7' 0"	F	" "	70	12' 0"	M	" "	68	9' 0"	M
" "	76	14' 0"	F	" "	77	6' 0"	M	" "	73	7' 0"	F
" "	74	11' 0"	F	" "	65	7' 0"	F	" "	72	13' 3"	M
" "	76	10' 0"	F	" "	68	7' 0"	F	" "	75	11' 6"	F
" "	67	4' 0"	F	" "	73	7' 6"	F	" "	75	5' 6"	F
" "	80	10' 0"	F	" "	74	7' 0"	F	" "	70	9' 0"	F
" "	71	8' 0"	F	" "	72	10' 0"	F	" "	76	3' 6"	F
" "	69	10' 0"	F	" "	71	10' 0"	M	" "	74	14' 0"	M
" "	71	14' 0"	F	" "	72	3' 0"	M	" "	74	15' 0"	F

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. in.			Engl. ft.	Engl. in.			Engl. ft.	Engl. in.	
19/2 38	75	10' 0"	F	20/2 38	72	15' 0"	M	21/2 38	68	4' 0"	F
" "	73	12' 0"	M	" "	75	11' 0"	F	" "	73	4' 0"	M
" "	72	2' 0"	M	" "	75	9' 0"	M	" "	72	4' 0"	F
" "	72	15' 0"	F	" "	76	20' 0"	F	" "	72	12' 0"	M
" "	69	7' 0"	M	" "	76	8' 0"	M	" "	75	6' 0"	M
" "	79	17' 0"	F	" "	73	17' 0"	M	" "	72	7' 0"	F
" "	71	12' 0"	F	" "	71	15' 0"	M	" "	68	12' 0"	M
" "	71	7' 0"	F	" "	66	8' 0"	F	" "	75	14' 0"	M
" "	74	{12' 0"	F	" "	65	10' 0"	M	" "	73	8' 0"	M
" "	"	{12' 0"	M	" "	60	6' 0"	M	" "	75	12' 0"	F
" "	72	9' 0"	F	" "	73	6' 4"	M	" "	74	16' 0"	F
" "	70	13' 6"	F	" "	72	10' 0"	M	" "	74	11' 0"	M
20/2 "	70	12' 0"	M	" "	69	5' 2"	F	" "	76	13' 0"	M
" "	74	9' 0"	F	" "	72	7' 0"	F	" "	69	13' 0"	F
" "	72	10' 0"	M	" "	76	11' 0"	M	" "	78	13' 0"	M
" "	75	2' 0"	F	" "	69	11' 0"	F	" "	75	13' 0"	F
" "	74	15' 0"	F	" "	75	5' 0"	F	" "	76	10' 0"	M
" "	73	3' 0"	M	" "	74	14' 0"	M	" "	76	16' 0"	M
" "	67	7' 0"	F	" "	72	6' 0"	F	" "	72	16' 0"	F
" "	72	6' 0"	F	" "	70	15' 0"	M	" "	71	8' 0"	F
" "	66	9' 0"	M	" "	69	4' 0"	F	" "	69	6' 0"	M
" "	76	15' 0"	F	" "	75	6' 0"	M	" "	72	14' 0"	M
" "	73	11' 0"	F	" "	79	1' 0"	F	" "	82	10' 0"	M
" "	71	7' 0"	M	" "	75	1' 0"	F	" "	67	4' 0"	M
" "	72	8' 0"	F	" "	68	3' 0"	F	" "	73	10' 0"	M
" "	63	9' 0"	M	" "	78	10' 0"	F	" "	75	3' 6"	F
" "	66	7' 0"	F	" "	71	10' 0"	F	" "	76	9' 0"	M
" "	72	13' 0"	M	" "	68	9' 0"	M	" "	73	6' 0"	M
" "	73	13' 0"	F	" "	66	9' 0"	M	" "	73	15' 0"	F
" "	70	9' 0"	F	" "	73	6' 0"	M	" "	73	14' 3"	M
" "	76	5' 0"	F	" "	75	6' 6"	M	" "	73	9' 0"	F
" "	71	10' 0"	M	" "	67	6' 0"	F	" "	74	11' 0"	M
" "	72	14' 0"	M	" "	74	8' 0"	F	" "	76	12' 0"	M
" "	68	11' 0"	M	" "	68	10' 0"	M	" "	70	9' 0"	M
" "	71	7' 0"	M	" "	71	11' 0"	F	" "	76	8' 0"	M
" "	74	10' 0"	F	" "	75	8' 0"	F	" "	71	4' 0"	F
" "	76	14' 0"	F	" "	71	6' 0"	F	" "	71	10' 0"	M
" "	69	14' 0"	M	21/2 "	79	12' 0"	M	" "	73	4' 0"	F
" "	72	16' 0"	M	" "	72	4' 0"	F	" "	72	15' 0"	M
" "	76	8' 0"	M	" "	76	7' 0"	M	" "	76	14' 0"	F
" "	70	14' 0"	M	" "	75	9' 0"	F	" "	70	5' 0"	F
" "	70	5' 0"	M	" "	70	11' 0"	F	" "	79	17' 0"	F
" "	68	11' 0"	F	" "	70	3' 0"	F	" "	77	12' 0"	F
" "	70	7' 0"	M	" "	69	10' 0"	M	" "	79	14' 0"	M
" "	76	12' 0"	M	" "	69	10' 0"	M	" "	75	7' 0"	F
" "	77	1' 6"	F	" "	64	8' 0"	F	" "	71	6' 0"	M
" "	78	8' 0"	F	" "	73	6' 0"	M	" "	75	10' 0"	F
" "	79	10' 0"	M	" "	71	16' 0"	F	" "	79	8' 0"	F
" "	70	7' 0"	M	" "	73	8' 0"	F	" "	71	8' 0"	M
" "	65	6' 0"	M	" "	70	12' 0"	M	" "	71	13' 0"	M
" "	73	{11' 0"	F	" "	67	6' 0"	F	" "	79	11' 0"	M
" "	"	{11' 0"	M	" "	72	8' 0"	F	" "	70	4' 0"	M
" "	73	7' 0"	F	" "	71	13' 0"	F	" "	69	9' 0"	F
" "	68	10' 0"	F	" "	71	1' 0"	M	" "	77	7' 0"	M
" "	71	8' 0"	F	" "	72	11' 0"	F	" "	74	10' 0"	F
" "	78	14' 0"	F	" "	73	18' 0"	M	" "	76	15' 0"	F
" "	75	11' 0"	M	" "	75	5' 0"	F	" "	74	10' 0"	M
" "	72	1' 0"	M	" "	76	12' 0"	F	22/2 "	74	8' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$22\frac{1}{2}$ 38	72	10' 0"	F	$23\frac{1}{2}$ 38	71	8' 0"	M	$24\frac{1}{2}$ 38	70	5' 0"	F
" "	73	10' 0"	F	" "	75	14' 0"	F	" "	71	11' 0"	M
" "	65	6' 0"	F	" "	76	11' 0"	F	" "	72	11' 0"	M
" "	71	15' 0"	M	" "	70	9' 0"	F	" "	75	9' 0"	M
" "	76	3' 0"	F	" "	74	6' 0"	F	" "	71	6' 0"	M
" "	75	7' 0"	M	" "	75	12' 0"	F	" "	71	9' 0"	M
" "	66	2' 0"	M	" "	63	7' 0"	F	" "	72	3' 0"	M
" "	70	13' 0"	F	" "	74	4' 0"	F	" "	70	5' 0"	F
" "	75	15' 0"	M	" "	70	5' 0"	M	" "	71	12' 0"	M
" "	75	10' 6"	F	" "	74	13' 0"	F	" "	68	12' 0"	F
" "	74	12' 0"	F	" "	69	9' 0"	M	" "	73	12' 0"	M
" "	68	4' 0"	M	" "	70	15' 0"	M	" "	65	11' 0"	M
" "	70	12' 0"	F	" "	70	7' 0"	M	" "	67	14' 0"	M
" "	71	4' 0"	F	" "	76	9' 0"	M	" "	67	12' 0"	F
" "	71	7' 0"	F	" "	73	11' 0"	M	" "	75	3' 0"	F
" "	74	10' 0"	M	" "	72	10' 0"	F	" "	70	7' 0"	F
" "	74	6' 0"	F	" "	75	10' 0"	M	" "	72	7' 0"	M
" "	73	18' 0"	F	" "	72	10' 0"	M	" "	71	18' 0"	M
" "	77	11' 0"	M	" "	77	7' 0"	M	" "	75	10' 0"	F
" "	77	13' 0"	F	" "	67	8' 0"	F	" "	75	7' 0"	M
" "	60	7' 0"	M	" "	69	12' 0"	M	" "	68	9' 0"	F
" "	69	8' 0"	M	" "	75	7' 0"	F	" "	67	13' 0"	M
" "	70	13' 0"	F	" "	80	13' 0"	M	" "	68	5' 0"	M
" "	72	8' 0"	F	" "	75	7' 0"	F	" "	71	14' 0"	F
" "	68	5' 0"	F	" "	75	14' 0"	M	" "	72	10' 0"	M
" "	65	8' 0"	M	" "	74	17' 0"	M	" "	73	8' 0"	F
" "	65	6' 0"	F	" "	78	{11' 0"	M	" "	74	14' 0"	F
" "	74	10' 0"	M	" "	69	{15' 0"	F	" "	76	13' 0"	M
" "	71	6' 0"	M	" "	74	5' 6"	F	" "	71	7' 0"	M
" "	73	12' 1"	M	" "	74	14' 0"	M	" "	73	14' 0"	M
" "	76	10' 0"	M	" "	75	14' 0"	M	" "	76	6' 6"	M
" "	74	7' 0"	F	" "	69	12' 0"	M	" "	69	7' 0"	M
" "	74	12' 0"	M	" "	67	9' 0"	M	" "	76	7' 0"	M
" "	72	10' 0"	F	" "	71	8' 6"	F	" "	73	7' 0"	F
" "	77	10' 0"	M	" "	70	13' 0"	M	" "	73	15' 0"	M
" "	75	7' 0"	F	" "	75	12' 2"	M	" "	75	10' 0"	M
" "	68	2' 6"	F	" "	69	15' 0"	F	" "	70	8' 0"	F
" "	72	12' 0"	F	" "	73	10' 0"	M	" "	73	6' 0"	F
" "	75	13' 0"	M	" "	68	13' 0"	M	" "	79	16' 7"	F
" "	73	15' 0"	M	" "	71	12' 0"	M	" "	75	4' 5"	M
" "	72	6' 0"	M	" "	74	14' 0"	M	" "	76	7' 0"	M
" "	70	11' 0"	M	" "	73	17' 0"	M	" "	68	9' 0"	M
" "	70	12' 0"	F	" "	74	5' 0"	M	" "	71	3' 0"	M
" "	75	8' 0"	M	" "	78	6' 0"	M	" "	74	19' 0"	M
" "	71	{13' 0"	M	" "	70	5' 0"	M	" "	70	7' 0"	F
" "	73	{15' 0"	M	" "	73	2' 0"	M	" "	74	11' 0"	M
" "	71	4' 0"	M	" "	77	12' 0"	M	" "	74	7' 0"	M
" "	71	3' 0"	M	" "	73	5' 0"	M	" "	69	10' 0"	M
" "	74	4' 0"	F	" "	74	12' 0"	M	" "	66	12' 0"	M
" "	71	11' 0"	F	" "	74	10' 0"	M	" "	76	13' 0"	F
" "	74	6' 0"	F	" "	73	11' 0"	F	" "	74	7' 0"	M
" "	73	12' 0"	M	" "	72	14' 0"	F	" "	71	13' 0"	M
" "	76	15' 0"	F	" "	70	10' 0"	F	" "	77	13' 0"	F
" "	65	8' 0"	M	" "	78	12' 0"	M	" "	70	8' 0"	F
" "	80	5' 0"	F	" "	71	14' 0"	M	" "	72	9' 0"	F
" "	71	8' 0"	M	" "	74	14' 0"	F	" "	76	13' 0"	F
$23\frac{1}{2}$ "	68	9' 0"	F	" "	75	12' 0"	M	" "	77	8' 0"	M
" "	80	15' 0"	F	" "	75	14' 0"	F	" "	70	10' 0"	F

Table No. 8.—*Fin-whale fetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
24 ¹ / ₂ 38	72	14' 0"	M	26 ¹ / ₂ 38	68	7' 0"	M	27 ¹ / ₂ 38	66	4' 0"	M
" "	75	17' 0"	F	" "	68	11' 0"	F	" "	72	12' 0"	F
" "	73	8' 0"	F	" "	80	15' 0"	M	" "	70	11' 0"	F
" "	67	5' 0"	F	" "	71	10' 0"	M	" "	65	7' 0"	M
25 ¹ / ₂ "	71	10' 0"	F	" "	73	10' 0"	F	" "	72	8' 0"	F
" "	74	10' 0"	M	" "	71	6' 0"	M	" "	73	9' 0"	M
" "	70	4' 0"	F	" "	73	14' 0"	M	" "	65	7' 0"	F
" "	75	8' 0"	M	" "	73	5' 0"	M	" "	70	10' 0"	F
" "	74	11' 0"	F	" "	71	10' 0"	F	" "	64	6' 0"	M
" "	71	10' 0"	F	" "	75	13' 0"	M	" "	77	3' 4"	F
" "	75	4' 0"	F	" "	73	5' 0"	M	" "	70	12' 0"	M
" "	69	13' 0"	F	" "	70	16' 0"	M	" "	75	10' 0"	F
" "	65	6' 0"	F	" "	64	8' 0"	F	" "	74	16' 0"	F
" "	76	14' 0"	M	" "	67	10' 0"	M	" "	67	8' 0"	F
" "	74	8' 0"	M	" "	70	11' 0"	F	" "	69	4' 0"	M
" "	72	3' 0"	M	" "	75	11' 0"	M	" "	78	10' 0"	M
" "	74	4' 0"	M	" "	73	17' 0"	F	" "	74	10' 0"	M
" "	71	5' 0"	F	" "	71	14' 0"	F	" "	74	6' 0"	M
" "	73	16' 0"	M	" "	70	2' 0"	M	" "	73	12' 0"	M
" "	73	9' 0"	M	" "	74	16' 0"	F	" "	67	5' 0"	M
" "	74	16' 0"	M	" "	73	3' 0"	F	" "	77	16' 0"	M
" "	77	13' 0"	M	" "	70	6' 0"	M	" "	73	8' 0"	F
" "	71	4' 0"	M	" "	72	10' 0"	M	" "	68	14' 0"	M
" "	73	17' 0"	M	" "	67	6' 0"	F	" "	75	10' 0"	F
" "	72	14' 0"	M	" "	81	15' 0"	F	" "	72	11' 0"	M
" "	70	8' 0"	M	" "	69	12' 0"	F	" "	77	16' 0"	F
" "	69	7' 0"	M	" "	74	18' 0"	M	" "	70	10' 0"	F
" "	73	9' 0"	M	" "	80	16' 0"	M	" "	70	9' 0"	F
" "	74	10' 0"	F	" "	71	11' 0"	M	" "	73	16' 0"	M
" "	68	12' 0"	M	" "	72	6' 0"	M	" "	75	17' 0"	F
" "	80	14' 0"	F	" "	78	5' 4"	M	" "	67	12' 0"	F
" "	73	9' 4"	M	" "	70	6' 0"	F	" "	71	14' 0"	F
" "	72	12' 0"	M	" "	70	6' 0"	F	" "	67	10' 0"	M
" "	72	13' 0"	M	" "	71	9' 0"	F	" "	69	8' 0"	F
" "	67	13' 6"	M	" "	64	7' 5"	F	" "	74	13' 0"	F
" "	69	4' 0"	F	" "	73	12' 0"	F	" "	70	11' 0"	M
" "	70	6' 0"	F	" "	72	10' 0"	M	" "	75	15' 0"	M
" "	72	11' 6"	F	" "	74	12' 7"	M	" "	75	13' 0"	M
" "	71	9' 0"	M	" "	74	3' 2"	M	" "	75	16' 0"	F
" "	72	7' 0"	F	" "	73	11' 0"	F	" "	80	16' 0"	F
" "	72	12' 0"	M	" "	75	14' 0"	F	" "	76	13' 0"	F
" "	72	8' 0"	M	" "	69	12' 6"	M	" "	68	11' 0"	M
" "	74	16' 0"	F	" "	70	7' 0"	M	" "	71	11' 4"	M
" "	68	12' 0"	M	" "	71	12' 0"	M	" "	73	7' 0"	M
" "	71	5' 0"	M	" "	74	1' 0"	M	" "	73	13' 0"	M
" "	77	17' 0"	M	" "	73	12' 0"	M	" "	71	10' 4"	M
" "	74	10' 0"	F	" "	73	17' 0"	M	" "	72	8' 0"	F
" "	72	6' 0"	M	" "	72	15' 0"	F	" "	80	11' 0"	M
" "	73	7' 0"	F	" "	69	8' 0"	M	" "	76	11' 4"	F
26 ¹ / ₂ "	71	15' 0"	M	" "	73	5' 0"	M	" "	70	14' 0"	M
" "	73	6' 0"	M	" "	74	8' 0"	F	" "	76	13' 0"	M
" "	72	13' 0"	M	27 ¹ / ₂ "	74	4' 0"	F	" "	70	13' 0"	F
" "	71	11' 0"	F	" "	72	12' 0"	F	" "	68	5' 0"	F
" "	71	11' 0"	M	" "	76	11' 16"	F	" "	69	6' 2"	M
" "	77	10' 0"	M	" "	77	14' 0"	M	" "	69	6' 2"	F
" "	77	4' 0"	F	" "	71	8' 0"	F	" "	71	4' 0"	F
" "	69	2' 0"	M	" "	80	5' 0"	F	" "	70	14' 4"	M
" "	67	8' 0"	F	" "	80	13' 0"	M	" "	71	17' 0"	F

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
27 $\frac{1}{2}$ 38	72	11' 0"	M	28 $\frac{1}{2}$ 38	70	4' 6"	M	1 $\frac{1}{3}$ 38	65	12' 0"	F
" "	73	12' 0"	F	" "	75	13' 0"	M	" "	75	7' 6"	M
" "	75	14' 0"	M	" "	76	15' 0"	M	" "	70	8' 0"	M
" "	73	13' 0"	F	" "	71	7' 0"	F	" "	74	14' 0"	F
" "	76	20' 0"	M	" "	69	11' 0"	F	" "	77	14' 0"	M
" "	76	11' 0"	F	" "	71	12' 0"	F	" "	70	8' 0"	F
" "	80	16' 0"	M	" "	71	14' 4"	M	" "	73	11' 0"	M
" "	67	9' 0"	M	" "	70	6' 0"	M	" "	70	13' 10"	F
" "	70	12' 0"	M	" "	63	10' 4"	M	" "	80	7' 0"	M
" "	71	13' 0"	M	" "	76	13' 4"	F	" "	77	15' 0"	M
" "	70	7' 0"	F	" "	74	5' 7"	F	" "	68	10' 4"	M
" "	78	1' 0"	M	" "	71	9' 4"	M	" "	70	15' 0"	F
" "	68	8' 0"	M	" "	69	7' 0"	M	" "	67	9' 0"	M
" "	74	13' 6"	M	" "	" "	9' 1"	M	" "	70	6' 0"	M
" "	72	11' 0"	M	" "	75	9' 1"	F	" "	71	11' 0"	F
28 $\frac{1}{2}$ "	77	14' 0"	M	" "	68	10' 7"	M	" "	73	10' 2"	M
" "	70	9' 0"	M	" "	71	13' 3"	M	" "	70	13' 3"	M
" "	74	14' 0"	M	" "	72	9' 0"	M	" "	71	13' 0"	F
" "	72	5' 0"	F	" "	73	12' 0"	M	" "	74	8' 0"	F
" "	74	7' 0"	F	" "	72	6' 6"	M	" "	77	18' 0"	F
" "	68	7' 0"	F	" "	75	4' 0"	M	" "	73	14' 0"	F
" "	70	6' 0"	M	" "	80	13' 0"	M	" "	75	14' 6"	F
" "	70	10' 0"	M	" "	72	14' 0"	M	" "	68	5' 0"	F
" "	73	10' 0"	F	" "	70	6' 0"	F	" "	72	8' 0"	M
" "	75	13' 0"	F	" "	71	6' 0"	F	" "	72	18' 0"	M
" "	74	7' 0"	F	" "	77	9' 0"	F	" "	73	6' 0"	F
" "	72	11' 0"	F	" "	73	14' 0"	F	" "	74	6' 0"	F
" "	67	8' 0"	F	" "	77	12' 0"	M	" "	70	6' 0"	F
" "	68	7' 0"	M	" "	77	10' 0"	M	" "	70	11' 0"	F
" "	72	13' 0"	M	" "	76	11' 0"	M	" "	72	7' 0"	M
" "	68	11' 0"	M	" "	70	9' 0"	M	" "	75	12' 0"	M
" "	74	3' 0"	F	" "	78	9' 0"	M	" "	75	11' 0"	M
" "	71	9' 0"	F	" "	68	11' 0"	M	" "	74	4' 0"	F
" "	65	10' 0"	F	" "	75	14' 0"	M	" "	77	21' 0"	F
" "	63	9' 0"	M	" "	68	11' 0"	F	" "	68	5' 0"	M
" "	70	19' 0"	M	" "	75	9' 0"	F	" "	73	9' 0"	F
" "	74	12' 0"	M	" "	69	17' 0"	F	" "	66	5' 6"	M
" "	73	5' 0"	F	" "	72	9' 0"	F	" "	72	18' 0"	M
" "	70	4' 0"	F	" "	77	11' 0"	F	" "	77	18' 0"	M
" "	70	8' 0"	F	" "	75	19' 0"	M	" "	76	16' 0"	F
" "	73	13' 0"	M	" "	72	12' 6"	M	" "	75	16' 0"	M
" "	70	9' 0"	F	" "	71	9' 0"	F	" "	74	10' 0"	F
" "	71	16' 0"	F	" "	72	7' 0"	M	2 $\frac{1}{3}$ "	71	2' 0"	M
" "	69	11' 0"	M	1 $\frac{1}{3}$ "	72	12' 0"	F	" "	70	8' 0"	M
" "	72	8' 0"	M	" "	77	14' 4"	F	" "	74	13' 0"	F
" "	73	6' 0"	M	" "	68	15' 0"	F	" "	73	16' 0"	F
" "	74	15' 0"	M	" "	74	12' 0"	M	" "	74	10' 0"	M
" "	74	1' 0"	M	" "	69	10' 4"	M	" "	67	8' 0"	M
" "	75	11' 0"	M	" "	73	8' 0"	M	" "	73	12' 0"	F
" "	75	5' 0"	M	" "	71	12' 0"	M	" "	79	16' 0"	M
" "	76	14' 0"	F	" "	73	8' 0"	M	" "	70	8' 0"	M
" "	66	5' 0"	M	" "	68	4' 0"	F	" "	67	8' 0"	F
" "	68	9' 0"	M	" "	70	12' 0"	F	" "	73	6' 0"	F
" "	68	8' 0"	M	" "	76	16' 0"	F	" "	71	7' 0"	M
" "	68	14' 0"	F	" "	74	11' 0"	F	" "	76	12' 0"	F
" "	71	13' 0"	F	" "	70	12' 0"	F	" "	72	8' 0"	M
" "	68	13' 0"	M	" "	73	10' 0"	F	" "	73	4' 0"	F
" "	70	10' 9"	F	" "	68	8' 0"	F	" "	69	9' 0"	F

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{2}{3}$ 38	70	2' 0"	M	$\frac{3}{3}$ 38	75	9' 0"	M	$\frac{4}{3}$ 38	75	9' 0"	F
" "	70	14' 0"	F	" "	75	13' 0"	F	" "	61	6' 0"	M
" "	73	4' 0"	M	" "	70	12' 0"	F	" "	74	8' 0"	M
" "	75	2' 0"	F	" "	72	15' 0"	F	" "	75	13' 0"	F
" "	75	6' 0"	F	" "	72	4' 0"	F	" "	66	14' 0"	M
" "	76	15' 0"	F	" "	70	18' 0"	F	" "	75	7' 6"	M
" "	73	17' 0"	F	" "	68	9' 0"	M	" "	72	2' 0"	M
" "	69	6' 0"	M	" "	70	5' 0"	F	" "	78	4' 0"	F
" "	66	6' 6"	F	" "	74	15' 0"	M	" "	71	9' 0"	F
" "	71	11' 0"	M	" "	75	5' 0"	M	" "	66	8' 0"	M
" "	71	12' 0"	F	" "	71	8' 0"	M	" "	66	9' 0"	M
" "	73	3' 0"	F	" "	71	17' 0"	M	" "	67	11' 0"	M
" "	72	12' 0"	M	" "	67	14' 0"	F	" "	70	17' 0"	F
" "	70	11' 0"	M	" "	71	6' 0"	M	" "	73	6' 0"	M
" "	73	10' 8"	F	" "	70	10' 0"	F	" "	74	13' 0"	F
" "	74	18' 0"	M	" "	69	8' 0"	M	" "	75	6' 2"	M
" "	70	14' 10"	F	" "	69	11' 6"	F	" "	72	12' 8"	M
" "	76	14' 0"	M	" "	72	15' 3"	M	" "	73	15' 0"	M
" "	80	15' 0"	M	" "	73	16' 0"	M	" "	71	16' 0"	M
" "	70	6' 0"	F	" "	73	10' 0"	M	" "	72	10' 0"	M
" "	70	12' 0"	M	" "	76	8' 0"	F	" "	74	9' 0"	F
" "	73	3' 0"	M	" "	76	16' 0"	M	" "	73	12' 0"	F
" "	77	11' 6"	"	" "	76	13' 0"	M	" "	74	15' 0"	M
" "	75	14' 0"	M	" "	77	8' 0"	F	" "	74	15' 0"	F
" "	68	6' 0"	F	" "	75	3' 4"	M	" "	67	15' 0"	M
" "	73	11' 0"	M	" "	64	8' 0"	F	" "	68	12' 0"	M
" "	71	10' 4"	F	" "	73	11' 0"	M	" "	75	14' 0"	M
" "	68	6' 0"	F	" "	71	11' 0"	M	" "	72	12' 3"	M
" "	73	11' 0"	M	" "	72	12' 0"	M	" "	74	15' 0"	M
" "	71	10' 4"	F	" "	74	11' 0"	F	" "	76	13' 0"	M
" "	73	16' 0"	M	" "	72	5' 0"	F	" "	79	18' 0"	F
" "	70	11' 0"	M	" "	71	14' 0"	F	" "	77	11' 0"	F
" "	79	10' 0"	M	" "	73	6' 6"	M	" "	78	13' 0"	F
" "	68	13' 0"	M	" "	65	5' 6"	F	" "	72	8' 0"	M
" "	74	14' 0"	F	" "	66	12' 0"	M	" "	64	8' 0"	F
" "	75	13' 0"	F	" "	72	13' 0"	M	" "	71	12' 0"	M
" "	68	11' 0"	M	" "	69	7' 0"	F	" "	74	3' 6"	M
" "	73	12' 0"	F	" "	79	10' 0"	M	" "	66	7' 0"	F
" "	75	11' 0"	M	" "	76	8' 0"	M	" "	71	11' 0"	F
" "	75	14' 0"	F	" "	71	14' 0"	F	$\frac{5}{3}$ " "	72	11' 0"	M
" "	65	8' 0"	M	" "	70	7' 0"	F	" "	72	8' 0"	F
" "	65	9' 0"	M	" "	73	7' 0"	M	" "	68	7' 0"	M
" "	74	4' 0"	M	" "	77	14' 0"	F	" "	67	10' 0"	M
" "	74	20' 0"	M	" "	77	10' 0"	M	" "	73	9' 0"	M
" "	75	20' 0"	M	" "	77	5' 0"	M	" "	73	5' 0"	M
$\frac{3}{3}$ " "	71	16' 0"	F	" "	70	4' 0"	M	" "	65	8' 0"	M
" "	67	7' 0"	M	" "	78	3' 0"	M	" "	74	12' 0"	F
" "	75	6' 0"	M	" "	73	10' 0"	M	" "	71	9' 0"	M
" "	68	2' 0"	M	" "	76	7' 0"	M	" "	73	12' 0"	M
" "	81	9' 0"	F	" "	69	15' 0"	M	" "	64	14' 0"	M
" "	73	8' 0"	F	" "	72	10' 0"	M	" "	77	15' 0"	F
" "	67	8' 0"	M	" "	71	14' 0"	F	" "	76	8' 6"	F
" "	69	6' 0"	F	" "	75	12' 0"	M	" "	68	7' 0"	F
" "	71	7' 0"	F	$\frac{4}{3}$ " "	72	10' 0"	F	" "	71	12' 0"	F
" "	74	11' 0"	M	" "	77	4' 0"	F	" "	76	16' 0"	F
" "	76	5' 0"	F	" "	78	10' 0"	M	" "	74	15' 0"	M
" "	72	14' 0"	M	" "	73	3' 0"	M	" "	73	8' 0"	M
" "	76	16' 0"	M	" "	76	4' 0"	M	" "	68	12' 0"	M

Table No. 8.—Fin-whale foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{5}{3}$ 38	73	6' 4"	M	$\frac{7}{3}$ 38	75	7' 0"	F	$\frac{9}{3}$ 38	74	8' 0"	M
" "	77	12' 0"	F	" "	75	11' 0"	F	" "	75	1' 0"	F
" "	70	8' 0"	F	" "	73	5' 0"	M	" "	75	9' 0"	F
" "	76	15' 0"	F	" "	70	6' 0"	F	" "	73	15' 0"	M
" "	74	18' 0"	M	" "	75	5' 0"	F	" "	76	15' 0"	M
" "	74	16' 0"	F	" "	73	14' 0"	F	" "	72	8' 6"	M
" "	70	6' 0"	M	" "	72	18' 0"	M	" "	77	12' 0"	M
" "	74	10' 0"	M	" "	72	8' 0"	M	" "	67	10' 0"	M
" "	72	13' 0"	F	" "	74	2' 0"	M	" "	71	16' 6"	M
" "	70	9' 0"	F	" "	66	16' 0"	F	" "	70	7' 0"	M
" "	74	10' 0"	F	" "	79	0' 5"	M	" "	71	17' 0"	M
" "	75	4' 0"	F	" "	73	17' 0"	F	" "	76	16' 0"	F
$\frac{6}{3}$ "	75	14' 0"	F	" "	77	11' 0"	F	" "	72	11' 0"	M
" "	72	5' 0"	F	" "	73	10' 0"	M	" "	75	13' 0"	F
" "	68	2' 0"	M	" "	71	3' 0"	F	" "	67	4' 0"	F
" "	78	2' 0"	M	" "	74	10' 0"	M	" "	74	8' 0"	M
" "	79	16' 0"	M	" "	74	3' 0"	M	" "	77	12' 0"	F
" "	69	12' 0"	F	" "	77	13' 0"	F	" "	74	5' 7"	M
" "	72	10' 0"	F	" "	74	8' 0"	M	" "	67	6' 0"	M
" "	75	6' 0"	M	" "	74	5' 0"	M	" "	76	10' 0"	F
" "	69	11' 0"	M	" "	73	12' 0"	M	" "	74	14' 0"	M
" "	71	15' 6"	F	" "	69	12' 0"	F	" "	74	14' 0"	M
" "	75	14' 0"	M	" "	65	14' 0"	M	" "	70	6' 0"	M
" "	68	4' 0"	F	" "	72	14' 0"	M	" "	73	11' 0"	M
" "	79	14' 0"	F	" "	73	7' 0"	F	" "	73	8' 0"	M
" "	75	6' 0"	F	" "	65	7' 0"	F	" "	72	11' 0"	M
$\frac{7}{3}$ "	76	14' 0"	M	" "	71	12' 0"	M	" "	74	12' 0"	F
" "	77	12' 0"	M	" "	76	16' 0"	M	" "	73	9' 0"	F
" "	75	3' 0"	M	" "	72	4' 0"	M	" "	73	13' 6"	M
" "	75	10' 0"	F	" "	72	8' 0"	M	" "	79	5' 6"	M
" "	77	13' 0"	F	" "	69	3' 0"	F	" "			
" "	74	10' 0"	M	" "	76	8' 0"	F	$\frac{10}{3}$ "	76	17' 0"	F
" "	72	17' 0"	F	" "	68	4' 0"	F	" "	71	6' 0"	F
" "	74	2' 0"	F	" "	71	7' 0"	M	" "	72	13' 0"	M
" "	69	12' 0"	M	" "	65	5' 0"	M	" "	73	15' 9"	F
" "	73	8' 0"	M	" "	72	17' 0"	M	" "	64	7' 0"	F
" "	73	4' 0"	M	" "	69	12' 0"	M	" "	68	10' 0"	M
" "	65	3' 0"	M	" "	74	16' 0"	M	" "	71	7' 0"	M
" "	72	12' 0"	F	" "	74	14' 0"	M	" "	71	9' 0"	F
" "	72	4' 0"	M	" "	75	3' 0"	F	" "	74	10' 0"	F
" "	67	6' 0"	F	" "	76	13' 0"	F	" "	72	8' 0"	M
" "	78	9' 0"	F	" "	76	12' 0"	F	" "	67	4' 0"	M
" "	68	5' 0"	M	" "	68	18' 0"	F	" "	70	11' 0"	M
" "	70	2' 0"	M	" "	79	8' 0"	M	" "	71	2' 0"	M
" "	74	7' 6"	F	" "	70	6' 0"	M	" "	70	10' 0"	M
" "	73	5' 0"	F	" "	72	12' 6"	M	" "	76	4' 0"	F
" "	75	15' 0"	F	" "	72	15' 6"	F	" "	73	11' 6"	F
" "	71	7' 0"	M	$\frac{9}{3}$ "	76	12' 0"	F	" "	71	12' 0"	M
" "	65	8' 0"	F	" "	69	8' 0"	F	" "	70	12' 0"	M
" "	74	8' 0"	M	" "	69	16' 0"	M	" "	75	17' 6"	M
" "	76	18' 0"	M	" "	69	9' 0"	F	" "	70	16' 6"	F
" "	75	14' 0"	F	" "	74	19' 0"	M	" "	71	0' 1"	
" "	76	15' 0"	M	" "	71	9' 2"	F	" "	72	13' 0"	M
" "	74	11' 0"	M	" "	72	10' 0"	F	" "	75	16' 0"	M
" "	67	7' 6"	M	" "	72	12' 0"	M	" "	70	12' 0"	M
" "	72	15' 6"	M	" "	74	14' 0"	M	" "	74	18' 0"	F
" "	75	7' 0"	F	" "	70	12' 0"	F	" "	72	7' 0"	F
" "	75	11' 0"	F	" "	73	12' 0"	F	" "	74	13' 0"	M

Table No. 8.—*Fin-whale foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
10/3 38	75	11' 0"	F	13/3 38	71	10' 0"	M	14/3 38	65	3' 0"	M
" "	72	8' 0"	M	" "	70	12' 0"	M	" "	76	19' 0"	F
" "	75	4' 0"	M	" "	78	13' 0"	F	" "	73	3' 0"	M
" "	70	10' 0"	F	" "	74	14' 0"	F	" "	73	13' 0"	F
" "	73	7' 0"	F	" "	71	3' 0"	M	" "	65	5' 0"	M
" "	76	13' 0"	F	" "	74	8' 0"	F	" "	71	13' 0"	M
" "	73	8' 0"	M	" "	67	13' 0"	F	" "	74	15' 0"	F
" "	72	12' 0"	F	" "	73	10' 0"	F	" "	69	10' 0"	M
" "	74	14' 0"	F	" "	75	13' 0"	F	" "	70	13' 0"	F
" "	72	12' 0"	M	" "	69	16' 0"	F	" "	75	16' 0"	M
11/3 "	76	14' 0"	F	" "	77	10' 0"	F	15/3 "	72	17' 0"	M
" "	73	13' 0"	M	" "	73	12' 0"	M	" "	74	13' 0"	M
" "	76	14' 0"	F	" "	75	16' 0"	M	" "	77	15' 0"	M
" "	75	15' 0"	M	" "	77	15' 0"	M	" "	72	5' 0"	M
" "	75	4' 0"	M	" "	76	11' 0"	M	" "	70	4' 0"	M
" "	70	12' 0"	M	" "	66	13' 0"	F	" "	73	15' 0"	F
" "	64	11' 0"	M	" "	70	7' 0"	F	" "	72	14' 0"	M
" "	74	15' 0"	F	" "	68	10' 0"	M	" "	63	4' 0"	M
" "	75	7' 0"	F	" "	62	14' 0"	M	" "	77	10' 0"	F
" "	74	17' 6"	F	" "	73	14' 0"	F	" "	73	16' 0"	M
" "	76	7' 0"	F	" "	76	13' 0"	M	" "	72	6' 0"	F
" "	75	11' 0"	F	" "	71	10' 0"	F	" "	75	14' 0"	F
" "	72	10' 0"	M	" "	74	2' 0"	M	" "	70	11' 0"	M
" "	75	14' 8"	M	" "	76	13' 0"	F	" "	70	12' 0"	F
" "	72	12' 2"	F	" "	73	12' 0"	M	" "	69	7' 0"	F
" "	71	9' 0"	M	" "	73	15' 0"	F	" "	73	{12' 0"	F
" "	76	5' 0"	F	" "	73	3' 0"	F	" "	"	{15' 0"	M
12/3 "	67	5' 0"	M	" "	78	5' 0"	M	" "	77	15' 0"	M
" "	75	12' 0"	F	" "	70	17' 0"	F	" "	73	8' 0"	M
" "	65	6' 0"	M	" "	72	12' 0"	M	" "	70	7' 0"	M
" "	73	13' 0"	F	" "	76	4' 0"	M	" "	70	4' 0"	M
" "	70	12' 0"	F	" "	73	12' 0"	M	" "	70	16' 6"	F
" "	74	10' 0"	M	14/3 "	69	11' 0"	F	" "	74	16' 0"	M
" "	71	10' 0"	M	" "	75	7' 0"	M	" "	69	16' 0"	F
" "	70	4' 0"	M	" "	68	12' 0"	M	" "	70	12' 0"	F
" "	75	12' 0"	M	" "	67	11' 0"	M	" "	71	14' 0"	F
" "	70	7' 0"	M	" "	72	12' 0"	F	" "	74	7' 0"	M
" "	72	9' 0"	M	" "	70	12' 0"	M	" "	73	15' 0"	F
" "	75	13' 0"	F	" "	75	16' 0"	M	" "	80	9' 0"	F
" "	70	15' 0"	F	" "	78	9' 0"	F	16/3 "	72	17' 6"	M
" "	69	9' 0"	M	" "	69	8' 0"	M	" "	72	13' 0"	M
" "	78	16' 0"	M	" "	71	4' 0"	F	" "	76	9' 0"	F
" "	73	4' 0"	F	" "	71	18' 0"	M	" "	70	9' 0"	F
" "	73	14' 0"	F	" "	77	18' 0"	F	" "	72	10' 0"	M
" "	66	10' 0"	F	" "	66	9' 0"	F	" "	72	14' 0"	M
" "	70	10' 0"	M	" "	66	10' 0"	F	" "	71	12' 0"	M
" "	75	15' 6"	F	" "	73	6' 0"	F	10/4 "	73	10' 0"	M
" "	77	13' 0"	M	" "	70	14' 0"	M	12/4 "	71	12' 0"	F
" "	75	9' 0"	F	" "	76	17' 0"	F	" "	"	"	"
13/3 "	69	6' 0"	F	" "	71	5' 0"	M	" "	"	"	"

Total 4,139 fin-whale foetuses, of which 2,177 males and 1,931 females. Sex was not stated for 31 foetuses. Of the 4,108 foetuses for which sex was stated, 53.01 per cent were males and 46.99 per cent females.

Table No. 8— (continued).

3. Humpback foetuses
measured in the Southern Seas in the season 1937/38.

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
6/11 37	37	0' 3"	M	24/11 37	42	0' 4"	F	13/12 37	40	10' 0"	F
7/11 "	43	0' 6"	M	" "	47	4' 5"	M	" "	42	1' 6"	F
" "	42	0' 8"	M	25/11 "	45	2' 0"	M	" "	44	1' 6"	M
8/11 "	42	0' 1"	"	" "	46	1' 6"	F	" "	45	2' 0"	M
9/11 "	46	0' 5"	M	" "	47	0' 6"	M	" "	45	2' 0"	M
11/11 "	51	1' 0"	M	" "	43	1' 3"	F	14/12 "	36	1' 0"	M
" "	45	0' 7"	M	" "	42	1' 5"	M	" "	47	2' 0"	M
" "	48	0' 9"	M	26/11 "	45	1' 6"	F	15/12 "	46	2' 0"	M
" "	44	0' 5"	M	" "	50	0' 8"	M	" "	47	1' 6"	M
" "	44	0' 4"	F	" "	42	3' 0"	M	" "	47	3' 0"	M
" "	45	0' 3"	M	" "	42	1' 0"	M	16/12 "	41	0' 8"	M
" "	45	1' 0"	F	27/11 "	47	0' 8"	M	" "	44	2' 0"	M
" "	45	0' 7"	M	" "	44	1' 3"	M	" "	40	1' 0"	M
12/11 "	43	0' 7"	F	" "	43	1' 0"	F	17/12 "	42	1' 4"	M
" "	46	1' 0"	M	" "	44	1' 2"	F	" "	40	1' 6"	F
" "	46	0' 7"	F	28/11 "	38	0' 8"	M	" "	41	1' 0"	M
" "	42	0' 7"	F	" "	46	4' 8"	M	" "	46	0' 8"	M
" "	49	3' 6"	M	" "	44	1' 2"	F	" "	46	1' 0"	M
" "	44	3' 0"	F	" "	43	1' 5"	M	18/12 "	45	2' 0"	M
" "	45	1' 4"	F	29/11 "	46	1' 8"	M	" "	47	5' 0"	F
13/11 "	45	0' 6"	M	2/12 "	41	1' 0"	M	" "	41	1' 6"	F
" "	47	1' 6"	F	" "	42	1' 5"	M	19/12 "	48	2' 0"	F
" "	41	0' 7"	F	" "	44	2' 0"	M	" "	45	0' 3"	M
" "	46	8' 0"	F	" "	42	1' 4"	M	20/12 "	46	0' 5"	M
" "	44	1' 2"	M	4/12 "	46	0' 7"	M	21/12 "	48	1' 9"	M
" "	42	0' 2"	M	" "	41	0' 9"	M	" "	38	1' 0"	M
14/11 "	47	0' 7"	F	" "	47	1' 6"	F	" "	38	2' 4"	F
" "	42	0' 7"	M	" "	46	0' 1"	"	" "	47	1' 3"	F
" "	41	0' 7"	M	5/12 "	43	1' 2"	M	" "	45	2' 4"	F
15/11 "	43	0' 8"	M	" "	43	1' 0"	M	" "	49	1' 0"	M
" "	45	1' 0"	M	7/12 "	45	7' 0"	M	" "	44	6' 0"	M
" "	43	1' 4"	F	8/12 "	46	5' 0"	M	" "	42	1' 6"	M
" "	41	0' 6"	M	" "	42	1' 0"	F	22/12 "	46	2' 0"	F
" "	40	8' 0"	M	" "	40	0' 6"	M	" "	40	1' 0"	M
16/11 "	46	0' 6"	M	" "	43	1' 3"	M	23/12 "	46	3' 0"	F
19/11 "	41	0' 5"	M	" "	42	2' 0"	M	" "	44	1' 4"	F
" "	46	1' 0"	M	" "	42	1' 0"	F	" "	44	1' 3"	M
" "	43	0' 4"	M	" "	41	8' 0"	M	" "	45	1' 0"	F
20/11 "	41	0' 4"	M	" "	40	1' 4"	M	24/12 "	51	2' 0"	M
" "	47	1' 2"	F	" "	41	0' 6"	M	" "	49	2' 0"	F
22/11 "	47	1' 3"	F	" "	42	1' 6"	F	26/12 "	41	1' 0"	F
" "	45	1' 0"	M	9/12 "	40	1' 3"	F	" "	52	1' 6"	M
" "	39	0' 6"	F	" "	46	1' 7"	M	" "	41	2' 0"	M
" "	42	0' 7"	M	" "	42	1' 3"	F	27/12 "	44	1' 0"	M
" "	44	0' 5"	F	" "	41	1' 4"	M	" "	41	2' 0"	M
" "	45	1' 0"	M	" "	38	1' 0"	M	" "	45	1' 6"	M
" "	40	1' 0"	M	10/12 "	47	2' 0"	M	28/12 "	43	2' 0"	M
" "	47	1' 0"	F	11/12 "	49	1' 6"	M	" "	50	3' 0"	F
" "	40	1' 0"	M	" "	45	2' 0"	M	" "	41	2' 0"	F
23/11 "	42	1' 2"	M	12/12 "	44	2' 0"	"	29/12 "	45	1' 6"	M
" "	45	0' 7"	M	" "	39	5' 0"	M	" "	43	3' 0"	F
" "	41	0' 7"	M	" "	44	9' 0"	M	30/12 "	47	2' 0"	F
" "	43	1' 2"	M	" "	45	1' 0"	F	31/12 "	43	0' 6"	M
24/11 "	47	0' 6"	F	" "	48	1' 0"	F	2/1 38	42	1' 0"	F
" "	41	1' 0"	F	13/12 "	40	4' 0"	M	" "	47	2' 0"	F

Table No. 8.—Humpback foetuses (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
3/1 38	45	3' 0"	M	22/1 38	41	2' 0"	F	8/2 38	42	3' 0"	M
" "	50	2' 0"	M	24/1 "	42	4' 0"	M	" "	43	4' 0"	F
" "	44	1' 6"	M	26/1 "	47	2' 0"	M	" "	43	4' 0"	F
4/1 "	43	2' 0"	F	" "	38	6' 0"	F	9/2 "	43	2' 3"	F
" "	47	1' 0"	M	" "	43	1' 0"	F	" "	45	4' 0"	M
5/1 "	43	10' 0"	M	" "	41	0' 6"	M	" "	46	3' 6"	M
" "	44	1' 0"	F	27/1 "	45	2' 0"	F	" "	46	5' 0"	F
" "	41	3' 0"	M	" "	45	2' 0"	F	" "	46	4' 0"	M
" "	47	1' 0"	M	" "	48	3' 0"	M	" "	43	2' 6"	F
" "	38	1' 0"	F	" "	44	3' 6"	F	" "	44	3' 6"	F
6/1 "	40	2' 0"	M	" "	38	3' 0"	F	10/2 "	44	3' 0"	M
" "	43	2' 0"	F	" "	45	2' 6"	F	" "	43	3' 0"	M
7/1 "	50	3' 6"	M	28/1 "	45	2' 0"	M	11/2 "	43	4' 0"	F
8/1 "	44	3' 0"	F	" "	45	4' 3"	F	12/2 "	42	2' 0"	M
" "	48	2' 0"	F	" "	45	2' 0"	F	" "	42	3' 0"	F
" "	53	1' 6"	F	30/1 "	41	1' 10"	F	" "	45	6' 0"	M
" "	49	1' 0"	M	" "	43	3' 0"	M	" "	42	4' 0"	F
" "	48	3' 0"	F	" "	43	1' 0"	M	13/2 "	45	4' 0"	M
9/1 "	48	1' 0"	M	" "	48	3' 0"	M	14/2 "	40	4' 0"	M
" "	44	4' 0"	M	1/2 "	48	3' 0"	F	" "	37	4' 0"	M
" "	47	4' 0"	M	" "	39	3' 0"	F	" "	42	4' 0"	F
10/1 "	40	2' 0"	F	" "	47	3' 6"	M	15/2 "	43	3' 0"	F
" "	42	3' 0"	M	" "	44	3' 0"	F	" "	45	4' 3"	M
" "	45	2' 0"	F	" "	41	1' 0"	F	" "	44	5' 0"	F
11/1 "	40	1' 0"	M	" "	45	4' 0"	F	" "	42	3' 0"	F
" "	40	3' 0"	F	2/2 "	41	3' 0"	F	16/2 "	42	4' 0"	F
" "	49	2' 0"	F	" "	41	2' 6"	F	" "	50	2' 6"	M
" "	45	2' 0"	M	" "	41	3' 0"	F	" "	41	3' 0"	F
" "	42	3' 0"	M	" "	45	3' 0"	M	17/2 "	47	4' 0"	M
" "	40	1' 0"	M	" "	44	2' 0"	M	" "	40	2' 3"	F
" "	46	1' 0"	F	" "	47	2' 0"	M	" "	46	1' 3"	F
" "	50	2' 0"	F	3/2 "	45	1' 0"	M	" "	44	2' 0"	F
12/1 "	41	1' 0"	M	" "	47	4' 0"	M	18/2 "	45	2' 0"	M
" "	49	1' 0"	F	" "	48	1' 0"	F	" "	49	4' 0"	M
13/1 "	46	2' 0"	F	" "	43	3' 0"	F	" "	43	4' 0"	M
" "	45	3' 0"	M	" "	42	1' 0"	F	19/2 "	41	3' 0"	M
" "	43	3' 0"	M	" "	42	3' 0"	F	" "	44	5' 0"	F
" "	45	2' 6"	F	4/2 "	47	3' 0"	M	" "	46	4' 0"	F
" "	43	{1' 6"	F	" "	45	4' 0"	M	20/2 "	43	1' 0"	M
" "	43	{1' 6"	F	5/2 "	44	2' 0"	F	" "	47	4' 0"	F
" "	43	2' 0"	F	" "	45	2' 0"	F	21/2 "	47	4' 0"	F
14/1 "	39	1' 0"	F	" "	38	3' 0"	F	22/2 "	45	4' 0"	M
15/1 "	46	1' 0"	M	" "	45	4' 0"	F	23/2 "	47	2' 0"	M
" "	40	1' 0"	F	" "	43	2' 0"	M	27/2 "	45	4' 0"	F
17/1 "	42	1' 0"	F	" "	44	2' 0"	F	" "	47	4' 0"	F
" "	44	3' 0"	F	6/2 "	42	4' 5"	M	" "	49	4' 0"	F
" "	47	3' 0"	M	7/2 "	45	4' 0"	F	" "	48	4' 0"	F
" "	46	3' 0"	M	" "	44	1' 8"	F	" "	46	4' 0"	F
" "	40	1' 0"	F	" "	41	2' 0"	M	" "	48	3' 0"	M
18/1 "	50	1' 0"	F	" "	42	3' 0"	F	28/2 "	46	4' 0"	M
" "	48	1' 0"	M	" "	41	3' 0"	M	" "	45	6' 0"	F
" "	47	2' 0"	F	" "	42	3' 0"	F	" "	48	6' 4"	F
" "	41	2' 0"	M	" "	43	3' 0"	F	1/3 "	43	3' 3"	F
" "	43	2' 6"	M	" "	42	3' 0"	M	" "	44	4' 4"	F
" "	47	2' 0"	M	8/2 "	39	3' 6"	F	" "	47	6' 0"	M
19/1 "	40	2' 0"	M	" "	39	2' 6"	M	2/3 "	43	7' 0"	M
" "	42	2' 0"	M	" "	44	2' 5"	M	" "	41	4' 6"	M
21/1 "	43	1' 6"	F	" "	46	2' 0"	M	" "	45	5' 0"	M

Table No. 8.—*Humpback foetuses* (cont.).

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Eng. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{2}{3}$ 38	41	5' 0"	F	$\frac{5}{3}$ 38	47	5' 0"	M	$\frac{14}{3}$ 38	41	6' 0"	F
$\frac{3}{3}$ "	48	6' 0"	M	$\frac{7}{3}$ "	52	4' 0"	M	" "	44	5' 0"	M
" "	42	5' 0"	M	$\frac{8}{3}$ "	48	7' 0"	M	" "	43	5' 6"	M
" "	41	6' 0"	M	" "	48	1' 6"	F	$\frac{15}{3}$ "	46	4' 0"	M
$\frac{4}{3}$ "	40	5' 6"	M	" "	36	2' 0"	F	" "	41	5' 0"	F
" "	40	6' 3"	M	$\frac{10}{3}$ "	51	8' 0"	M	" "	42	6' 0"	M
" "	45	5' 0"	M	$\frac{11}{3}$ "	45	5' 0"	M	" "	39	4' 0"	F
" "	42	5' 0"	M	" "	46	6' 0"	F	" "	46	4' 0"	M
$\frac{5}{3}$ "	42	1' 8"	M	$\frac{13}{3}$ "	42	6' 0"	M	" "			

Total 365 humpback foetuses, of which 210 males and 150 females. Sex was not stated for 5 foetuses. Of the 360 foetuses, for which sex was stated, 58.33 per cent were males and 41.67 per cent females.

4. Sei-whale foetuses

measured in the Southern Seas in the season 1937/38.

Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.	Date when measured.	Length.		Sex.
	Mother.	Foetus.			Mother.	Foetus.			Mother.	Foetus.	
	Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.			Engl. ft.	Engl. ft.	
$\frac{6}{2}$ 38	50	8' 3"		$\frac{3}{3}$ 38	54	3' 0"	M	$\frac{19}{3}$ 38	50	15' 0"	F
$\frac{15}{2}$ "	49	10' 0"	F	$\frac{4}{3}$ "	49	10' 0"		" "	52	8' 0"	F
$\frac{17}{2}$ "	52	12' 0"		" "	52	9' 0"	M	" "	53	9' 0"	M
$\frac{18}{2}$ "	50	4' 0"		$\frac{5}{3}$ "	50	7' 0"	F	" "	50	13' 0"	F
$\frac{24}{2}$ "	52	7' 0"	M	$\frac{8}{3}$ "	53	10' 0"	M	" "	50	6' 0"	F
" "		6' 0"	M	$\frac{9}{3}$ "	50	11' 0"	F	$\frac{31}{3}$ "	50	12' 0"	F
$\frac{3}{3}$ "	51	5' 0"	M	$\frac{18}{3}$ "	53	12' 6"		$\frac{8}{4}$ "	51	12' 0"	M
" "	53	8' 0"	M	" "	51	12' 0"	F	" "	52	5' 0"	M

Total 24 sei-whale foetuses, of which 10 males and 9 females. Sex was not stated for 5 foetuses. Of the 19 foetuses of which sex was stated, 52.63 per cent were males and 47.37 per cent females.

Table No. 9.—Size of pregnant whale females caught in the Southern Seas in the season 1937/38.

1. Blue-whale females.

Length of mothers.	Number of pregnant animals.	Length of mothers.	Number of pregnant animals.	
Engl. feet.		Engl. feet.		
69	1	85	176	
70	1	86	165	
71	9	87	188	
72	2	88	122	
73	10	89	107	
74	5	90	99	Number of fetuses measured
75	14	91	48	1,848
76	30	92	16	of which twin-pairs
77	28	93	12	13
78	52	94	10	" " triples
79	61	95	5	1
80	94	96	2	
81	95	97	3	
82	147			
83	144			
84	187			
		Total	1,833	

2. Fin-whale females.

57	1	73	487	
58	—	74	475	
59	1	75	444	
60	8	76	271	
61	2	77	167	
62	8	78	98	Number of fetuses measured
63	22	79	46	4,139
64	28	80	28	of which twin-pairs
65	49	81	6	42
66	68	82	3	
67	136	83	—	
68	183	84	—	
69	231	85	—	
70	440	86	1	
71	401			
72	493			
		Total	4,097	

3. Humpback females.

36	2	46	33	
37	2	47	36	
38	8	48	18	
39	7	49	9	Number of fetuses measured
40	23	50	7	365
41	38	51	3	of which twin-pairs
42	45	52	2	2
43	41	53	1	
44	36			
45	52			
		Total	363	

4. Sei-whale females.

Length of mothers.	Number of pregnant animals.	Length of mothers.	Number of pregnant animals.	
49	2	53	4	Number of foetuses measured 24 of which twin-pairs 1
50	8	54	1	
51	3			
52	5	Total	23	

Table No. 10.—Whale foetuses, by species and groups of size, in each month.

I. Blue-whale foetuses

measured in the Southern Seas in the season 1937/38.

Groups of size.	Nov.	Dec.	Jan.	Febr.	March.	Total.
Engl. feet.						
Less than 1'	—	—	—	—	—	—
1'—1' 11"	10	16	3	—	—	29
2'—2' 11"	10	37	15	1	—	63
3'—3' 11"	10	81	20	2	1	114
4'—4' 11"	13	116	29	11	—	169
5'—5' 11"	10	138	46	7	2	203
6'—6' 11"	7	142	44	8	1	202
7'—7' 11"	1	94	66	9	2	172
8'—8' 11"	2	106	58	13	8	187
9'—9' 11"	1	53	53	17	5	129
10'—10' 11"	—	48	45	28	8	129
11'—11' 11"	—	20	34	18	4	76
12'—12' 11"	—	33	49	24	14	120
13'—13' 11"	—	5	32	16	5	58
14'—14' 11"	—	9	25	19	1	54
15'—15' 11"	—	6	19	16	6	47
16'—16' 11"	—	2	14	12	5	33
17'—17' 11"	—	1	4	7	6	18
18'—18' 11"	—	—	4	5	4	13
19'—19' 11"	—	—	1	1	5	7
20'—20' 11"	—	—	1	7	6	14
21'—21' 11"	—	—	—	3	3	6
22'—22' 11"	—	—	—	1	3	4
23'—23' 11"	—	—	—	—	—	—
24'—24' 11"	—	—	—	—	1	1
Total blue-whale foetuses	64	907	562	225	90	1,848
Average size of foetuses	4' 0"	6' 5"	8' 11"	11' 6"	13' 8"	8' 0"

Table No. 10 (continued).

2. Fin-whale foetuses
measured in the Southern Seas in the season 1937/38.

Groups of size.	Oct.	Nov.	Dec.	Jan.	Febr.	March.	April.	Total.
Engl. feet.								
Less than 1'	1	2	2	3	—	2	—	10
1'—1' 11"	1	6	22	33	23	1	—	86
2'—2' 11"	1	4	27	67	35	12	—	146
3'—3' 11"	1	6	60	79	57	16	—	219
4'—4' 11"	—	1	74	145	85	28	—	333
5'—5' 11"	—	4	89	167	107	25	—	392
6'—6' 11"	—	1	76	176	108	32	—	393
7'—7' 11"	—	—	56	173	136	35	—	400
8'—8' 11"	—	—	39	214	151	49	—	453
9'—9' 11"	—	—	21	121	109	29	—	280
10'—10' 11"	—	—	11	141	151	48	1	352
11'—11' 11"	—	—	5	77	117	39	—	238
12'—12' 11"	—	—	—	67	139	66	1	273
13'—13' 11"	—	—	—	21	112	38	—	171
14'—14' 11"	—	—	1	18	88	45	—	152
15'—15' 11"	—	—	—	4	64	38	—	106
16'—16' 11"	—	—	—	3	38	30	—	71
17'—17' 11"	—	—	—	—	14	14	—	28
18'—18' 11"	—	—	2	—	5	14	—	21
19'—19' 11"	—	—	—	1	4	2	—	7
20'—20' 11"	—	—	1	1	3	2	—	7
21'—21' 11"	—	—	—	—	—	1	—	1
Total fin-whale foetuses	4	24	486	1,511	1,546	566	2	4,139
Average size of foetuses	1' 7"	2' 10"	5' 6"	7' 1"	9' 2"	10' 5"	11'	8' 1"

3. Humpback foetuses

measured in the Southern Seas in the season 1937/38.

Groups of size.	Nov.	Dec.	Jan.	Febr.	March.	Total.
Engl. feet.						
Less than 1'	38	8	2	—	—	48
1'—1' 11"	30	44	27	7	2	110
2'—2' 11"	1	22	27	19	1	70
3'—3' 11"	2	4	18	28	1	53
4'—4' 11"	2	1	3	31	6	43
5'—5' 11"	—	3	1	3	11	18
6'—6' 11"	—	1	1	3	8	13
7'—7' 11"	—	1	—	—	2	3
8'—8' 11"	2	1	—	—	1	4
9'—9' 11"	—	1	—	—	—	1
10'—10' 11"	—	1	1	—	—	2
11'—11' 11"	—	—	—	—	—	—
12'—12' 11"	—	—	—	—	—	—
13'—13' 11"	—	—	—	—	—	—
Total humpback foetuses	75	87	80	91	32	365
Average size of foetuses	1' 2"	2' 0"	2' 2"	3' 2"	5' 0"	2' 5"

Table No. 10 (continued).

4. Sei-whale foetuses
measured in the Southern Seas in the season 1937/38.

Groups of size.	Febr.	March.	April.	Total.
Engl. feet.				
Less than 3'	—	—	—	—
3'—3' 11"	—	1	—	1
4'—4' 11"	1	—	—	1
5'—5' 11"	—	1	1	2
6'—6' 11"	1	1	—	2
7'—7' 11"	1	1	—	2
8'—8' 11"	1	2	—	3
9'—9' 11"	—	2	—	2
10'—10' 11"	1	2	—	3
11'—11' 11"	—	1	—	1
12'—12' 11"	1	3	1	5
13'—13' 11"	—	1	—	1
14'—14' 11"	—	—	—	—
15'—15' 11"	—	1	—	1
Total sei-whale foetuses	6	16	2	24
Average size of foetuses.....	7' 9"	9' 4"	8' 6"	8' 11"

**Table II.—Whale foetuses, by species and sex, in each month
in the season 1937/38.**

Kind of foetuses and months.	Number of		Sex not stated.	Total foetuses.	Number of males per 100 females.
	Males.	Females.			
1. Blue-whale foetuses.					
November	40	24	—	64	167
December	511	395	1	907	129
January	298	264	—	562	113
February	98	127	—	225	77
March	54	36	—	90	150
Total	1,001	846	1	1,848	118
2. Fin-whale foetuses.					
October	—	—	4	4	—
November	8	4	12	24	200
December	245	234	7	486	105
January	782	723	6	1,511	108
February	833	713	—	1,546	117
March	308	256	2	566	120
April	1	1	—	2	100
Total	2,177	1,931	31	4,139	113
3. Humpback foetuses.					
November	48	26	1	75	185
December	57	27	3	87	211
January	40	40	—	80	100
February	41	49	1	91	84
March	24	8	—	32	300
Total	210	150	5	365	140
4. Sei-whale foetuses.					
February	2	1	3	6	200
March	6	8	2	16	75
April	2	—	—	2	—
Total	10	9	5	24	111

